



Manufacturing



MANUFACTURING

Virtually every sport takes place on a specially designed surface, whether it's a court, a field, or a ring. Like athletes, manufacturing workers exert themselves every day. These industrial athletes deserve to test their limits on surfaces that have been engineered to support them and their work.

REJUVENATOR®

Rejuvenator® is Wearwell's line of urethane matting and flooring — the undisputed record-holder when it comes to comfort, resilience, and long-term value.

PATENT US D653893




Rejuvenator® flooring, runners, and workstation mats will help your team stand stronger, longer. Rejuvenator® delivers the ultimate combination of durability, ergonomics, and awesome good looks!

Manufactured from 100% urethane, this perennial all-star features an unparalleled ten-year resilience warranty. Simply put, we've engineered it to outlast and outperform any would-be rivals.

UNIVERSAL REJUVENATOR® EDGING			
ITEM NUMBER	SIZE	THICKNESS	COLOR
502.58x2x39F	2" x 39"	5/8"	BK, YL
502.58x2x39M	2" x 39"	5/8"	BK, YL

F: Female connector M: Male connector
All Rejuvenator® edging is universal to all Rejuvenator® tiles

Rejuvenator®'s 2" wide ramps provide a visual cue and transition for on-off access and are compatible with 502 and 503 flooring tiles.



502/503

Flooring



Available in domed and square designs, Rejuvenator® Flooring features large, 3' x 3' modules — and now new 1' x 3' modules as well — that interlock on all four sides to customize on site virtually any flooring configuration. The interlock is incredibly effective and also hidden so the ergonomic floor you've created is seamless and stable underfoot. Having the ability to customize in one-foot increments and finish off with beveled ramps (yellow or black) sets Rejuvenator® Flooring apart from all other urethane "wannabes."

ITEM NUMBER	SIZE	THICKNESS	COLOR
502 Rejuvenator® Squared			
502.58x1x3BK	1' x 3'	5/8"	BK
502.58x3x3BK	3' x 3'	5/8"	BK
503 Rejuvenator® Domed			
503.58x1x3BK	1' x 3'	5/8"	BK
503.58x3x3BK	3' x 3'	5/8"	BK



SPECIFICATIONS

Compound: Polyurethane
Edges: Optional 2"-Wide Safety Edging
Warranty: 10-Year Resilience

502/503

Runner



Rejuvenator® Runners give you the option to create 2'- and 3'-wide runs of ergonomic matting. With a female end and a male end, all that's left is to connect as many centers as you need for your space. The molded-in ramps reduce installation time and costs.

	ITEM NUMBER	SIZE	THICKNESS	COLOR
502 Rejuvenator® Squared	502.58x2x5CBK	2' x 5'	5/8"	BK
	502.58x2x5EFBK	2' x 5'	5/8"	BK
	502.58x2x5EMBK	2' x 5'	5/8"	BK
	502.58x3x5CBK	3' x 5'	5/8"	BK
	502.58x3x5EFBK	3' x 5'	5/8"	BK
	502.58x3x5EMBK	3' x 5'	5/8"	BK
503 Rejuvenator® Domed	503.58x2x5CBK	2' x 5'	5/8"	BK
	503.58x2x5EFBK	2' x 5'	5/8"	BK
	503.58x2x5EMBK	2' x 5'	5/8"	BK
	503.58x3x5CBK	3' x 5'	5/8"	BK
	503.58x3x5EFBK	3' x 5'	5/8"	BK
	503.58x3x5EMBK	3' x 5'	5/8"	BK

C: Center

EF: End, Female

EM: End, Male



SPECIFICATIONS

Compound: Polyurethane
Edges: Molded-in Safety Bevel
Warranty: 10-Year Resilience


502/503

Workstation Mat



Rejuvenator® Workstation Mats provide an out-of-the-box anti-fatigue solution for workers who spend most of their shift standing at one station. Rejuvenator® Workstation Mats feature the same awesome aesthetics as the rest of the Rejuvenator® products, so your facility can look clean and consistent.

	ITEM NUMBER	SIZE	THICKNESS	COLOR
502 Rejuvenator® Squared	502.58x2x3BK	2' x 3'	5/8"	BK
	502.58x2x5BK	2' x 5'	5/8"	BK
	502.58x3x5BK	3' x 5'	5/8"	BK
503 Rejuvenator® Domed	503.58x2x3BK	2' x 3'	5/8"	BK
	503.58x2x5BK	2' x 5'	5/8"	BK
	503.58x3x5BK	3' x 5'	5/8"	BK



SPECIFICATIONS

Compound: Polyurethane
Edges: Molded-in Safety Bevel
Warranty: 10-Year Resilience

ERGODECK®

ErgoDeck® was engineered with the evolving workplace in mind and can be used to cover large workspaces or custom work cells where traditional matting products fail. Think of ErgoDeck® as your "floor above a floor" — a high-performance field for your hardworking industrial athletes.

PATENT US 8,006,443B2 PATENT US D5210,650S



ErgoDeck®, with patented LockSafe® technology, holds secure but can be taken apart and reconnected on demand. Available in a wide variety of styles, ErgoDeck® is made of 100% silicone-free PVC and has the versatility to perform well in any position.

ErgoDeck®'s robust 7/8"-thick tiles install quickly with no tools required. Tiles from the different ErgoDeck® models can be combined and cut to size in 3" increments, making ErgoDeck® a highly customizable ergonomic flooring solution.

Reduce costs and improve safety! Easily replace single tiles or sections as needed. Reduce slips, trips, and falls and severity of impact. Avoid costly floor repairs, cover cracks that may pose hazards, and improve aesthetics.

556/558

Comfort



ErgoDeck® Comfort is the optimum defense for fatigue in work areas where there is a lot of foot traffic but little or no cart traffic. The softer compound and spring-back underside compress and rebound underfoot for a "rubber-like" feel. Comfort Solid is especially suited to work areas that remain relatively dry or that have slight overspray.

With its flexible PVC compound and springy underside, ErgoDeck® Comfort Open is engineered to cushion the impact of long-term standing and foot traffic in wet areas, providing resilient support underfoot while wicking away moisture.




ITEM NUMBER	SIZE	THICKNESS	COLOR
556 ErgoDeck® Comfort Solid			
556.78x18x18CH-CS10	18" x 18"	7/8"	CH
558 ErgoDeck® Comfort Open			
558.78x18x18CH-CS10	18" x 18"	7/8"	CH

SPECIFICATIONS

Compound: PVC

Edges: Optional 6"-Wide Safety Ramps

Warranty: 3 Years



564-567

General Purpose



ErgoDeck® General Purpose is the best surface for team health and safety in areas with foot and light cart traffic. The softer compound compresses more underfoot, delivering enhanced fatigue relief, while the box-spring underside provides the necessary structure for rolling carts.



Designed for medium-duty work environments, ErgoDeck® General Purpose features a raised-texture surface that provides sure footing while enhancing workplace aesthetics. Regularly spaced openings in the Open variation remove moisture from the surface, facilitating drainage. GRITSHIELD™ can be added to both the Solid and Open models to increase traction.



ITEM NUMBER	SIZE	THICKNESS	COLOR
564 ErgoDeck® General Purpose Open			
564.78x18x18CH-CS10	18" x 18"	7/8"	CH
564.78x18x18WH-CS10	18" x 18"	7/8"	WH
565 ErgoDeck® General Purpose Open with GRITSHIELD™			
565.78x18x18CH-CS10	18" x 18"	7/8"	CH
566 ErgoDeck® General Purpose Solid			
566.78x18x18CH-CS10	18" x 18"	7/8"	CH
566.78x18x18WH-CS10	18" x 18"	7/8"	WH
567 ErgoDeck® General Purpose Solid with GRITSHIELD™			
567.78x18x18CH-CS10	18" x 18"	7/8"	CH

SPECIFICATIONS

Compound: PVC

Edges: Optional 6"-Wide Safety Ramps

Warranty: 3 Years



ERGODECK®

ErgoDeck®'s patented LockSafe® mechanism guarantees secure connections that can be "zipped" apart when needed. If a tile wears out, simply pop it out and replace it.

PATENT US 8,006,443B2 PATENT US D5210,650S



560-563

Heavy Duty



ErgoDeck® Heavy Duty is designed for work areas with heavy cart and foot traffic. The firmer compound lets carts roll with ease while the underside box-spring design provides structural support and impact absorption to reduce heel strike, even in multi-shift operations.

In the Open variation, the perforated design facilitates drainage while the firm structure of the 100% silicone-free PVC compound provides a solid foundation for carts and workers. GRITSHIELD™ can be added to both the Solid and Open models for added traction.



SPECIFICATIONS

Compound: PVC

Edges: Optional 6"-Wide Safety Ramps

Warranty: 3 Years



ITEM NUMBER	SIZE	THICKNESS	COLOR
560 ErgoDeck® Heavy Duty Open			
560.78x18x18BK-CS10	18" x 18"	7/8"	BK
560.78x18x18BL-CS10	18" x 18"	7/8"	BL
560.78x18x18GN-CS10	18" x 18"	7/8"	GN
560.78x18x18OR-CS10	18" x 18"	7/8"	OR
560.78x18x18RD-CS10	18" x 18"	7/8"	RD
560.78x18x18YL-CS10	18" x 18"	7/8"	YL
561 ErgoDeck® Heavy Duty Open w/GRITSHIELD™			
561.78x18x18BK-CS10	18" x 18"	7/8"	BK
562 ErgoDeck® Heavy Duty Solid			
562.78x18x18BK-CS10	18" x 18"	7/8"	BK
562.78x18x18BL-CS10	18" x 18"	7/8"	BL
562.78x18x18GN-CS10	18" x 18"	7/8"	GN
562.78x18x18OR-CS10	18" x 18"	7/8"	OR
562.78x18x18RD-CS10	18" x 18"	7/8"	RD
562.78x18x18YL-CS10	18" x 18"	7/8"	YL
562 ErgoDeck® Heavy Duty Solid w/GRITSHIELD™			
563.78x18x18BK-CS10	18" x 18"	7/8"	BK

560

Cable Bridge Kit



Exposed cables and hoses in the industrial workplace persistently pose trip hazards. A common fix is to secure them with tape, or to devise other temporary fixes. ErgoDeck® Cable Bridge Kit, when used with ErgoDeck® flooring, provides a more permanent solution.

ITEM NUMBER	SIZE	THICKNESS	COLOR
560.78x18	36"	7/8"	BLYL
560.78x15x15BLYL	15" x 15"	7/8"	BLYL

SPECIFICATIONS


Compound: PVC
Edges: 6"-Wide Yellow Safety Ramps
Warranty: 3 Years



ERGODECK® RAMPS AND CORNERS

Universal to all ErgoDeck® products on pages 16-19

ITEM NUMBER	SIZE	THICKNESS	COLOR
560.78x15x15BLYL	15" x 15"	7/8"	BLYL
560.78x6x15x15BK-CS4	6" x 15" x 15"	7/8"	BK
560.78x6x15x15YL-CS4	6" x 15" x 15"	7/8"	YL
560.78x6x18YL-CS10	6" x 18"	7/8"	YL
560.78x6x18BK-CS10	6" x 18"	7/8"	BK
560.78x6x9x9BK	6" x 9" x 9"	7/8"	BK, YL
561.78x6x15x15BK-CS4	15" x 15"	7/8"	BK
561.78x6x15x15YL-CS4	15" x 15"	7/8"	YL
561.78x6x18BK-CS10	6" x 18"	7/8"	BK
561.78x6x18YL-CS10	6" x 18"	7/8"	YL
561.78x6x9x9BK	9" x 9"	7/8"	BK, YL
564.78x6x15x15CH-CS4	6" x 15" x 15"	7/8"	CH
564.78x6x15x15WH-CS4	6" x 15" x 15"	7/8"	WH
564.78x6x18CH-CS10	6" x 18"	7/8"	CH
564.78x6x18WH-CS10	6" x 18"	7/8"	WH
564.78x6x9x9CH	6" x 9" x 9"	7/8"	CH
564.78x6x9x9WH	6" x 9" x 9"	7/8"	WH



ErgoDeck® ramps and corners are compatible with all ErgoDeck® styles. Robust 6"-wide ramps prevent trip hazards and allow easy access for wheeled traffic. Available with GRITSHIELD™ for additional traction.



ERGODECK® WITH NO-SLIP CLEATS

Cleats are tried-and-true gear for professional athletes who want winning performance and safety on the field. Whether on an oil rig or an engine line, ErgoDeck® with No-Slip Cleats provides long-lasting traction and can endure harsh conditions and cleaning — even pressure washing!



PATENT US 8,006,443B2 PATENT US D5210,650S

552/553 Integrated No-Slip Cleats



ErgoDeck® with Integrated No-Slip Cleats delivers a sure-footed work surface for maximum productivity, performance, and safety — even in the most demanding workplace conditions. The cleated design — modeled after the cleats that professional athletes wear for traction — overcomes harsh and slick workplace conditions.

While gritted mats provide some temporary traction, they wear with use and become slippery with saturation over time. ErgoDeck® with Integrated No-Slip Cleats, on the other hand, is built to last. Unlike gritted mats — which cannot be maintained and cleaned — ErgoDeck® with Integrated No-Slip Cleats can withstand power washing, scrubbing, and aggressive cleaning.



ITEM NUMBER	SIZE	THICKNESS	COLOR
552 ErgoDeck® w/Integrated No-Slip Cleats Solid			
552.78x18x18BK-CS10	18" x 18"	7/8"	BK
553 ErgoDeck® w/Integrated No-Slip Cleats Open			
553.78x18x18BK-BK10	18" x 18"	7/8"	BK

SPECIFICATIONS

- Compound: PVC
- Edges: Optional 6"-Wide Safety Ramps
- Warranty: 3 Years



INSTANT ERGODECK MATS

Need a workstation mat with tons of traction? Check out our ErgoDeck Integrated No-Slip Kits on page 32. Optional edging can be found on page 19.

554/555

Steel No-Slip Cleats



The most robust cleated flooring product of them all, ErgoDeck® with Steel No-Slip Cleats is in a league of its own. Metal cleats are standard issue for professional athletes who want performance and protection on the field. Now, industrial athletes who need the ultimate degree of added traction can have proper gear, too!

The Open variation of ErgoDeck® with Steel No-Slip Cleats is designed to give workers a reliable surface to stand on in the most unforgiving wet environments. Thoroughly reliable, ErgoDeck® with Steel No-Slip Cleats maintains its traction in the face of aggressive cleaning, scrubbing, and pressure washing.



ITEM NUMBER	SIZE	THICKNESS	COLOR
554 ErgoDeck® w/Steel No-Slip Cleats Solid			
554.78x18x18BK-CS10	18" x 18"	7/8"	BK
555 ErgoDeck® w/Steel No-Slip Cleats Open			
555.78x18x18BK-BK10	18" x 18"	7/8"	BK

SPECIFICATIONS

- Compound: PVC
- Edges: Optional 6"-Wide Safety Ramps
- Warranty: 3 Years



SLIPS, TRIPS, AND FALLS*

\$41,531
the average cost of a slip and fall claim

3RD LEADING CAUSE
of missed work days

4TH LEADING CAUSE
of work-related death

42% INCREASE
in workers' compensation costs for slips and falls over the past 11 years

\$13.5 BILLION
the national total for same level-fall workers' compensation claims

* Source: National Safety Council Injury Facts, 2012 Ed.

F.I.T.™

F.I.T.™ is the most versatile 12" x 12" interlocking ergonomic flooring system on the market. Its patented LockSafe® connections and lightweight design make handling and maintenance a snap.

US REG NO. 3,739,710



Today, workspaces are designed in a wide variety of shapes and sizes. That's where an easy, customizable solution like F.I.T.™ (Functional Interlocking Tiles) comes into play.


F.I.T.™'s 5/8"-thick, 12" x 12" interconnecting tiles are 100% silicone free and feature a lightweight, flexible design that allows tiles to be cut and reconnected every three inches. While the LockSafe® Positive Interlocking System prevents separation during use, one can easily unzip tiles to replace single pieces or sections as needed.

Thanks to F.I.T.™'s versatility and durability, it can be used for many otherwise challenging applications. Cover a less-than-ideal floor (such as cracked concrete) with F.I.T.™ to provide standing relief, safety underfoot, and traction for workers — not to mention world-class aesthetics. Assemblies of F.I.T.™ tiles can also be rolled up without coming apart, making it an ideal custom liner for mobile tool and storage bins that require frequent maintenance.

UNIVERSAL F.I.T.™ EDGING			
ITEM NUMBER	SIZE	THICKNESS	COLOR
540.58x3x12BK-CS20	3" x 12"	5/8"	BK
540.58x3x12YL-CS20	3" x 12"	5/8"	YL
540.58x3x15BK-CS4*	3" x 15"	5/8"	BK
540.58x3x15YL-CS4*	3" x 15"	5/8"	YL

*Ramp with corner

All F.I.T.™ edging is universal to all F.I.T.™ tiles



F.I.T.™ has 3"-wide ramps that provide a visual cue and transition for on-off access. Compatible with all F.I.T.™ products and available with GRITSHIELD™ for improved traction.

541/543

F.I.T.™ Solid



F.I.T.™ Solid features a solid-top surface design for dry-area applications. Best for workspaces with only modest moisture and overspray, these tiles are strong enough to withstand modest cart traffic while still delivering enough cushion to provide an ergonomic work surface for standing and mobile workers. Available with GRITSHIELD™ for extra traction.

ITEM NUMBER	SIZE	THICKNESS	COLOR
541.58x12x12BK-CS20	12" x 12"	5/8"	BK
543.58x12x12BK-CS20 *	12" x 12"	5/8"	BK

* GRITSHIELD™ option



SPECIFICATIONS

Compound: PVC
Edges: Optional 3" Wide
Warranty: 1 Year



540/542

F.I.T.™ Open



F.I.T.™ Open features an open-hole design for rapid and complete drainage of fluids. The surface slants towards the holes in the tiles to facilitate quick drainage and ensure a safe, dry standing area for workers. Use F.I.T.™ Open to convert wet and dirty floor areas into ergonomic work zones for your team. Available with GRITSHIELD™ for extra traction.

ITEM NUMBER	SIZE	THICKNESS	COLOR
540.58x12x12BK-CS20	12" x 12"	5/8"	BK
540.58x12x12GN-CS20	12" x 12"	5/8"	GN
540.58x12x12RD-CS20	12" x 12"	5/8"	RD
542.58x12x12BK-CS20 *	12" x 12"	5/8"	BK

* GRITSHIELD™ option



SPECIFICATIONS

Compound: PVC
Edges: Optional 3" Wide
Warranty: 1 Year

