#### From the simplest to the complex, Jesco does it best!

If you don't find a unit to meet your needs from our large selection of standard models, just give us a call and we will design and build a unit to meet your specific requirements. Pictured below are just a few of the special hoppers we've manufactured over time:

#### SPECIALS



Self dumping hopper mounted to standard skid. Designed for use with automated storage and retrieval systems.



Self dumping hopper with polyurethane casters and special bail coupler tow hitch.

- 2 -



Special self dumping hopper with heavy duty structural base and hood. For use in glass recycling.



12' wide special low profile self dumping hopper used to handle long strips in shearing operation.





Special low profile chip & waste truck. Designed to fit under turning machine or press.

Phone: 517-542-2903



Tapered front self dumping hopper with special low clearance outrigger base and heavy duty 3-way entry fork tubes.



Extra heavy duty container fabricated from 3/8" plate. Designed for transport with overhead crane and to be emptied with rollover attachment on forklift. Used by bearing manufacturer.

Fax: 517-542-2501

# **JCSCOHUSKYDUMPER**®

#### Over 40 models to choose from!

All-welded self dumping hoppers handle bulk materials and scrap easily. Can be moved with a forklift or rolled on casters. *Must use forklift of proper capacity rating to empty hopper.* The narrow models are designed to fit into tight spaces without losing load capacity. *Big space saver* when shipping by truck, they can be loaded two wide and stacked. Handle is one piece. Jesco dump hoppers are engineered to dump when the locking mechanism is tripped, and to return to the upright locked position when empty.

Safety retaining chain and remote trip rope are standard on all units. Painted Vista Green. Packaging is optional (at extra charge).

Warning: Always observe all safety rules of your company, OSHA, ASME, ITA and the manufacturer of the forklift. Dumpers are to be used by properly trained personnel only.

If your existing Jesco hoppers are missing their safety labels, call 1-800-609-8289 and they will be replaced at NO CHARGE.



#### **DUMPS ITSELF**



RIGHTS ITSELF



**LOCKS ITSELF** 



- Big LaborSavers
- •All-Welded Construction
- Strong and Durable
- Heavy Duty Rocker Stops

#### STANDARD FEATURES:

- Safety retaining chain
- Remote trip rope assembly

- Safety latch
- Green color

#### **OPTIONAL:**

- Casters for units up to 2<sup>1</sup>/<sub>2</sub> cu. yards
- Lids 1 to  $2^{1}/_{2}$  cu. yards
- · Paint colors:
- · Red, OSHA Blue, Black, Light Gray,
- Dark Gray, Orange, Yellow.

- 3-Way entry
- Bolt on casters
- · Left hand release



Safety retaining chain and trip rope store conveniently on the back of the unit when not in use.

### **Jescohuskydumper**, **Heavy Duty Formed Base**

12 Gauge Body

8 Gauge Base

Stackable 3 High Empty



1/3 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211701	1/4 cu. yd / 2000 lbs	49"L x 30 <sup>3</sup> / <sub>4</sub> "W x 26 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 8 <sup>1</sup> / <sub>2</sub> " x 20" OC	305 lbs
211705	<sup>1</sup> / <sub>3</sub> cu. yd / 2000 lbs	48 <sup>1</sup> / <sub>2</sub> "L x 30 <sup>3</sup> / <sub>4</sub> "W x 31 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 8 <sup>1</sup> / <sub>2</sub> " x 20" OC	315 lbs
211711	<sup>1</sup> / <sub>2</sub> cu. yd / 2000 lbs	48 <sup>1</sup> / <sub>2</sub> "L x 41 <sup>1</sup> / <sub>2</sub> " x "W x 31 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 11" x 30" OC	365 lbs
211731	1 cu. yd / 2000 lbs	62"L x 41 <sup>1</sup> / <sub>2</sub> "W x 37"H	2 <sup>1</sup> / <sub>2</sub> " x 11" x 30" OC	440 lbs
211741	1 <sup>1</sup> / <sub>2</sub> cu. yd / 2000 lbs	62"L x 59 <sup>1</sup> / <sub>2</sub> "W x 37"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	540 lbs
211751	2 cu. yd / 2000 lbs	64"L x 59 <sup>1</sup> / <sub>2</sub> "W x 46"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	600 lbs
211761	2 <sup>1</sup> / <sub>2</sub> cu. yd / 2000 lbs	64"L x 59 <sup>1</sup> / <sub>2</sub> "W x 51"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	620 lbs
*211771	3 cu. yd / 2000 lbs	71 <sup>1</sup> / <sub>2</sub> "L x 65 <sup>1</sup> / <sub>2</sub> "W x 59 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 9 <sup>1</sup> / <sub>2</sub> " x 39" OC	810 lbs
*211781	4 cu. yd / 2000 lbs	71 <sup>1</sup> / <sub>2</sub> "L x 85 <sup>1</sup> / <sub>2</sub> "W x 59 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 9 <sup>1</sup> / <sub>2</sub> " x 39" OC	970 lbs

<sup>\*</sup> Not stackable, casters not recommended. Non stock item, manufactured to order.

### **JOSCOHUSKYDUMPER**, EXTRA HEAVY DUTY FORMED BASE

10 Gauge Body

8 Gauge Base

Stackable 3 High Empty



1 cu. yd. shown

1	Part No	Capacity	Dimensions	Fork Openings	Weight
	211531	1 cu. yd / 4000 lbs	62"L x 41 <sup>1</sup> / <sub>2</sub> "W x 37"H	2 <sup>1</sup> / <sub>2</sub> " x 11" x 30" OC	485 lbs
	211541	1 <sup>1</sup> / <sub>2</sub> cu. yd / 4000 lbs	62"L x 59 <sup>1</sup> / <sub>2</sub> "W x 37"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	630 lbs
	211551	2 cu. yd / 4000 lbs	64"L x 59 <sup>1</sup> / <sub>2</sub> "W x 46"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	690 lbs
	211561	21/2 cu. yd / 4000 lbs	64"L x 59 <sup>1</sup> / <sub>2</sub> "W x 51"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	730 lbs
			the same of the sa		

#### **Jescohuskydumper**, Super Heavy Duty Formed Base

7 gauge body Base: 8 gauge (1/4-1/2 yd.) / .220 gauge (3/4-21/2 yd.) Stackable 3 high empty





4	Part No	Capacity	Dimensions	Fork Openings	Weight
	211301	1/4 cu. yd / 4000 lbs	49"L x 30 <sup>3</sup> / <sub>4</sub> "W x 26 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 8 <sup>1</sup> / <sub>2</sub> " x 20" OC	375 lbs
	211305	<sup>1</sup> / <sub>3</sub> cu. yd / 4000 lbs	48 <sup>1</sup> / <sub>2</sub> "L x 30 <sup>3</sup> / <sub>4</sub> "W x 31 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 8 <sup>1</sup> / <sub>2</sub> " x 20" OC	405 lbs
	211311	<sup>1</sup> / <sub>2</sub> cu. yd / 4000 lbs	48 <sup>1</sup> / <sub>2</sub> "L x 41 <sup>1</sup> / <sub>2</sub> "W x 31 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 11" x 30" OC	470 lbs
	211321	<sup>3</sup> / <sub>4</sub> cu. yd / 5000 lbs	56 <sup>3</sup> / <sub>4</sub> "L x 41 <sup>1</sup> / <sub>2</sub> "W x 35 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 11" x 30" OC	575 lbs
	211331	1 cu. yd / 6000 lbs	62"L x 41 <sup>1</sup> / <sub>2</sub> "W x 37"H	2 <sup>1</sup> / <sub>2</sub> " x 11" x 30" OC	620 lbs
	211341	1 <sup>1</sup> / <sub>2</sub> cu. yd / 6000 lbs	62"L x 59 <sup>1</sup> / <sub>2</sub> "W x 37"H	2 <sup>1</sup> / <sub>2</sub> " x 11" x 48" OC	785 lbs
	*211346	1 <sup>1</sup> / <sub>2</sub> cu. yd / 6000 lbs	64"L x 46 <sup>1</sup> / <sub>2</sub> "W x 46"H	2 <sup>1</sup> / <sub>2</sub> " x13 <sup>1</sup> / <sub>2</sub> " x 35" OC	750 lbs
	211351	2 cu. yd / 6000 lbs	64"L x 59 <sup>1</sup> / <sub>2</sub> "W x 46"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	880 lbs
	*211356	2 cu. yd / 6000 lbs	64"L x 46 <sup>1</sup> / <sub>2</sub> "W x 51"H	2 <sup>1</sup> / <sub>2</sub> " x 13 <sup>1</sup> / <sub>2</sub> " x 35" OC	790 lbs
	211361	2 <sup>1</sup> / <sub>2</sub> cu. yd / 6000 lbs	64"L x 59 <sup>1</sup> / <sub>2</sub> "W x 51"H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 48" OC	905 lbs
_			NAME OF TAXABLE PARTY OF TAXABLE PARTY.		

<sup>\*</sup> Non stock item, manufactured to order.

Phone: 517-542-2903 - 4 - Fax: 517-542-2501

### **Dimensions** 71½" 85½" -80½" -E-mail: Jesco@JescoOnline.com Website: www.JescoOnline.com - 5 -

# **JESCOHUSKYDUMPER**, SUPER EXTRA HEAVY DUTY STRUCTURAL BASE

7 Gauge Body

1/4" Base

Non-stackable

Non stock item, manufactured to order



Part No	Capacity	Dimensions	Fork Openings	Weight
211332	1 cu. yd / 6000 lbs	62"L x 41 <sup>1</sup> / <sub>2</sub> "W x 37"H	3" x 11 <sup>1</sup> / <sub>4</sub> " x 30" OC	660 lbs
211342	1 <sup>1</sup> / <sub>2</sub> cu. yd / 6000 lbs	62"L x 59 <sup>1</sup> / <sub>2</sub> "W x 37"H	3" x 11 <sup>1</sup> / <sub>4</sub> " x 30" OC	790 lbs
211352	2 cu. yd / 6000 lbs	64"L x 591/2"W x 46"H	3" x 111/4" x 30" OC	890 lbs
211362	2 <sup>1</sup> / <sub>2</sub> cu. yd / 6000 lbs	64"L x 59 <sup>1</sup> / <sub>2</sub> "W x 51"H	3" x 111/4" x 30" OC	930 lbs

2 cu. yd. shown

# **JOSCOHUSKYDUMPER**, LARGE VOLUME HOPPERS SUPER HEAVY DUTY STRUCTURAL BASE

7 gauge body

Base: 1/4" (3-6 yd.) / 3/8" (8-10 yd.)

Non-stackable

Non stock item, manufactured to order



5 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
**211371	3 cu. yd / 6000 lbs	71 <sup>1</sup> / <sub>2</sub> "L x 65 <sup>1</sup> / <sub>2</sub> "W x 59 <sup>1</sup> / <sub>2</sub> "H	3" x 10" x 39" OC	1250 lbs
**211381	4 cu. yd / 6000 lbs	71 <sup>1</sup> / <sub>2</sub> "L x 85 <sup>1</sup> / <sub>2</sub> "W x 59 <sup>1</sup> / <sub>2</sub> "H	3" x 10" x 39" OC	1350 lbs
**211391	5 cu. yd / 6000 lbs	71 <sup>1</sup> / <sub>2</sub> "L x 105 <sup>1</sup> / <sub>2</sub> "W x 59 <sup>1</sup> / <sub>2</sub> "H	3" x 10" x 39" OC	1550 lbs
*211411	6 cu. yd / 6000 lbs	71 <sup>1</sup> / <sub>2</sub> "L x 125 <sup>1</sup> / <sub>2</sub> "W x 59 <sup>1</sup> / <sub>2</sub> "H	3" x 10" x 39" OC	1650 lbs
*211431	8 cu. yd / 10000 lbs	91"L x 109"W x 70"H	3" x 10" x 50" OC	3000 lbs
*211451	10 cu. yd / 10000 lbs	91"L x 135"W x 70"H	3" x 10" x 50" OC	3500 lbs

<sup>\*</sup> Casters not available. \*\* Special base required for use with casters. See page 8.

# **JOSCOHUSKYDUMPER**, LOW PROFILE HOPPERS SUPER HEAVY DUTY FORMED BASE

7 gauge body

8 gauge base

Stackable 3 high empty

Non stock item, manufactured to order




1/4 cu. yd. shown


		_			
4	Part No	Capacity	Dimensions	Fork Openings	Weight
	212299	1/8 cu. yd / 2000 lbs	30"L x 28 <sup>1</sup> / <sub>2</sub> "W x 17"H	2 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 18" OC	210 lbs
	212301	<sup>1</sup> / <sub>4</sub> cu. yd / 4000 lbs	30"L x 41 <sup>1</sup> / <sub>2</sub> "W x 17"H	2 <sup>1</sup> / <sub>2</sub> " x 10 <sup>3</sup> / <sub>4</sub> " x 29 <sup>1</sup> / <sub>2</sub> " OC	260 lbs
	212305	<sup>1</sup> / <sub>3</sub> cu. yd / 4000 lbs	44"L x 41 <sup>1</sup> / <sub>2</sub> "W x 24"H	2 <sup>1</sup> / <sub>2</sub> " x 10 <sup>3</sup> / <sub>4</sub> " x 29 <sup>1</sup> / <sub>2</sub> " OC	370 lbs
	*212311	<sup>1</sup> / <sub>2</sub> cu. yd / 4000 lbs	44"L x 49 <sup>1</sup> / <sub>2</sub> "W x 24"H	2 <sup>1</sup> / <sub>2</sub> " x 10 <sup>3</sup> / <sub>4</sub> " x 29 <sup>1</sup> / <sub>2</sub> " OC	410 lbs


<sup>\*</sup> Not stackable.

Phone: 517-542-2903 - 6 - Fax: 517-542-2501

#### **Dimensions**







## **JOSCOHUSKYDUMPER**, LARGE VOLUME LOW PROFILE HOPPERS SUPER HEAVY DUTY STRUCTURAL BASE

7 gauge body

1/4" base

Non-stackable

Non stock item, manufactured to order


Pai \*\*21:

Wide body design and convenient working height of 46" make these units naturals for handling large, long bulky items.


Lids not available.


**Part No** Capacity **Dimensions** Fork Openings Weight \*212361 21/2 cu. yd / 6000 lbs 64"L x 671/2"W x 46"H 3" x 101/2" x 39" OC 995 lbs \*\*212371 3 cu. yd / 6000 lbs 64"L x 871/2"W x 46"H 3" x 10<sup>1</sup>/<sub>2</sub>" x 39" OC 1085 lbs 31/2 cu. yd / 6000 lbs \*\*212376 64"L x 1011/2"W x 46"H 3" x 101/2" x 39" OC 1210 lbs


\*\* Special base required for use with casters. See below.



31/2 cu. yd. shown







# Special bases required when ordering casters on certain hoppers

Hoppers marked with two asterisks (\*\*) require special bases (part no. 230600) in order to be equipped with casters. These special bases are in addition to the price of the hopper, as are the casters.

Contact a sales representative for further information and pricing.



### **jesco**huskydumper<sub>。</sub> Lids

Lids are optional on units up to  $2^{1}/2$  cubic yard capacity. These units help in meeting environmental regulations and insurance codes. Contents of hoppers stay out of sight for a neater appearance.

Two piece lids are available for 1 cu. yd. through  $2^1/2$  cu. yd. capacity hoppers. Specify type A or type C lid.

Not available on low profile or narrow hoppers.

14 gauge material. Painted Vista Green.

Part No	Hopper Capacity	Weight
220044	1 cu. yd.	65 lbs
220054	11/2 cu. yd.	92 lbs
220064	2 cu. yd.	106 lbs
220074	21/2 cu. yd.	106 lbs



Type A Front half opens only



Type C Both halves open

### D

#### jescohuskydumper。 Caster options



Hoppers with casters are easy to roll. Available in three types: Semi Steel (SS), Phenolic (PH) or Moldon Rubber (MR). Casters provide mobility on most surfaces.

Other caster options available.

Casters are welded to base of hoppers unless otherwise specified.

Capacity must match or exceed capacity of hopper.

Part No	Dimensions	Material	Capacity	Weight
240211	6"Dia. x 2"W	SS	4800 lbs	34 lbs
240231	6"Dia. x 2"W	PH	4000 lbs	28 lbs
240251	6"Dia. x 2"W	MR	2000 lbs	28 lbs
240351	6"Dia. x 21/2"W	MR	2400 lbs	38 lbs
240311	6"Dia. x 21/2"W	SS	6000 lbs	51 lbs
240331	6"Dia. x 21/2"W	PH	6000 lbs	37 lbs
240451	8"Dia. x 2"W	MR	2400 lbs	43 lbs
240511	8"Dia. x 21/2"W	SS	6000 lbs	61 lbs
240531	8"Dia. x 21/2"W	PH	6000 lbs	46 lbs

Phone: 517-542-2903 - 8 - Fax: 517-542-2501

#### **Jescohuskydumper** OPEN SIDED HOPPERS **EXTRA HEAVY DUTY FORMED BASE**

7 gauge body

8 gauge base

Non-stackable

Non stock item, manufactured to order


These units are designed for long materials such as bar, pipe, lumber, plastic, tube etc. Can hold large capacities. Trip rope and safety retaining chain are standard. Painted Vista Green. Casters not available. Made to order.






2	11	8	10	


Part No	Capacity	Dimensions	Fork Openings	Weight
211800	6000 lbs	52 <sup>1</sup> / <sub>2</sub> "L x 72"W x 30 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 11 <sup>1</sup> / <sub>2</sub> " x 30" OC	650 lbs
211810	6000 lbs	61 <sup>1</sup> / <sub>2</sub> "L x 54"W x 45 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 14" x 30" OC	760 lbs





#### **JCSCOHUSKYDUMPER** Flat Deck Open-Sided **With Extended Fork Pockets**

Non-stackable



These units are designed for long materials to be placed on the flat deck for ease of stacking. Ideal use for this unit is for plasma or laser skeletons.

8 gauge base

7 gauge body

The extended fork pockets bring the overall length from back against the forklift mast to the front edge of deck platform at 821/4" and with a base chain underneath deck attached to the base.

With safety in mind this unit has a safety latch, trip handle, trip rope assembly and a safety retaining chain.

A forklift must be used to transport material.

Deck size 48" x 72". Back wall 24" high.

Unit is rated at 3000 lbs capacity.



Part No	Dimensions	Fork Openings	Weight			
211900	82 <sup>1</sup> / <sub>4</sub> "L x 72"W x 32 <sup>7</sup> / <sub>8</sub> "H	3 <sup>7</sup> / <sub>16</sub> " X 10 <sup>5</sup> / <sub>8</sub> " X 32 <sup>5</sup> / <sub>8</sub> " OC	865 lbs			

E-mail: Jesco@JescoOnline.com - 9 -Website: www.JescoOnline.com

### **JCSCOHUSKYDUMPER**, Filter Press Hopper

7 gauge body

1/4" base

Non-stackable

Non stock item, manufactured to order

The specialty Filter Press Hopper is used after the waste water has been eliminated and the filter cake is left.

Box is tapered front and back, square sides sitting on a forklift base. Safety retaining chain, safety latch, trip handle and a trip rope assembly installed on unit.


Mobility made easy with 4"  $\times$  2" polyurethane casters (non-marking) to position unit where needed. A forklift must be used to empty contents.


The Filter Press Hopper has been rated at 2800 lbs capacity.


Painted Vista Green.



Dimensions	Fork Openings	Weight
44"L x 36"W x 29 <sup>13</sup> /16"H	3" X 10" X 20" OC	428 lbs
52"L x 36"W x 29 <sup>13</sup> / <sub>16</sub> "H	3" X 10" X 26" OC	485 lbs
60"L x 36"W x 29 <sup>13</sup> /16"H	3" X 10" X 26" OC	520 lbs
72"L x 36"W x 29 <sup>13</sup> /16"H	3" X 10" X 26" OC	558 lbs
82"L x 36"W x 29 <sup>13</sup> / <sub>16</sub> "H	3" X 10" X 26" OC	636 lbs
48"L x 42"W x 29 <sup>13</sup> / <sub>16</sub> "H	3" X 10" X 26" OC	505 lbs
60"L x 42"W x 29 <sup>13</sup> /16"H	3" X 10" X 26" OC	555 lbs
72"L x 42"W x 29 <sup>13</sup> / <sub>16</sub> "H	3" X 10" X 26" OC	649 lbs
58"L x 52"W x 29 <sup>13</sup> / <sub>16</sub> "H	3" X 10" X 26" OC	625 lbs
66"L x 60"W x 29 <sup>13</sup> /16"H	3" X 10" X 26" OC	729 lbs
	52"L x 36"W x 29 <sup>13</sup> /16"H 60"L x 36"W x 29 <sup>13</sup> /16"H 72"L x 36"W x 29 <sup>13</sup> /16"H 82"L x 36"W x 29 <sup>13</sup> /16"H 48"L x 42"W x 29 <sup>13</sup> /16"H 60"L x 42"W x 29 <sup>13</sup> /16"H 72"L x 42"W x 29 <sup>13</sup> /16"H 58"L x 52"W x 29 <sup>13</sup> /16"H	44"L x 36"W x 29 <sup>13</sup> /16"H 3" X 10" X 20" OC 52"L x 36"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC 60"L x 36"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC 72"L x 36"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC 82"L x 36"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC 48"L x 42"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC 60"L x 42"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC 72"L x 42"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC 58"L x 52"W x 29 <sup>13</sup> /16"H 3" X 10" X 26" OC







- 10 -

Fax: 517-542-2501

### **jescohuskydumper** Side Pivot Hopper

7 gauge body and base

8 gauge fork pockets

Non-stackable

Non stock item, manufactured to order

This side pivot hopper is a specialty unit with shortened fork pockets and sloped front edge will allow the bucket to pivot between the casters to empty the contents.

The overall height of the unit with the 5" x 2" phenolic swivel casters is only 32".

Safety latch, trip handle, safety retaining chain and a trip rope assembly which is standard on all JESCO hoppers.

A forklift must be used to transport and empty the contents of the unit. Unlike most JESCOHUSKYDUMPERS this unit will require manual return of the bucket; the bucket will then engage the handle and the operator returns the safety latch to the locked or closed position ready for the next use.

The Side Pivot Hopper is rated at 4000 lbs capacity.

Painted Vista Green.





 Part No
 Dimensions
 Fork Openings
 Weight

 215000
 49"L x 547/8"W x 32"H
 3" X 8" X 28" OC
 420 lbs

#### jescohuskydumper。Low Profile Portable Hopper

7 gauge body

1/4" base

Non-stackable


Non stock item, manufactured to order

With its low profile it is ideal for placement under machinery for catching shavings, steel slugs, or holding small parts. Unit is welded watertight.

The push handle and 4" x 2" phenolic casters allow for easy maneuvering into place.

This unit dumps a full 90 degrees for full and complete content removal.

Safety chain is used underneath the unit to secure bucket to the base. Safety latch, trip handle, trip rope assembly and safety retaining chain are standard on all JESCO hoppers. This Low Profile Portable Hopper has been rated at 2800 lbs capacity. Painted Vista Green.



# **jescohydratilt**™ **Dumpers**

The time tested construction of **jescohusky dumper**, is now available in hydraulically controlled dumping hoppers. These units are **ideal where** control of the quantity of material dumped or the speed of discharge is critical. They operate off the hydraulic system of your forklift and come complete with quick-disconnects for easy attachment to the forklift. The operator controls the unit from the forklift seat.


Fork pockets are spaced 28" on center.

Available in  $^{1}/_{2}$ ,  $^{3}/_{4}$ , 1,  $^{11}/_{2}$  and 2 cubic yard capacities. All units have a 4000 lbs weight capacity.


Painted Vista Green.

Manufactured to order, 8 weeks minimum lead time.


Part No	Capacity	Dimensions	Fork Openings	Weight
213511	1/2 cu. yd.	53 <sup>1</sup> / <sub>4</sub> "L x 40 <sup>1</sup> / <sub>2</sub> "W x 33"H	2 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 28" OC	670 lbs
213521	3/4 cu. yd.	61 <sup>1</sup> / <sub>2</sub> "L x 40 <sup>1</sup> / <sub>2</sub> "W x 37"H	2 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 28" OC	680 lbs
213531	1 cu. yd.	66 <sup>5</sup> / <sub>8</sub> "L x 40 <sup>1</sup> / <sub>2</sub> "W x 38 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 28" OC	750 lbs
213541	11/2 cu. yd.	66 <sup>5</sup> / <sub>8</sub> "L x 59 <sup>1</sup> / <sub>2</sub> "W x 38 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 28" OC	842 lbs
213551	2 cu. yd.	68 <sup>5</sup> / <sub>8</sub> "L x 59 <sup>1</sup> / <sub>2</sub> "W x 47 <sup>1</sup> / <sub>2</sub> "H	2 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>2</sub> " x 28" OC	998 lbs








213511



213521



213531



213551

### 90° DUMPERS

Low profile 90° dumping hoppers. Units have a full 90° dump angle with a cushioned rubber stop. Dumping with a forklift is quick and simple using the supplied remote trip rope. Units return to upright and locked position when lowered to the ground. Comes equipped with a safety retaining chain. Fork pockets are 7" x 2" x 22" on  $11^5/\epsilon$ " centers. Powder coated blue. Not stackable.

-		Gauge		
Part No	Capacity	of Steel	Dimensions	Weight
214311	1/2 cu. yd / 6000 lbs	7	50"L x 25 <sup>1</sup> / <sub>2</sub> "W x 28"H	289 lbs
214331	1 cu. yd / 6000 lbs	7	51"L x 48 <sup>3</sup> / <sub>4</sub> "W x 28 <sup>1</sup> / <sub>2</sub> "H	432 lbs
214341	11/2 cu. yd / 6000 lbs	7	51"L x 48 <sup>3</sup> / <sub>4</sub> "W x 41"H	535 lbs
214511	1/2 cu. yd / 4000 lbs	10	50"L x 25 <sup>1</sup> / <sub>2</sub> "W x 28"H	265 lbs
214531	1 cu. yd / 4000 lbs	10	51"L x 48 <sup>3</sup> / <sub>4</sub> "W x 28 <sup>1</sup> / <sub>2</sub> "H	382 lbs
214541	11/2 cu. yd / 4000 lbs	10	51"L x 48 <sup>3</sup> / <sub>4</sub> "W x 41"H	509 lbs
214711	<sup>1</sup> / <sub>2</sub> cu. yd / 2000 lbs	12	50"L x 25 <sup>1</sup> / <sub>2</sub> "W x 28"H	242 lbs
214731	1 cu. yd / 2000 lbs	12	51"L x 48 <sup>3</sup> / <sub>4</sub> "W x 28 <sup>1</sup> / <sub>2</sub> "H	349 lbs
214741	11/2 cu. yd / 2000 lbs	12	51"L x 48 <sup>3</sup> / <sub>4</sub> "W x 41"H	486 lbs

Phone: 517-542-2903



# jesco rotator box

7 gauge body

7 gauge fork pockets

Non-stackable

Non stock item, manufactured to order

The Rotator box is designed for the collection and storage of bulk material. The 6,000 lbs capacity box can be dumped with a rotating fork attachment (not included); fork openings are 3"x8". Box is manufactured from 7 gauge steel.



Available in 1 cubic yard to 2.67 cubic yards to handle all your bulk material handling requirements. The seams are continuously welded.

This rotating box will reduce operation cost, increase productivity and provide a safe method of material handling. Custom engineered and special designs are available. Contact our engineering and sales staff to discuss your specific needs and ideas

Applications: shredded material, recycled material, bulk material storage.

Optional lifting lugs and casters.

6000 lbs capacity.

Painted Vista Green.

Manufactured to order.



Part No	Capacity	Dimensions	Fork Openings	Weight
260010	1.00 cu. yd.	36"L x 36"W x 39 <sup>3</sup> / <sub>16</sub> "H	3" X 8" X 28" OC	440 lbs
260020	1.33 cu. yd.	48"L x 36"W x 39 <sup>3</sup> /16"H	3" X 8" X 28" OC	510 lbs
260030	1.67 cu. yd.	60"L x 36"W x 39 <sup>3</sup> /16"H	3" X 8" X 28" OC	590 lbs
260040	2.00 cu. yd.	72"L x 36"W x 39 <sup>3</sup> /16"H	3" X 8" X 28" OC	660 lbs
260110	1.75 cu. yd.	48"L x 48"W x 39 <sup>3</sup> /16"H	3" X 8" X 28" OC	610 lbs
260120	2.25 cu. yd.	60"L x 48"W x 39 <sup>3</sup> /16"H	3" X 8" X 28" OC	690 lbs
260130	2.67 cu. yd.	72"L x 48"W x 39 <sup>3</sup> /16"H	3" X 8" X 28" OC	770 lbs

# jesco towable rotator box

7 gauge body

7 gauge fork pockets

Non-stackable

Non stock item, manufactured to order

Towable Rotator Box is designed for the collection and storage of bulk materials. The towing tongue (wishbone style) is towable and rolls on  $8"x2^1/2"$  Polyurethane casters. Four different sizes are available to handle all your bulk handling of your material.

Fork openings are 3" x 8" to be used with a forklift with a rotator attachment (not included). The box has seams continuously welded.

Custom engineering and custom design assistance is available to fulfill your special project requirements.

Applications: Machine shops managing shredded material, recycling material, bulk material storage.

6000 lbs capacity.

Painted Vista Green.

Manufactured to order.





	Part No	Capacity	Dimensions	Fork Openings	Weigh
	250010	1.67 cu. yd.	60"L x 36"W x 45 <sup>1</sup> / <sub>2</sub> "H	3" X 8" X 28" OC	650 lbs
	250020	2.00 cu. yd.	72"L x 36"W x 45 <sup>1</sup> / <sub>2</sub> "H	3" X 8" X 28" OC	725 lbs
	250050	2.25 cu. yd.	60"L x 48"W x 45 <sup>1</sup> / <sub>2</sub> "H	3" X 8" X 28" OC	760 lbs
	250060	2.67 cu. yd.	72"L x 48"W x 45 <sup>1</sup> / <sub>2</sub> "H	3" X 8" X 28" OC	810 lbs
-			الباله الكامران والمهران والمراورة والتوارية والتوارية والمناول والتواريخ والمناولة والمناولة والمناولة والمناولة		

### jesco Chip & Waste Truck

Caster option B shown

Chip and waste trucks can handle the big bulk capacity jobs. Helps with savings on housekeeping and safety in the work place.

Units are designed for confined areas and tight turns with less effort to dump.

Rugged construction of 14 gauge steel. All models are leakproof.

Mounted on moldon rubber wheels. Two 10" x 21/2" load wheels.

Option A is one 8" x 2" moldon rubber swivel caster. Option B is two 8" x 2" moldon rubber swivel casters.

Painted Vista Green.

Manufactured to order.

Swivel			
Caster	Capacity	Dimensions	Weight
Α	5/8 cu. yd / 1500 lbs	68"L x 24 <sup>1</sup> / <sub>2</sub> "W x 40"H	200 lbs
В	3/4 cu. yd / 2000 lbs	68"L x 30 <sup>1</sup> / <sub>2</sub> "W x 40"H	245 lbs
В	1 cu. yd / 2000 lbs	68"L x 36 <sup>1</sup> / <sub>2</sub> "W x 40"H	265 lbs
	<b>Caster</b> A B	Caster Capacity  A 5/8 cu. yd / 1500 lbs  B 3/4 cu. yd / 2000 lbs	Caster         Capacity         Dimensions           A         5/8 cu. yd / 1500 lbs         68"L x 24¹/₂"W x 40"H           B         3/4 cu. yd / 2000 lbs         68"L x 30¹/₂"W x 40"H

## jesco manual tilt truck



Heavy duty 14 gauge steel body with reinforced corners.

Units are designed for manual handling of light weight, in plant refuse such as cardboard, paper, wood, pallets or trash etc. Not watertight.

Not for use with a forklift.

Four 6" Moldon Rubber casters (2 rigid, 2 swivel).

Painted Vista Green.

Manufactured to order.

271231 1 cu. y	/d / 2000 lbs	57"L x 30 <sup>1</sup> / <sub>2</sub> "W x 43"H	200 lbs
271251 2 cu. y	/d / 2000 lbs	57"L x 57 <sup>1</sup> / <sub>2</sub> "W x 43"H	290 lbs

## esco manual tilt truck low profile

JESCO Manual Tilt Trucks has added two new low profile models. The .38 and .75 cubic yard stands 30" overall height to the top of the push handle while the bucket measures 24" from the floor to the top edge. manufactured from 13 gauge steel with reinforced corners.

Units are designed for manual handling of light weight materials and roll on 6"x 2" mold on rubber casters.

Maximum capacity is 1000 lbs.

Not to be used with forklift or rotator



Fax: 517-542-2501 Phone: 517-542-2903 - 14 -