


# EZ Wire

## Product Guide



Product Web Page  
[http://huskyrackandwire.com/products\\_](http://huskyrackandwire.com/products_)



# PATENTED HOOK FASTENER



**STEP 1:**  
ALIGN HOOKS AND  
INSERT INTO SLOTS



**STEP 2:**  
HAMMER DRIVE PIN FOR  
A SECURE CONNECTION

## Value

The complete EZ WIRE system is easy to install, rearrange or expand in plant or warehouse areas and in other commercial, industrial and institutional applications. With a variety of sizes, styles and options available, the EZ WIRE non-progressive panel system is the best value in the industry.

## Safe & Secure

The patented hook fastener slips in easily and locks securely into a 2-1/2" square post. Once secured, the internal clip is much more secure than a standard bolted connection, which may be accessed from the outside. The hook fastener is not visible or accessible from the outside. The diamond wire weave provides a built-in diagonal brace for added strength and security.

## FEATURES




**Patented hook** design slips in easily and locks into place securely.


Aluminum drive pin is tapped into place for permanent installation, which can be accessed from the inside only.




**Diamond Wire Weave**  
A 1-1/2 inch diamond wire weave is standard in each EZ Wire partition, door and window. Diagonal bracing is not needed.



**Clinched Wire**  
All woven wire is clinched - not welded - into partition frames. This technique insures greater strength and enhanced appearance.



**2-1/2" Tubular Posts**  
14 gauge 2-1/2" square tubular posts yield double the strength of 2" square tubing.



### Ceilings

Perimeter support members are attached to the partition using self-threading screws. Ceiling panels are attached without bolts. 2-1/2" tubing is attached between rows of ceiling panels.



### Corner Post

EZ Wire corner posts create smooth, 90° turns in partitioning. Partitions attach to the inside for added security.



### "C" Type Frame Bars

Both sides of these frame bars have a smooth finish with no rough, unsightly welds. Hook fastener is not visible nor accessible from the outside.




### Over Channel

Used to securely seat together upper panels to lower panels – eliminating the need for bolting horizontally.




All windows have padlock hasps to provide additional security. Service windows are installed at Husky's factory.



### Slide Up Window


Constructed of wire mesh with an opening measuring 24" wide x 21" high. The window is equipped with slide bolts which can latch the window in either the opened or closed position. The fixed steel shelf measures 24" wide x 12" deep.



### Drop Shelf Window

Opening measures 24" wide x 15" high. The window is hinged at the bottom and swings up to close.


EZ Wire swing doors are functional and secure in a variety of styles with heavy duty hinges.



### Single Swing Door

Available in widths of 3 and 4 feet with a height of 7 feet. If installed in a partition higher than 7 feet, a transom panel is included to fill the space above the door. Doors are reversible, and may be installed either left or right handed and may swing in or out.


**Double Swing Door**  
Designed for opening widths of 6, 8 or 10 feet,  
with heights of 7, 8, 9 and 10 feet.



### Hinged Dutch Door

Available in widths of 3 or 4 feet with a height of 7 feet. If installed in a partition higher than 7 feet, a transom panel is included to fill the space above the door. Top and bottom sections are hinged separately. Door sections lock together for single door operation.





EZ Wire sliding doors may slide left or right and may be mounted either inside or outside of the partitioning.


### Single Sliding Door

Full height single sliding doors are available for the full height of stock partitions. Doors 6 feet or wider are shipped “knocked down” in 2 sections.

### Lock Options

All doors have a bronze cylinder lock or a padlock attachment. Other optional locks include electric strikes, magnetic locks, card readers, hydraulic closers, keypad/pushbuttons, proximity locks, panic bars and interlocks. Please see page 8 for additional details.

## DOOR DETAILS



### Latch Receiver & Bottom Slam

Latch receiver & bottom slam mount directly onto post for security and convenience.



### Hinge

Heavy duty hinge features permanently-installed pin swagged at both ends for added security.



### Lock



All doors have a bronze cylinder lock or a padlock attachment.

### Double Sliding Doors

Full height double sliding doors are designed to accommodate widths from 6 to 10 feet, with overhead clearance up to partition height of 10 feet. Consult Husky Rack & Wire for special applications.


### ALSO AVAILABLE

Sliding doors without overhead track above the door opening are available by mounting casters to bottom leading edge of the door.



### Overhead Bracket

Bracket secures overhead track for single or double sliding doors.



### 4-Wheel Trolley

Trolley permits balanced movement and smooth operation.



### Door Guide

Door guide is lagged securely to floor for continuous alignment.





Front view

**Standard Door Lock**  
Key operated -  
5 pin mortise cylinder

**Key options:**

- Keyed different - standard
- Keyed alike - optional
- Keyed different/master keyed - optional



Rear view

**Standard Door Lock**  
Reverse side - standard  
hex knob



Rear view

**Standard Door Lock**  
Reverse side -  
optional lever handle



Front view

**Best Cylinder**

7 pin interchangeable  
core mortise cylinder -  
shipped less core  
end user provides core  
and site keying  
Note: any standard IC  
mortise cylinder can be  
adapted to this lockset.



Front view

**Thumbturn Cylinder**

Thumbturn cylinder  
operates the lock  
without a key, allowing  
unsecured access.



**Mechanical Pushbutton Lockset**

For use with hinged doors



Front view

Rear view

**I03 IADA Double Lever Handle Lock for Hinged Door**  
Key operated with privacy knob in rear handle



Front view

Rear view

**I03 IADA-D Double Lever Handle Lock for Hinged Door**  
"Dummy" cylinder allows unsecured access



**Outside Key Control**  
for push bar exit device



**Electromagnetic Lockset**  
for slide door



**Electric Strike**  
for hinged door mounts  
in 2" square tube post



**Push Bar Exit Device**



## ● PANELS

Stock panels are manufactured in even widths of 1 ft - 10 ft and in heights of 1 ft - 5 ft. The panels are installed stacking one panel over another using special welded connectors on each panel. The horizontal connection between panels is accomplished without bolting, by overlapping the lower panel's upper framing channel with the upper panel's attached overchannel. Each panel is attached to tubular line posts without bolts using connectors accessible from the inside of the enclosure only. Each panel has connectors welded to the vertical framing members which engage slots punched in the line posts.

## ● FRAME

Vertical and horizontal members are 1-1/4" x 5/8" 14 gauge "c" channels with uniformly spaced holes for inserting woven wire. Vertical and horizontal members are mortised and tenoned at corners.

## ● WIRE MESH

Wire mesh is made of 10 gauge triple crimped wire and is securely clinched into the vertical and horizontal frames. Wire is woven into a 1-1/2" pattern with the wires intersecting the channel frames at a 45 degree angle.

## ● SWEEP SPACE

There is a 3-1/2" sweep space between the bottom horizontal bar and floor level.

## ● FINISH

Panels, doors and line posts are painted with one coat of high gloss machinery enamel. Some hardware items may be zinc plated.

## ● HARDWARE

Hardware (including masonry lag bolts) required for installation are included.

## ● OVERCHANNEL

A 1-1/2" x 1 1/16" 14 gauge channel is attached to one horizontal framing member of each panel. This channel is attached using self tapping screws with the opening of the channel facing out. These channels may be demounted if necessary.

## ● CORNER POSTS

Special tubular corner posts are fabricated from 14 gauge steel. The length of the post will equal the overall height of the assembled partitions. Slots are punched in the corner posts to allow boltless installation. Posts have pads welded to one end for attachment to the floor.

## ● LINE POSTS

2-1/2" square 14 gauge tubular posts are universally punched with slots and holes for mounting all types of panels and doors.

## ● DOOR CONSTRUCTION

Doors are constructed of similar materials to match the panels. Door frames are covered with rolled steel channels where necessary. Each sliding door has (two) four wheel adjustable trolleys traveling in an enclosed overhead track. The door bottom is guided by a U-shaped floor guide. Each hinged door has three fixed butt hinges and a jamb bar.

## ● LOCKS

Each door is shipped with a bronze cylinder lock. The lock contains a 5-pin cylinder (1" standard) which may be master-keyed and keyed alike. A padlock attachment is also available.

## ● EXTRA PARTITIONING HEIGHT

Installations requiring heights up to 40 ft. may be assembled by stacking partitions. 2-1/2" square tubing posts are installed between the partitions to join them together from floor to ceiling. A 2-1/2" x 7-1/2" pad is welded to the post for lagging to the floor. Bracing against ceiling joists, building columns or other means is required for installations over 20 ft.

Installations in excess of 40 ft. in height and those where overhead bracing is not possible may require special design. Contact Husky Rack & Wire for engineering assistance.

Husky Rack & Wire makes continuous improvements to all of its products. We reserve the right to change specifications without notice. Photos and illustrations may contain standard and optional equipment.

## Warranty Information

For warranty information applicable to all our products, please refer to the Husky Rack & Wire Terms and Conditions of Sale, which are accessible at [www.huskyrackandwire.com/terms\\_and\\_conditions.html](http://www.huskyrackandwire.com/terms_and_conditions.html)





Model No.	Description - L x W x H	Total Lbs.	List Price
<b>Preconfigured Rooms, 2 Sides (without ceiling)</b>			
WS210108	10' X 10' X 8' W/ 4' SLIDE DOOR	328.00	\$1,588.19
WS210158	10' X 15' X 8' W/ 4' SLIDE DOOR	365.00	\$1,800.03
WS215158	15' X 15' X 8' W/ 4' SLIDE DOOR	433.00	\$2,124.26
WS220108	20' X 10' X 8' W/ 4' SLIDE DOOR	438.00	\$2,059.98
WS220158	20' X 15' X 8' W/ 4' SLIDE DOOR	475.00	\$2,271.82
WS220208	20' X 20' X 8' W/ 4' SLIDE DOOR	524.00	\$2,434.46
WS2101010	10' X 10' X 10' W/ 4' SLIDE DOOR	385.00	\$1,746.68
WS2101510	10' X 15' X 10' W/ 4' SLIDE DOOR	430.00	\$1,975.28
WS2151510	15' X 15' X 10' W/ 4' SLIDE DOOR	509.00	\$2,336.54
WS2201010	20' X 10' X 10' W/ 4' SLIDE DOOR	514.00	\$2,268.24
WS2201510	20' X 15' X 10' W/ 4' SLIDE DOOR	559.00	\$2,496.84
WS2202010	20' X 20' X 10' W/ 4' SLIDE DOOR	616.00	\$2,673.18
WH210108	10' X 10' X 8' W/ 4' HINGE DOOR	309.00	\$1,517.73
WH210158	10' X 15' X 8' W/ 4' HINGE DOOR	346.00	\$1,729.57
WH215158	15' X 15' X 8' W/ 4' HINGE DOOR	414.00	\$2,053.80
WH220108	20' X 10' X 8' W/ 4' HINGE DOOR	419.00	\$1,989.52
WH220158	20' X 15' X 8' W/ 4' HINGE DOOR	456.00	\$2,201.36
WH220208	20' X 20' X 8' W/ 4' HINGE DOOR	505.00	\$2,364.00
WH2101010	10' X 10' X 10' W/ 4' HINGE DOOR	365.00	\$1,696.48
WH2101510	10' X 15' X 10' W/ 4' HINGE DOOR	410.00	\$1,925.08
WH2151510	15' X 15' X 10' W/ 4' HINGE DOOR	489.00	\$2,286.34
WH2201010	20' X 10' X 10' W/ 4' HINGE DOOR	494.00	\$2,218.04
WH2201510	20' X 15' X 10' W/ 4' HINGE DOOR	539.00	\$2,446.64
WH2202010	20' X 20' X 10' W/ 4' HINGE DOOR	596.00	\$2,622.98



### Shipping Crate

All orders are shipped in heavy duty crates to prevent damage.



Model No.	Description - L x W x H	Total Lbs.	List Price
<b>Preconfigured Rooms, 3 Sides (without ceiling)</b>			
WS310108	10' X 10' X 8' W/ 4' SLIDE DOOR	436.00	\$2,061.51
WS310158	10' X 15' X 8' W/ 4' SLIDE DOOR	473.00	\$2,273.35
WS315158	15' X 15' X 8' W/ 4' SLIDE DOOR	607.00	\$2,921.81
WS320108	20' X 10' X 8' W/ 4' SLIDE DOOR	649.00	\$3,005.09
WS320158	20' X 15' X 8' W/ 4' SLIDE DOOR	694.00	\$3,216.93
WS320208	20' X 20' X 8' W/ 4' SLIDE DOOR	743.00	\$3,379.57
WS3101010	10' X 10' X 10' W/ 4' SLIDE DOOR	512.00	\$2,270.16
WS3101510	10' X 15' X 10' W/ 4' SLIDE DOOR	557.00	\$2,498.76
WS3151510	15' X 15' X 10' W/ 4' SLIDE DOOR	706.00	\$3,209.21
WS3201010	20' X 10' X 10' W/ 4' SLIDE DOOR	772.00	\$3,313.28
WS3201510	20' X 15' X 10' W/ 4' SLIDE DOOR	817.00	\$3,541.88
WS3202010	20' X 20' X 10' W/ 4' SLIDE DOOR	874.00	\$3,718.22
WH310108	10' X 10' X 8' W/ 4' HINGE DOOR	417.00	\$1,991.05
WH310158	10' X 15' X 8' W/ 4' HINGE DOOR	454.00	\$2,202.89
WH315158	15' X 15' X 8' W/ 4' HINGE DOOR	588.00	\$2,851.35
WH320108	20' X 10' X 8' W/ 4' HINGE DOOR	638.00	\$2,934.63
WH320158	20' X 15' X 8' W/ 4' HINGE DOOR	675.00	\$3,146.47
WH320208	20' X 20' X 8' W/ 4' HINGE DOOR	724.00	\$3,309.11
WH3101010	10' X 10' X 10' W/ 4' HINGE DOOR	492.00	\$2,219.96
WH3101510	10' X 15' X 10' W/ 4' HINGE DOOR	537.00	\$2,448.56
WH3151510	15' X 15' X 10' W/ 4' HINGE DOOR	695.00	\$3,171.08
WH3201010	20' X 10' X 10' W/ 4' HINGE DOOR	752.00	\$3,263.08
WH3201510	20' X 15' X 10' W/ 4' HINGE DOOR	797.00	\$3,491.68
WH3202010	20' X 20' X 10' W/ 4' HINGE DOOR	854.00	\$3,668.02
<b>Preconfigured Rooms, 4 Sides (without ceiling)</b>			
WS410108	10' X 10' X 8' W/ 4' SLIDE DOOR	523.00	\$2,457.18
WS410158	10' X 15' X 8' W/ 4' SLIDE DOOR	627.00	\$2,993.20
WS415158	15' X 15' X 8' W/ 4' SLIDE DOOR	760.00	\$3,641.66
WS420108	20' X 10' X 8' W/ 4' SLIDE DOOR	743.00	\$3,400.71
WS420158	20' X 15' X 8' W/ 4' SLIDE DOOR	847.00	\$3,936.78
WS420208	20' X 20' X 8' W/ 4' SLIDE DOOR	939.00	\$4,246.98
WS4101010	10' X 10' X 10' W/ 4' SLIDE DOOR	615.00	\$2,698.80
WS4101510	10' X 15' X 10' W/ 4' SLIDE DOOR	739.00	\$3,288.66
WS4151510	15' X 15' X 10' W/ 4' SLIDE DOOR	898.00	\$4,011.18
WS4201010	20' X 10' X 10' W/ 4' SLIDE DOOR	877.00	\$3,741.92
WS4201510	20' X 15' X 10' W/ 4' SLIDE DOOR	1,000.00	\$4,331.78
WS4202010	20' X 20' X 10' W/ 4' SLIDE DOOR	1,107.00	\$4,668.42
WH410108	10' X 10' X 8' W/ 4' HINGE DOOR	504.00	\$2,386.67
WH410158	10' X 15' X 8' W/ 4' HINGE DOOR	608.00	\$2,922.74
WH415158	15' X 15' X 8' W/ 4' HINGE DOOR	741.00	\$3,571.20
WH420108	20' X 10' X 8' W/ 4' HINGE DOOR	724.00	\$3,330.25
WH420158	20' X 15' X 8' W/ 4' HINGE DOOR	828.00	\$3,866.32
WH420208	20' X 20' X 8' W/ 4' HINGE DOOR	920.00	\$4,176.52
WH4101010	10' X 10' X 10' W/ 4' HINGE DOOR	595.00	\$2,648.60
WH4101510	10' X 15' X 10' W/ 4' HINGE DOOR	719.00	\$3,238.46
WH4151510	15' X 15' X 10' W/ 4' HINGE DOOR	878.00	\$3,960.98
WH4201010	20' X 10' X 10' W/ 4' HINGE DOOR	857.00	\$3,691.72
WH4201510	20' X 15' X 10' W/ 4' HINGE DOOR	980.00	\$4,281.58
WH4202010	20' X 20' X 10' W/ 4' HINGE DOOR	1,087.00	\$4,618.22

# EZ WIRE® ORDER INFORMATION

- Fill in requested information.
- Make a simple sketch of area to be partitioned (be sure to include doors and windows) and check desired styles and options.
- Fax order form to us at 704.483.1911 or email to [productinfo@huskyrackandwire.com](mailto:productinfo@huskyrackandwire.com)

Name: \_\_\_\_\_ Title: \_\_\_\_\_


Company: \_\_\_\_\_

Address: \_\_\_\_\_

Phone # \_\_\_\_\_ Fax # \_\_\_\_\_

I'm ready to buy, contact me at once.  I need an estimate.  I have special design needs.

## SKETCH AREA



Please notate existing walls and obstructions

### DOORS

- single hinge     double slide  
 double hinge     dutch door  
 single slide

### WINDOWS

- drop shelf  
 slide up  
 I need a ceiling

### LOCKS

- bronze cylinder lock  
 padlock attachment  
 other



6146 Denver Industrial Park Road  
Denver, NC 28037

**Phone 800-438-5629**

**Fax 704-483-1900**

**[www.huskyrackandwire.com](http://www.huskyrackandwire.com)**