


# Manufacturing



## DUAL LAYER

These mats feature a wear-resistant top surface bonded to a sponge foundation. Wearwell offers a variety of familiar top surfaces, but the difference lies beneath. Only Wearwell gives you a choice of three sponges.


























Dual-layer, laminated mats have a place on your field if

- The area is dry with medium to heavy foot traffic
- Life expectancy in use is important
- Goals include heightened morale, productivity, health, and safety

# DIAMOND-PLATE

Wearwell was the first to introduce Diamond-Plate in 1989. Since then, we've continued to innovate. Today we offer more diamond-plate options than any competitor.



Rating Compound	GOOD <b>SMART®</b> <small>US REG. NO: 3,739,714</small>	BETTER <b>Flex-Link™</b>	BEST <b>Nitricell®</b>
<b>Products</b>	497	495	414, 415, 416
<b>Description</b>	Made from 100% recycled urethane sponge, SMART® is a durable matting base that combines comfort, ecology, and economy. Best suited for dry commercial and industrial applications, this green material is a Wearwell exclusive.	Flex-Link™ is a PVC sponge comparable to those used by our competitors, at a similar price point. The difference is our pre-beveled Flex-Link™ base, which offers a larger usable ergonomic area, reduces trip hazards, and keeps our mats from sliding.	No. 1 in customer satisfaction for over 20 years, this nitrile rubber-enhanced sponge is the industry standard. Nitricell® sponge consistently outperforms competitors in critical categories, including comfort, customization, performance, rebound, and standing area. Available with GRITSHIELD™ for improved traction.
<b>Resilience</b>	Good rebound, proven for use in many commercial applications as a carpet underlayment.	Good resilience, good recovery.	Best in its class, It continues to bounce back and provides long-term employee satisfaction.
<b>Standing Area</b>	Extends to within 2"-3" of each edge.	Extends to within 2"-3" of each edge.	Extends to within 1" of the edge of the mat, providing more standing room.
<b>Edges</b>	Square Cut Sponge	Rounded Sponge Edge	Pre-Bond, No-Trip Bevel
<b>Application</b>	 	 	  
<b>Industry</b>	  	 	   
<b>Colors</b>	 	 	    



**GOOD**  
  
**BETTER**  
  
**BEST**

SIZE	497 SMART® Diamond-Plate		COLOR
	1/2"-THICK ITEM NUMBERS	7/8"-THICK ITEM NUMBERS	
2' x 3'	497.1x2x3	497.58x2x3	BK, BYL
2' x 75'	497.1x2x75	497.58x2x75	BK, BYL
3' x 5'	497.1x3x5	497.58x3x5	BK, BYL
3' x 75'	497.1x3x75	497.58x3x75	BK, BYL
4' x 75'	497.1x4x75	497.58x4x75	BK, BYL
495 Diamond-Plate Select			
	15/16"-THICK ITEM NUMBERS	9/16"-THICK ITEM NUMBERS	
2' x 3'	495.1516x2x3	495.916x2x3	BK, BYL
2' x 75'	495.1516x2x75	495.916x2x75	BK, BYL
3' x 5'	495.1516x3x5	495.916x3x5	BK, BYL
3' x 75'	495.1516x3x75	495.916x3x75	BK, BYL
4' x 75'	495.1516x4x75	495.916x4x75	BK, BYL
414 Diamond-Plate			
	ITEM NUMBERS	THICKNESS	
2' x 3'	414.1516x2x3	15/16"	BK, BYL, CHV, GY
2' x 75'	414.1516x2x75	15/16"	BK, BYL, CHV, GY
3' x 10'	414.1516x3x10	15/16"	BK, BYL, CHV, GY
3' x 20'	414.1516x3x20	15/16"	BK, BYL, CHV, GY
3' x 5'	414.1516x3x5	15/16"	BK, BYL, CHV, GY
3 x 75'	414.1516x3x75	15/16"	BK, BYL, CHV, GY
4' x 75'	414.1516x4x75	15/16"	BK, BYL, CHV, GY
5' x 75'	414.1516x5x75	15/16"	BK, BYL
6' x 75'	414.1516x6x75	15/16"	BK, BYL
415 Diamond-Plate SpongeCote®			
	ITEM NUMBERS	THICKNESS	
2' x 3'	415.916x2x3	9/16"	BK, BYL, CHV, GY
2' x 75'	415.916x2x75	9/16"	BK, BYL, CHV, GY
3' x 10'	415.916x3x10	9/16"	BK, BYL, CHV, GY
3' x 20'	415.916x3x20	9/16"	BK, BYL, CHV, GY
3' x 5'	415.916x3x5	9/16"	BK, BYL, CHV, GY
3' x 75'	415.916x3x75	9/16"	BK, BYL, CHV, GY
4' x 75'	415.916x4x75	9/16"	BK, BYL, CHV, GY
5' x 75'	415.916x5x75	9/16"	BK, BYL
6' x 75'	415.916x6x75	9/16"	BK, BYL
416 Diamond-Plate w/GRITSHIELD™			
	15/16"-THICK ITEM NUMBERS	9/16"-THICK ITEM NUMBERS	
2' x 3'	416.1516x2x3	416.916x2x3	BK
2' x 75'	416.1516x2x75	416.916x2x75	BK
3' x 10'	416.1516x3x10	416.916x3x10	BK
3' x 5'	416.1516x3x5	416.916x3x5	BK
3' x 75'	416.1516x3x75	416.916x3x75	BK
4' x 75'	416.1516x4x75	416.916x4x75	BK

Available in cuts up to 75'

# 447

## WeldSafe®



WeldSafe® has a specially formulated rubber surface that repels sparks and hot metal shards. With a melting point of over 500° Fahrenheit, the surface is perfect for welding workstations. Available in 3/8" and 3/4" thicknesses, WeldSafe® is backed with a nitrile-enhanced Nitricell® sponge base that absorbs repeated compression and bounces back to its original form better than any PVC sponge alternative. Accept no substitutes in your critical welding applications!

SIZE	3/4"-THICK ITEM NUMBER	3/8"-THICK ITEM NUMBER	COLOR
2' x 3'	447.78x2x3	447.916x2x3	BK
2' x 75'	447.78x2x75	447.916x2x75	BK
3' x 5'	447.78x3x5	447.916x3x5	BK
3' x 75'	447.78x3x75	447.916x3x75	BK
4' x 75'	447.78x4x75	447.916x4x75	BK

### SPECIFICATIONS

**Compound:** Rubber over Nitricell® Sponge

**Edges:** Pre-Bond, No-Trip Bevel

**Warranty:** 4 Years



# 438

## LightWorks Inspection Mat



LightWorks Inspection Mat is designed to enhance visual quality-control areas. The highly reflective white surface maximizes available light so imperfections don't go unnoticed during visual inspection. The clean aesthetic makes it a good choice for non-industrial environments, or for poorly lit areas where available light needs to be maximized. The Nitricell® sponge bounces back better than any PVC sponge alternative.

ITEM NUMBER	SIZE	THICKNESS	COLOR
438.12x3x50WH	3' x 50'	1/2"	WH
438.12x3x5WH	3' x 5'	1/2"	WH

Available in cuts up to 50'

### SPECIFICATIONS

**Compound:** PVC over Nitricell® sponge

**Edges:** Pre-Bond, No-Trip Bevel

**Warranty:** 4 Years



# 110

## InVision



Show your team spirit, promote your corporate brand, encourage safety, or provide instructions. With InVision, the possibilities are endless! InVision mats are premium anti-fatigue mats that feature full-color edge-to-edge graphics, letting you combine a custom message with health and well-being. Use branded InVision mats at trade shows to address your customers and fans, or at your facility to help keep your industrial athletes in the game.

Best of all, your graphic is protected from wear and tear! Printed on the underside of a clear 3/16"-thick surface, your image will withstand even the heaviest foot traffic. With an overall thickness of 7/8", InVision mats feature a premium ultra-soft Nitricell® sponge base. Low minimum quantities and no set-up fees make InVision a practical way to personalize your facility or create a signature promotional item.

Available in Smooth and Diamond-Plate surfaces.

### SPECIFICATIONS

**Compound:** PVC over Nitricell® Sponge

**Edges:** Pre-Bond, No-Trip Bevel

**Warranty:** 4 Years



ITEM NUMBER	SIZE	THICKNESS	COLOR	SURFACE TEXTURE
110.78x2x3	2' x 3'	7/8"	Custom Print	DP, SM
110.78x2x3 WEARWELL	2' x 3'	7/8"	WW Print	DP, SM
110.78x3x5	3' x 5'	7/8"	WW Print	DP, SM

Please specify Smooth or Diamond-Plate when ordering.



**ENVISION THE POSSIBILITIES**  
 For more information about InVision and all other Wearwell flooring and matting products, visit [www.wearwell.com](http://www.wearwell.com).

# 431

## Corrugated SpongeCote®



Corrugated SpongeCote® is a classic matting solution that offers durability and productivity enhancement. Popular long before Diamond-Plate surfaces became widely available, the signature surface pattern provides extra traction underfoot. The Flex-Link™ PVC sponge base is a budget-friendly fatigue-fighting solution.



ITEM NUMBER	SIZE	THICKNESS	COLOR
431.12x2x3	2' x 3'	1/2"	BK, BYL
431.12x2x60BYL	2' x 60'	1/2"	BYL
431.12x2x75BK	2' x 75'	1/2"	BK
431.12x3x5BK	3' x 5'	1/2"	BK
431.12x3x5BYL	3' x 5'	1/2"	BYL
431.12x3x60BYL	3' x 60'	1/2"	BYL
431.12x3x75BK	3' x 75'	1/2"	BK
431.12x4x75BK	4' x 75'	1/2"	BK
431.78x2x3	2' x 3'	7/8"	BK, BYL
431.78x2x60BYL	2' x 60'	7/8"	BYL
431.78x2x75BK	2' x 75'	7/8"	BK
431.78x3x5	3' x 5'	7/8"	BK, BYL
431.78x3x60BYL	3' x 60'	7/8"	BYL
431.78x3x75BK	3' x 75'	7/8"	BK
431.78x4x75BK	4' x 75'	7/8"	BK

Available in cuts up to 75' in Black and up to 60' in Black/Yellow

### SPECIFICATIONS

**Compound:** PVC over Flex-Link™ Sponge

**Edges:** Safety Beveled

**Warranty:** 1 Year



# 433

## ComfortPro™



ComfortPro™ is the best solution when a round-ribbed surface is a must. Easy to clean, the round-rib pattern provides good traction and is effective against slip hazards caused by spills. The Flex-Link™ PVC sponge base is a budget-friendly fatigue-fighting solution.



SIZE	1/2"-THICK ITEM NUMBER	7/8"-THICK ITEM NUMBER	COLOR
2' x 3'	433.12x2x3	433.78x2x3	BK
2' x 75'	433.12x2x75	433.78x2x75	BK
3' x 5'	433.12x3x5	433.78x3x5	BK
3' x 75'	433.12x3x75	433.78x3x75	BK
4' x 75'	433.12x4x75	433.78x4x75	BK

Available in cuts up to 75'

### SPECIFICATIONS

**Compound:** PVC over Flex-Link™ Sponge

**Edges:** Safety Beveled

**Warranty:** 1 Year

