



## Mobile Instrument Cart

1000 lbs. Capacity

This cushion-load cart is ideally suited for transporting delicate equipment or sensitive devices. Non-Conductive and sound-deadening wood composite top shelf has a full perimeter non-marking bumper to protect walls and furniture. Both the top shelf and lower shelf are covered with a non-slip vinyl surface. Top shelf measures 22"W x 36"L x 35"H, Lower Shelf 21-3/4"W x 29"L. Powder coated gray finish.

### CHOICE OF CASTERS

**FULL PNEUMATIC** – (2 swivel and 2 rigid) Shock absorbing wheels provide an air cushion ride. Inflation pressure of tires can be adjusted to provide the desired level of shock load reduction for different floor and load conditions.

**POLYURETHANE TREAD** – (4 swivel) Non-marking polyurethane tread for greater maneuverability under heavier load conditions, and where cushioning of shock loads is not as important.

Model No.	Casters	Shelf Clearance	Wt.
MIC-2436	9" x 3" Pneumatic 2-swivel & 2-rigid	20"	90
MIC-2436-5	5" x 1-1/4" Polyurethane 4-swivel	25"	82
MIC-2436-5TL	5" x 1-1/4" Polyurethane 4-swivel with total lock	25"	83
MIC-2436-10SR	10" x 2-3/4" Solid Rubber 2-swivel & 2 rigid	20"	100



Model  
MIC-2436



These carts feature  
**NON-SLIP SHELVES**  
with Protective Bumper



Available with  
Total Lock Casters

## Instrument Cart with Drawer

Includes 13"W x 17"D x 4-1/2"H storage drawer with cylinder lock for added security. Powder coated gray finish.

Model No.	Casters	Shelf Clearance	Wt.
MIC-2436-DR	9" x 3" Pneumatic 2-swivel & 2-rigid	13"	108
MIC-2436-5-DR	5" x 1-1/4" Polyurethane 4-swivel	18"	100
MIC-2436-10SRDR	10" x 2-3/4" Solid Rubber 2-swivel & 2 rigid	13"	118



Model  
MIC-2436-5-DR

### ELECTRICALLY WIRED

## Mobile Work Center

With wheel brakes and storage drawer

Features UL listed 15 amp Power Tap with 6 grounded outlets, circuit breaker, switch, 15 ft. power cord and built-in cord wrap. Generous 13"W x 17"D x 4-1/2"H storage drawer with cylinder lock provides added security. Wheel brakes on swivel casters prevent unwanted movement. Powder coated gray finish.

Model No.	Casters	Shelf Clearance	Wt.
MIC-8BK-PSDR	9" x 3" Pneumatic 2 swivel w/brakes & 2-rigid	13"	113
MIC-5BK-PSDR	5" x 1-1/4" Polyurethane 4 swivel w/brakes	18"	105
MIC-5TL-PSDR	5" x 1-1/4" Polyurethane 4-swivel with total lock	18"	106
MIC-10SRBK-PSDR	10" x 2-3/4" Solid Rubber 2-swivel w/brakes & 2-rigid	13"	123



Model  
MIC-8BK-PSDR



Model  
GF-2448-9PM

## Flush-Handle Instrument Cart

1200 lbs. Capacity

Flush handle allows transporting of oversized items. Provides a cushioned ride with 9" pneumatic casters, 2 swivel, 2 rigid. Top shelf 34" high. Shelves are available with a 1-1/2" retaining lip or with flush edges. Available with non-slip vinyl shelf surfaces, or smooth steel. Shelf clearance 18" with lipped shelves, 19-1/2" with flush shelves. Powder coated gray finish.

Shelf Size	LIP SHELVES Model No.	FLUSH SHELVES Model No.	Wt.
<b>Non-Slip Vinyl Shelf Surfaces</b>			
24 x 36	GLF-2436-9PM	GF-2436-9PM	96
24 x 48	GLF-2448-9PM	GF-2448-9PM	111
30 x 48	GLF-3048-9PM	GF-3048-9PM	131
<b>Without Vinyl Shelf Surfaces</b>			
24 x 36	GLF-2436-9P	GF-2436-9P	92
24 x 48	GLF-2448-9P	GF-2448-9P	106
30 x 48	GLF-3048-9P	GF-3048-9P	124

Wheel brakes on swivel casters option, add: **-BK**



Model  
3G-2448-9PM

## Three-Shelf Instrument Carts

1200 lbs. Capacity

Provides cushioned transport with 2 swivel and two rigid 9" pneumatic casters. Overall height 45". Shelf clearance 13-3/4" with lip shelves, 14-1/2" with flush shelves. All-welded construction with durable powder coated gray finish.

Shelf Size	LIP SHELVES Model No.	FLUSH SHELVES Model No.	Wt.
<b>Non-Slip Vinyl Shelf Surfaces</b>			
24 x 36	3GL-2436-9PM	3G-2436-9PM	124
24 x 48	3GL-2448-9PM	3G-2448-9PM	147
30 x 48	3GL-3048-9PM	3G-3048-9PM	172
<b>Without Vinyl Shelf Surfaces</b>			
24 x 36	3GL-2436-9P	3G-2436-9P	118
24 x 48	3GL-2448-9P	3G-2448-9P	139
30 x 48	3GL-3048-9P	3G-3048-9P	162

Wheel brakes on swivel casters option, add: **-BK**



Model  
IP-2448-9PM

## Mobile Instrument Table

1200 lbs. Capacity

Maneuvers over rough surfaces with 4 swivel casters and 9" pneumatic wheels. Available with non-slip vinyl shelf surfaces, or smooth steel. Welded construction for maximum durability. Top shelf height 34", shelf clearance 19-1/2". Powder coated gray finish.

Shelf Size	Model No.	Wt.
<b>Non-Slip Vinyl Shelf Surfaces</b>		
24 x 36	IP-2436-9PM	96
24 x 48	IP-2448-9PM	112
30 x 48	IP-3048-9PM	131
<b>Without Vinyl Shelf Surfaces</b>		
24 x 36	IP-2436-9P	92
24 x 48	IP-2448-9P	107
30 x 48	IP-3048-9P	124

Wheel brakes on swivel casters option, add: **-BK**



## Instrument Cart with Hand Guard

1200 lbs. Capacity

Welded steel construction ships ready for immediate use. Full pneumatic 9" casters provide an air cushion ride. Top shelf height 34". Shelf edges available with 1-1/2" retaining lip, or flush edges. Shelf clearance 18" with lipped shelves, 19-1/2" with flush shelves. Available with non-slip vinyl shelf surfaces, or smooth steel surfaces. Powder coated gray finish.



Model  
G-2436-9PM

Shelf Size	LIP SHELVES Model No.	FLUSH SHELVES Model No.	Wt.
<b>Non-Slip Vinyl Shelf Surfaces</b>			
24 x 36	GL-2436-9PM	G-2436-9PM	99
24 x 48	GL-2448-9PM	G-2448-9PM	113
30 x 48	GL-3048-9PM	G-3048-9PM	134
<b>Without Vinyl Shelf Surfaces</b>			
24 x 36	GL-2436-9P	G-2436-9P	95
24 x 48	GL-2448-9P	G-2448-9P	109
30 x 48	GL-3048-9P	G-3048-9P	127

Wheel brakes on swivel casters option, add: **-BK**

## Instrument Cart with Writing Shelf and Storage Pocket

1200 lbs. Capacity

Convenient writing shelf measures 21" wide x 12" long. Sloped storage pocket measures 14" wide x 12-1/2" long with 4-3/4" access height. 9" pneumatic casters, 2 swivel and 2 rigid. Top shelf height 34", overall height 39". Powder coated gray finish.



Model  
G-2436-9PM-WSP

Shelf Size	LIP SHELVES Model No.	FLUSH SHELVES Model No.	Wt.
<b>Non-Slip Vinyl Shelf Surfaces</b>			
24 x 36	GL-2436-9PM-WSP	G-2436-9PM-WSP	117
24 x 48	GL-2448-9PM-WSP	G-2448-9PM-WSP	133
<b>Without Vinyl Shelf Surfaces</b>			
24 x 36	GL-2436-9P-WSP	G-2436-9P-WSP	113
24 x 48	GL-2448-9P-WSP	G-2448-9P-WSP	127

## Low Deck Instrument Cart

1200 lbs. Capacity

Cushion load 9" pneumatic casters with a 26" Top Shelf height and 11-1/2" shelf clearance. Bottom shelf has 1-1/2" retaining lip. Top shelf available with lip or flush edge. Available with non-slip vinyl shelf surfaces, or smooth steel. All-welded construction with 12 gauge shelves. Powder coated gray finish.



Model  
LK-2448-9PM

Shelf Size	LIP SHELVES Model No.	FLUSH TOP SHELF Model No.	Wt.
<b>Non-Slip Vinyl Shelf Surfaces</b>			
24 x 36	LKL-2436-9PM	LK-2436-9PM	107
24 x 48	LKL-2448-9PM	LK-2448-9PM	126
30 x 48	LKL-3048-9PM	LK-3048-9PM	140
<b>Without Vinyl Shelf Surfaces</b>			
24 x 36	LKL-2436-9P	LK-2436-9P	105
24 x 48	LKL-2448-9P	LK-2448-9P	123
30 x 48	LKL-3048-9P	LK-3048-9P	135

Wheel brakes on swivel casters option, add: **-BK**