


Manufacturing



SPONGE

There are various styles available, but conventional blown PVC sponge has the same open-cell structure throughout. While sponge products offer the lowest purchase price, they have the least amount of wear protection and tear strength. For improved wear, choose sponges with added compounds.

Sponge-only products are a safe call if

- The area is dry with light foot and/or cart traffic
- You need a shorter-term solution than that provided by dual-layer matting
- A low purchase price is more important than lifetime cost of ownership

513

SubStance



With SubStance, we've combined a durable vinyl-nitrile outer layer with a resilient inner layer of fatigue-fighting sponge. The result is a top-notch ergonomic sub-surface that any standing worker will appreciate. Available in Pebbled or Diamond-Plate patterns.

ITEM NUMBER	SIZE	THICKNESS	COLOR	SURFACE TEXTURE
513.12x2x3	2' x 3'	1/2"	BK	PB, DP
513.12x2x60	2' x 60'	1/2"	BK	PB, DP
513.12x3x5	3' x 5'	1/2"	BK	PB, DP
513.12x3x60	3' x 60'	1/2"	BK	PB, DP
513.12x4x60	4' x 60'	1/2"	BK	PB, DP

Please specify Pebble or Diamond-Plate when ordering.

Available in cuts up to 60'

SPECIFICATIONS

Compound: PVC/Nitrile-Infused Sponge

Edges: Safety Rounded

Warranty: 1 Year



459

Endurable



With an overall thickness of 1/2", Endurable outlasts lower-quality blown-sponge products thanks to its "dual layer" construction. The mat's dense PVC surface top layer withstands abrasion and foot traffic while the softer underlayer provides ergonomic relief.

ITEM NUMBER	SIZE	THICKNESS	COLOR
459.12x2x3BK	2' x 3'	1/2"	BK
459.12x2x60BK	2' x 60'	1/2"	BK
459.12x3x12BK	3' x 12'	1/2"	BK
459.12x3x5BK	3' x 5'	1/2"	BK
459.12x3x60BK	3' x 60'	1/2"	BK
459.12x4x60BK	4' x 60'	1/2"	BK

Available in cuts up to 60'

SPECIFICATIONS

Compound: Blown PVC Sponge w/Vinyl Coating

Edges: Stock Sizes: Safety Rounded; Cut Lengths: Beveled

Warranty: 1 Year



440

Ultra-Tred ArmorCote



Ultra-Tred ArmorCote has a durable urethane outer skin so that it can continue to work where other entry-level PVC blown-sponge mats fail. With a thickness of 3/8", it is especially suited for applications where abrasion is a concern.

ITEM NUMBER	SIZE	THICKNESS	COLOR
440.38x2x3BYL	2' x 3'	3/8"	BYL
440.38x2x60BYL	2' x 60'	3/8"	BYL
440.38x3x12BYL	3' x 12'	3/8"	BYL
440.38x3x5BYL	3' x 5'	3/8"	BYL
440.38x3x60BYL	3' x 60'	3/8"	BYL
440.38x4x60BYL	4' x 60'	3/8"	BYL

Available in cuts up to 60'

SPECIFICATIONS

Compound: Blown PVC sponge w/urethane coating

Edges: Safety Rounded

Warranty: 1 Year



451

Tuf Sponge



Tuf Sponge provides an economical PVC blown-sponge barrier for hard floors. With an attractive ribbed surface, this mat can be purchased in rolls and easily cut to length on site for quick replacement when damaged.

ITEM NUMBER	SIZE	THICKNESS	COLOR
451.38x27x36	27' x 36'	3/8"	BK, BYL, GY
451.38x27x60	27' x 60'	3/8"	BK, BYL, GY
451.38x2x3	2' x 3'	3/8"	BK, BYL, GY
451.38x2x60	2' x 60'	3/8"	BK, BYL, GY
451.38x3x12	3' x 12'	3/8"	BK, BYL, GY
451.38x3x5	3' x 5'	3/8"	BK, BYL, GY
451.38x3x60	3' x 60'	3/8"	BK, BYL, GY
451.38x4x60	4' x 60'	3/8"	BK, BYL, GY
451.38x6x60BK	6' x 60'	3/8"	BK

Available in cuts up to 60'



SPECIFICATIONS

Compound: Blown PVC Sponge

Edges: Safety Rounded

Warranty: 1 Year



442

Deluxe Tuf Sponge



Deluxe Tuf Sponge comes with all the standard benefits of Tuf Sponge and is backed with 5/8"-thick PVC sponge. It can also be purchased in rolls and easily cut to length on site for quick replacement when damaged.

ITEM NUMBER	SIZE	THICKNESS	COLOR
442.58x2x3	2' x 3'	5/8"	BK, BYL, GY
442.58x2x60	2' x 60'	5/8"	BK, BYL, GY
442.58x3x5	3' x 5'	5/8"	BK, BYL, GY
442.58x3x60	3' x 60'	5/8"	BK, BYL, GY
442.58x4x60	4' x 60'	5/8"	BK, BYL, GY

Available in cuts up to 60'



SPECIFICATIONS

Compound: Blown PVC Sponge

Edges: Safety Rounded

Warranty: 1 Year



452

Diamond Tuf Sponge



Like the other Tuf Sponge models, Diamond Tuf Sponge provides an economical PVC blown sponge barrier for hard floors. With a popular Diamond-Plate surface pattern, Diamond Tuf Sponge also provides additional abrasion and chemical resistance.

ITEM NUMBER	SIZE	THICKNESS	COLOR
452.12x2x3	2' x 3'	1/2"	BK, BYL
452.12x2x60	2' x 60'	1/2"	BK, BYL
452.12x3x5	3' x 5'	1/2"	BK, BYL
452.12x3x60	3' x 60'	1/2"	BK, BYL
452.12x4x60	4' x 60'	1/2"	BK, BYL

Available in cuts up to 60'



SPECIFICATIONS

Compound: Blown PVC Sponge

Edges: Safety Rounded

Warranty: 1 Year



427

Soft Step



Soft Step is an economical PVC blown-sponge barrier for hard floors that reduces worker fatigue and the impact of heel strike. It can be purchased in rolls and easily cut to length on site for quick replacement when damaged.



ITEM NUMBER	SIZE	THICKNESS	COLOR
427.38x2x3	2' x 3'	3/8"	BK, BYL, GY
427.38x2x60	2' x 60'	3/8"	BK, BYL, GY
427.38x3x12	3' x 12'	3/8"	BK, BYL, GY
427.38x3x5	3' x 5'	3/8"	BK, BYL, GY
427.38x3x60	3' x 60'	3/8"	BK, BYL, GY
427.38x4x60	4' x 60'	3/8"	BK, BYL, GY

Available in cuts up to 60'

SPECIFICATIONS

Compound: Blown PVC Sponge

Edges: Safety Rounded

Warranty: 1 Year



444

Deluxe Soft Step



Deluxe Soft Step is backed by 5/8" of PVC blown sponge. Like Soft Step, it features an attractive pebbled surface and can be purchased in rolls and easily cut to length on site for quick replacement when damaged.



ITEM NUMBER	SIZE	THICKNESS	COLOR
444.58x2x3	2' x 3'	5/8"	BK, BYL, GY
444.58x2x60	2' x 60'	5/8"	BK, BYL, GY
444.58x3x5	3' x 5'	5/8"	BK, BYL, GY
444.58x3x60	3' x 60'	5/8"	BK, BYL, GY
444.58x4x60	4' x 60'	5/8"	BK, BYL, GY

Available in cuts up to 60'

SPECIFICATIONS

Compound: Blown PVC Sponge

Edges: Safety Rounded

Warranty: 1 Year



A LITTLE MORE CAN GO A LONG WAY

For greater performance at a comparable price point, consider SMART® Diamond-Plate on page 26.