



PRODUCT SPECIFIER



Ergonomic Workstations & Accessories



WORKSTATIONS THAT INSPIRE PRODUCTIVITY.

We'll help you find the right ergonomic workstations for your

company. You'll receive innovative solutions that fit your exact

specifications for performance, productivity and aesthetics. You'll

also get the easiest to assemble, longest lasting, American-made

workstations on the market. Then, you can get back to business.



Quad Station



PedSys Work Bench, Left-Side Storage



C-Leg Stations with Add-on Corner

Since 1995, **PRODUCTION BASICS** has manufactured **ERGONOMIC WORKSTATIONS** and accessories that **INSPIRE PRODUCTIVITY**. We offer a variety of products that are designed to bring **EFFICIENCY**, **PRODUCTIVITY** & **PROFESSIONALISM** to your manufacturing, material handling or laboratory environment.







5>>

Workstations are not just TABLES, they are TOOLS FOR PRODUCTIVITY. An ORGANIZED, ergonomic WORKSPACE for your operators means a happier, MORE FOCUSED employee. It means GREATER JOB SATISFACTION and fewer workers' compensation claims in a GREAT LOOKING FACILITY that operates at PEAK EFFICIENCY.











Production Basics workstations **START WITH SMART DESIGNS**. We combine **CLEAN LINES** and **SOLID COMPONENTS** to form sturdy, simple workstations that are **BUILT TO LAST**. Using the Basic Bolt, Basic Nut and an allen wrench, you can **BUILD YOUR WORKSTATION** in minutes. You are able to **ADJUST** your workstation **PRECISELY**, a major benefit over common slotted units.

It's time to **DELIVER** some **INSPIRATION** to you. We invite you inside our Product Specifier, where you will **FIND THE WORKSTATIONS** that are **RIGHT FOR YOU**.



The Easy-Lift Series features workstations that are height-adjustable at any time. The worksurface is easily raised or lowered with either a push-button or smooth action crank handle. Easy-Lift Series stations are essential for multi-shift facilities where several employees may be using the same workbench.


Attach accessories to your Easy-Lift Series workstation using Uprights. Uprights are constructed of robust unistrut, similar to our signature C-Leg Series frames.


Accessories are attached using the Basic Nut and Bolt allowing for micro-adjustment of your accessories to the most comfortable position.




General Information - Easy-Lift Series

- Stock frame color on all Electric Station, Dual Leg and Hand Crank, Dual Leg Stations is a Black frame with extruded aluminum legs. Worksurface is either White standard laminate or Grey ESD laminate.
- Stock color on all 4-post workstations is Blue with White standard laminate or Grey ESD laminate.
- Other frame colors for 4-post workstations available upon request at no additional charge are Almond, White, Grey, and Black.
- Other laminate colors available upon request at no additional charge are White, Beige and Grey.
- · Workstation kits noted as "ESD" include ESD laminate and ground bolt.
- Laminate worksurfaces are constructed of 1.25" thick industrial grade particle board. ESD laminate measures within the static dissipative range of 10⁶ to 10⁹ ohms to ground.
- Most Easy Lift Series workstations ship fully assembled, except for accessories.
- Unless noted, worksurface depth (D) is always specified first in dimension notation. Station width (W) is specified second.
- Height adjustability range varies by workstation. See product notes for specific ranges.
- Workstation components are constructed of steel except for extruded aluminum leg.
- Choose accessories for your Easy-Lift Series workstation on pages 55-76.
- · Most above surface accessories are compatible with Easy Lift Series using Uprights.
- Weight capacity varies by workstation. See product notes for maximum evenly distributed load specifications.
- Custom frame colors are available at an additional charge.
- Custom laminate colors are available at an additional charge.
- For options not specified in this section, review the Custom Options section of this Product Specifier (pages 77-83) or call Production Basics.







EASY-LIFT SERIES> APPLICATION SPECIFIC RECOMMENDATIONS

Electronics Manufacturing

Product Description	Item Number
Hand-Crank Adjustable Table, 4-post, ESD, 30"D x 48"W	2500
Uprights with Mounting Plates	8535
Parts Bin Panel, Double Arm	8627
Slide Line	8771
Tack Board, Grey	8730-G
Overhead Light, LED	8514

Electronics Manufacturing

Product Description	Item Number	
Electric Station, Dual Leg, 30"D x 48"W	4200	
Bullnose Add-on	8982	
Uprights, Dual Leg	8539	
Overhead Light	8500	
Tool Trolley System	8340	
Tool Balancer	8357	
Air Rail	8330	
Peg Board	8722	
Parts Bin Rail	8300	
Bin Rail Extension,6"D	8310	
Power Rail, 15 amp	8320	

Assembly & Manufacturing

, , , , , , , , , , , , , , , , , , ,		
Product Description	Item Number	
Hand-Crank Adjustable Table, 4-post, 30"D x 72"W	2410	
4-Post Adjustable Table, Electric Option	4397	
Writing Shelf/3" Drawer with Mounting Kit	8601	
Free Standing Drawer Units, 2-3" drawers + 1-18" cabinet	8591	
Uprights with Mounting Plates	8535	a dia
Universal Shelf, 12"D x 72"W	8416	
Universal Shelf, 18"D x 72"W	8396	
Power Rail, 15 amp	8326	
Conveyor not included.		

Þ

Tool shown not included


EASY-LIFT SERIES> APPLICATION SPECIFIC RECOMMENDATIONS

Assembly & Manufacturing

Product Description	Item Number	
Electric Station, Dual Leg, 30"D x 60"W	4205	
Phenolic Resin Worksurface, 30"D x 60"W	8002	
Uprights, Dual Leg	8539	
Overhead Light, T8	8505	
Laminate Shelf, 15"D x 60"W	8423	
Tack Board, Grey	8733-G	
6" Double Drawer	8613	
		ľ

Material Handling

Product Description	Item Number	
Hand Crank Adjustable Table, Dual Leg, 30"D x 48"W	2000	
Uprights, Dual Leg	8539	
Universal Shelf (2), 12"D x 48"W	8410	fì
Flat Screen Monitor Arm	8632	
Flat Screen Monitor Arm Add-on Keyboard	8633	a de
Power Rail, 15 amp	8320	the state
6" Drawer	8605	e e



Laboratory

Item Number	1
2406	
8975	1
8535	
8403	
8796-G	
8649	
	2406 8975 8535 8403 8796-G

EASY-LIFT SERIES > DUAL-LEG PRODUCT DETAILS

	Product Details	Description	Dimensions	HemNunt	NORS NORS
N		Electric Station, Dual Leg Use this workstation to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W 36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 60"W	4203 4200 4205 4210 4223 4202 4220 4225	• 30-42" height adjustment • 400 lb weight capacity
NEZ		Electric Station, Dual Leg, ESD Use this workstation with ESD laminate to improve ergonomics. Effortless push button height adjustment travels the full range within 20 seconds. Store up to 4 height settings.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W 36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 60"W	4303 4300 4305 4310 4323 4302 4320 4325	 30-42" height adjustment 400 lb weight capacity includes standard ground bolt & wire
NE		Hand Crank Adjustable Table, Dual Leg Use this workstation to address ergonomic concerns and increase operator comfort. Smooth crank action allows the operator to precisely position the height of the worksurface.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W 36"D x 36"W 36"D x 48"W 36"D x 48"W 36"D x 60"W 36"D x 72"W	2003 2000 2005 2010 2023 2002 2020 2025	• 30-42" height adjustment • 400 lb weight capacity
NE		Hand Crank Adjustable Table, Dual Leg, ESD Use this workstation to address ergonomic concerns and increase operator comfort. Smooth crank action allows the operator to precisely position the height of the ESD laminate worksurface.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W 36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 60"W	2103 2100 2105 2110 2123 2102 2120 2125	 30-42" height adjustment 400 lb weight capacity includes standard ground bolt & wire
		Caster Option, Dual Leg Add mobility to an Electric or Hand Crank Dual Leg Station. Caster frame maintains height adjustability range. Includes four (4) 4" thermoplastic casters.		8974	 includes four (4) 4" casters must specify at time of order with Item Numbers 2000-2125 & 4200-4325 workstation not included

EASY-LIFT SERIES > 4-POST PRODUCT DETAILS

	Product Details	Description	Dimensions	Hernhult	Notes
Z		Hand-Crank Adjustable Table, 4-post This table provides excellent stability, high weight capacity and easy worksurface height adjustment with a hand crank.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W 36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 60"W	2403 2400 2405 2410 2404 2402 2406 2411	• 30-42" height adjustability • 1000 lb weight capacity
Z		Hand-Crank Adjustable Table, 4-post, ESD This table provides excellent stability, high weight capacity and easy worksurface height adjustment with a hand crank. Includes ESD laminate worksurface.	30"D x 36"W 30"D x 48"W 30"D x 60"W 30"D x 72"W 36"D x 36"W 36"D x 48"W 36"D x 60"W 36"D x 60"W 36"D x 72"W	2503 2500 2505 2510 2504 2502 2506 2511	 30-42" height adjustability 1000 lb weight capacity includes standard ground bolt & wire
		4-Post Adjustable Table, Electric Option Four-post tables that are 48" wide or wider are available with electric push-button height adjustment.		4397	• compatible with tables 48" wide or wider
		4-Post Adjustable Table, Caster Option Add mobility to an Electric or Hand-Crank 4-post table. Caster frame maintains height adjustability range. Includes four (4) 4" thermoplastic casters.		8975	 includes four (4) 4" casters specify at time of order with item numbers 2400-2511 mobile at lowest height workstation not included

The Fine Print

Payment Terms NET 30.

INLI J

Prices

Prevailing at the time of shipment unless otherwise noted.

Colors

Unless otherwise noted, stock frame color is Blue. Other colors available are Grey, White, Almond and Black. Stock color for standard laminate worksurfaces is White. Stock color for ESD laminate is Grey. Other laminate colors available upon request at no additional charge are Grey and Beige standard laminate; Beige and White ESD laminate. Custom laminate colors are available at an additional charge. Optional color schemes are available and must be specified at the time of order.

Minimum Order

\$100

Special Orders/Custom Options

All items listed in this price list are standard. Any variation to these standard items, including frame or laminate color, must be special ordered. Please consult with us about your requirements. Returns of special order/custom products are not accepted.

Orders and Cancellations

All orders must be placed through a Production Basics authorized distributor. Verbal purchase orders are not accepted. Products ship knocked-down (KD) by truck. FOB Billerica, MA. Changes and cancellations may not be accepted after an order is placed with Production Basics. For assistance with your workstation choices prior to placing an order, call Production Basics or your authorized distributor.

Product Improvements

Production Basics reserves the right to change the details of design, material and finish in any way that will not reduce function or performance.

Discontinued Products

Product specifications featured in this Product Specifier are available at the time of printing. Production Basics reserves the right to discontinue products at any time for any reason.

Returns

NO MERCHANDISE WILL BE ACCEPTED FOR RETURN WITHOUT PRODUCTION BASICS' PRIOR APPROVAL. Return Merchandise Authorizations (RMA) must be requested by the customer within ten (10) days of receipt of merchandise. Returned goods must be sent freight prepaid within 30 days of the issuance of an RMA. Returns will be subject to a 25% restocking charge. RMAs are NOT issued for custom products.

Shortages and Damages

Upon receipt of product, check against bill of lading for correct number of pieces and inspect for obvious damage before signing delivery receipt. Shortages, errors and damage must be reported to Production Basics within 24 hours of receipt of merchandise. Any damage claims must be filed with carriers immediately upon receipt. Do not destroy packaging materials; they must be available for inspection by the carrier. Production Basics will cooperate with the purchaser on filed claims.

Warranty

This warranty covers any defect in material or workmanship in mechanical or structural parts given normal use and care. With the exceptions noted, this warranty lasts ten (10) years from the original date of purchase for all parts and components manufactured by Production Basics. Production Basics, Inc. will replace or repair the item without any cost for parts within the time frame noted from the original date of purchase: LED Bulbs- Warranty not covered by Production Basics. Contact bulb manufacturer within five (5) days of defect identification. Easy Lift Series- One (1) year.

All other Products- Ten (10) years.

What is Not Covered

This warranty does not cover damage by misuse, accident, unauthorized repair or modification. Also, consequential and incidental damages (including but not limited to: lost profits, lost sales and injury to property) are not recoverable under this warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty is the exclusive express warranty and any representations or promises inconsistent with, or in addition to, this warranty are unauthorized and shall not be binding on Production Basics, Inc. Finally, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE LIMITED IN DURATION FOR A PERIOD OF TEN YEARS FROM THE DATE OF PURCHASE BY THE ORIGINAL CONSUMER. Some states do not allow limitations on how long an implied warranty lasts so the above limitation or exclusion may not apply to you.

Service

To obtain repair or replacement under this warranty, you must contact Production Basics, Inc., informing us of the defect.

