



Mobile Workstation

1200 lbs. Capacity

- Top shelf height: 34"
- Top shelf has 1-1/2" retaining lip on three sides
- Bottom and middle shelves are Lip Up on all four sides
- 12 gauge steel shelves
- 5" polyurethane wheels
- Two rigid and two swivel casters with total lock brakes


Size	2-SHELF 24-1/2" Clearance		3-SHELF 11-1/2' Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 36	MW-2436-5TL	84	3MW-2436-5TL	115
24 x 48	MW-2448-5TL	103	3MW-2448-5TL	150

Pegboard or Louvered Panel

- Bolt-on 16 gauge steel pegboard or louvered panel
- Panel heights: 24"
- Pegs and bins not included

Size	2-SHELF 24-1/2" Clearance		3-SHELF 11-1/2' Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 36	MW-2436-5TL-PB	102	3MW-2436-5TL-PB	122
24 x 48	MW-2448-5TL-PB	127	3MW-2448-5TL-PB	162

For Louvered Panel, replace **PB** with **LP**



Model
3MW-2436-5TL-PB

Mobile Workstation with Storage Drawer

- Available with one or two locking drawers
- Drawers measure 13"W x 17"D x 4-1/2"H
- Shelf clearance below drawer: 18"
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock brakes
- Powder coated gray finish

Shelf Size	1-DRAWER		2-DRAWER	
	Model No.	Wt.	Model No.	Wt.
24 x 36	MW-2436-5TL-DR	97	MW-2436-5TL-2DR	114
24 x 48	MW-2448-5TL-DR	116	MW-2448-5TL-2DR	129

with Pegboard Panel

24 x 36	MW2436-5TL-DRPB	115	MW2436-5TL2DRPB	128
24 x 48	MW2448-5TL-DRPB	140	MW2448-5TL2DRPB	153

For Louvered Panel, replace **PB** with **LP**



Model
MW-2436-5TL-2DR

Maintenance Workstation with Pegboard or Louvered Storage

1200 lbs. Capacity

- 16 gauge steel pegboard or louvered panel
- Top shelf height: 34"
- 1-1/2" retaining lip on three sides
- Two rigid and two swivel casters with total lock brakes
- 5" non-marking polyurethane wheels
- Powder coated gray finish

	Shelf Size	Model No.	Wt.
Louvered Panel	24 x 36	MWLP-2436-5TL	102
Pegboard Panel	24 x 36	MWLPB-2436-5TL	102



Model
MWLP-2436-5TL



Model
3SW-2436-LL



Model
SW-2436-LLPB2DR



Model
SW-2436-LL-DR

Steel Workstation

2000 lbs. Capacity

- Top shelf has flush front edge
- Lower shelves lipped edge
- Available in a two or three shelf model
- Available with pegboard panel, louvered panel, or storage drawer
- Heavy-duty leg levelers
- Top shelf height adjusts from 39-42"

Size	2-SHELF 33" Clearance		3-SHELF 15-1/2" Clearance	
	Model No.	Wt.	Model No.	Wt.
24 x 36	SW-2436-LL	78	3SW-2436-LL	109
24 x 48	SW-2448-LL	97	3SW-2448-LL	144

Pegboard or Louvered Panel

- 16 gauge steel pegboard or louvered panel
- Panel heights are 24"
- Pegs and bins not included

	Size	2-SHELF 33" Clearance		3-SHELF 15-1/2" Clearance	
		Model No.	Wt.	Model No.	Wt.
Pegboard Panel	24 x 36	SW-2436-LL-PB	106	3SW-2436-LL-PB	127
	24 x 48	SW-2448-LL-PB	115	3SW-2448-LL-PB	167
Louvered Panel	24 x 36	SW-2436-LL-LP	106	3SW-2436-LL-LP	127
	24 x 48	SW-2448-LL-LP	115	3SW-2448-LL-LP	167

Locking Storage Drawer

- Available with one or two locking drawers
- Drawers measure 12"W x 17"D x 4-1/2"H

	Size	1-DRAWER		2-DRAWER	
		Model No.	Wt.	Model No.	Wt.
Drawers Only	24 x 36	SW-2436-LL-DR	91	SW-2436-LL-2DR	108
	24 x 48	SW-2448-LL-DR	110	SW-2448-LL-2DR	123
Pegboard Panel	24 x 36	SW-2436-LLPBDR	109	SW-2436-LLPB2DR	126
	24 x 48	SW-2448-LLPBDR	128	SW-2448-LLPB2DR	141
Louvered Panel	24 x 36	SW-2436-LLLPDR	109	SW-2436-LLLP2DR	126
	24 x 48	SW-2448-LLLPDR	128	SW-2448-LLLP2DR	141

Work-Height Mobile Workstation with writing shelf, drawers, and pegboard

- 12 gauge steel top shelf
- Top shelf height: 42"
- 16 gauge steel pegboard extending 24" above workbench
- Pegboard holes are on 1" centers
- Available with pegboard or louvered panel
- Two locking storage drawers
- Writing shelf measures 21"W x 12"D
- Sloped storage pocket below writing shelf
- Two rigid and two swivel casters with total lock brakes
- 5" non-marking polyurethane wheels
- Bins and hooks not included

Size D x W	Model No.	Wt.
24 x 36	QC2436-TL2DRPB	163
24 x 48	QC2448-TL2DRPB	187
24 x 60	QC2460-TL2DRPB	212

For Louvered Panel, replace **PB** with **LP**



Model
QC2448-TL2DRPB



Shop Desk

- Riser shelf is 10" D and sits 10" high above desk surface
- Locking drawer measures 13"W x 17"D x 4-1/2"H
- Lower shelves have 1-1/2" retaining lips
- Shelf clearance: 11-3/4"
- Available with open shelves or enclosed expanded metal
- Available in a stationary or mobile:
 - Stationary model: Leg levelers allow desk height adjustment from 39"-42"
 - Mobile model: desk height: 42"

Open Shelves

Overall D x W	Stationary 1000 lbs. Capacity		Mobile 2000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
22 x 24	PSR-2224-LLDR	99	PSR-2224-3RBKDR	104
24 x 36	PSR-2436-LLDR	134	PSR-2436-3RBKDR	139



Model
PSR-2224-LLDR



Model
PSR-2224-3RBKDR

Enclosed Shelves

- 13 gauge expanded metal
- Keyed locking door

Overall D x W	Stationary 1000 lbs. Capacity		Mobile 2000 lbs. Capacity	
	Model No.	Wt.	Model No.	Wt.
22 x 24	PSX-2224-LLDR	136	PSX-2224-3RBKDR	141
24 x 36	PSX-2436-LLDR	171	PSX-2436-3RBKDR	176



Model
PSX-2224-3RBKDR



Model
PSX-2224-LLDR

Shop Desk with Pegboard

- 16 gauge pegboard panel
- Locking drawer measures 13"W x 17"D x 4-1/2"H
- Drawer comes with two keys
- Lower shelves have 1-1/2" retaining lips
- Shelf clearance: 11-3/4"

Stationary Models

2000 lbs. Capacity

- Leg levelers allow desk height adjustment from 39"-42"

Mobile Models

1000 lbs. Capacity

- 3" rubber swivel casters with brakes
- Desk height: 42"

Overall D x W	Stationary		Mobile	
	Model No.	Wt.	Model No.	Wt.
22 x 24	PSR-2224-LLDRPB	116	PSR22243RBKDRPB	121
24 x 36	PSR-2436-LLDRPB	158	PSR24363RBKDRPB	163



Model
PSR-2224-LLDRPB



Model
PSR-2224-3RBKDRPB



Model
MNC-1D-1824-TL



Available with
Total Lock Casters

Compact Mobile Bench Cabinet

- 12 gauge steel top work surface
- 1-1/2" retaining lips on sides and back
- Locking door
- 5" non-marking polyurethane wheels
- Two rigid and two swivel casters with total lock brakes
- All-welded construction
- Powder coated gray finish
- Ships fully assembled, ready for immediate use

Overall D x W x H	Model No.	Wt.
24-1/8 x 18-1/8 x 36-1/4	MNC-1D-1824-TL	111



Model
RS3-2436-LL

Receiving Station

2000 lbs. Capacity

- All-welded construction
- Top surface measures 24"D x 36"W
- Top surface is enclosed on three sides with flush front edge
- Height can be set from 39-1/2" - 42-1/2"
- Shelf clearance:
 - Three shelf version - 13"
 - Two shelf version - 27"
- Riser measures 10"D and sits 12" high above writing surface

Overall D x W		Model No.	Wt.
24 x 36	Without Center Shelf	RS-2436-LL	159
24 x 36	With Center Shelf	RS3-2436-LL	192



Model
RS-2D-2436-LL

Receiving Station with Locking Doors

- Two locking doors
- Three-point latching system and keyed locking handle

Overall D x W		Model No.	Wt.
24 x 36	Without Center Shelf	RS-2D-2436-LL	182
24 x 36	With Center Shelf	RS3-2D-2436-LL	215

Counter Height Bench Cabinets

- Top work surface height: 41"
- Top work surface has retaining lip on three sides
- Fixed center shelf
- Leg-levelers adjust for up to 3" additional height
- Available with 24"H louvered or pegboard panel
- All-welded construction

Bench Cabinet with Welded Center Shelf

- Interior shelf clearance is 13"

Top Surface	Size D x W	Solid Doors		Clearview Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB3-LL-2D-2436	215	MBP3-LL-2D-2436	204
	24x48	MB3-LL-2D-2448	240	MBP3-LL-2D-2448	229
1-3/4" Butcher Block	24x36	MJ3-LL-2D-2436	253	MJP3-LL-2D-2436	242
	24x48	MJ3-LL-2D-2448	290	MJP3-LL-2D-2448	279
1/4" Hardboard	24x36	MH3-LL-2D-2436	223	MHP3-LL-2D-2436	212
	24x48	MH3-LL-2D-2448	248	MHP3-LL-2D-2448	237

For Pegboard Panel, add: **-PB**
 For Louvered Panel, add: **-LP**



Model
MJ3-LL-2D-2448LP

Bench Cabinet with Heavy-Duty Storage Drawer

- Padlockable storage drawer
- Drawer measures 26"W x 20"D x 6"H
- Drawer has 250 lb. capacity
- No center shelf
- Interior height clearance: 18-3/4"

Top Surface	Size D x W	Solid Doors		Clearview Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB-LL-2D-2436HD	215	MBP-LL-2D-2436HD	204
	24x48	MB-LL-2D-2448HD	240	MBP-LL-2D-2448HD	229
1-3/4" Butcher Block	24x36	MJ-LL-2D-2436HD	253	MJP-LL-2D-2436HD	242
	24x48	MJ-LL-2D-2448HD	290	MJP-LL-2D-2448HD	279
1/4" Hardboard	24x36	MH-LL-2D-2436HD	223	MHP-LL-2D-2436HD	212
	24x48	MH-LL-2D-2448HD	248	MHP-LL-2D-2448HD	237

For Pegboard Panel, add: **-PB**
 For Louvered Panel, add: **-LP**



Model
MB3-LL-2D-2448
Solid Doors



Model
MHP3-LL-2D-2448
Clearview Doors



Model
MB-LL-2D-2448HD

Shop Cabinets

- 12 gauge steel top, center, and bottom shelves
- Top shelf has a 2" retaining lip around three sides
- Locking handle with two keys
- Leg-levelers adjust for up to 3" additional height
- Work surface height: 31" - 34"
- Shelf clearance: 12-1/2"
- Ships fully assembled, ready for immediate use

Size D x W	Model No.	Doors	Wt.
18 x 18	MC3-1D-1818-LL	1	98
24 x 24	MC3-2D-2424-LL	2	141
24 x 36	MC3-2D-2436-LL	2	187



Model
MC3-2D-2436-LL



Model
MJ3-2436-FL



Model
MH-2448-FL



Model
MB3-2448-FL-PB

Heavy-Duty Mobile Bench Cabinets

3600 lbs. Capacity

- All-welded construction
- Work surface height: 41"
- Top work surface has retaining lip on three sides (except butcher block)
- Available in four standard work top surfaces
- 6" non-marking polyurethane wheels
- Two injury and two swivel casters with floor locks

Top Surface	Size D x W	Without Center Shelf		With Center Shelf	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB-2436-FL	151	MB3-2436-FL	192
	24x48	MB-2448-FL	176	MB3-2448-FL	217
1-3/4" Butcher Block	24x36	MJ-2436-FL	189	MJ3-2436-FL	230
	24x48	MJ-2448-FL	226	MJ3-2448-FL	267
1/4" Hardboard	24x36	MH-2436-FL	158	MH3-2436-FL	199
	24x48	MH-2448-FL	183	MH3-2448-FL	224
Non-Slip Vinyl	24x36	MM-2436-FL	155	MM3-2436-FL	196
	24x48	MM-2448-FL	180	MM3-2448-FL	221

With Pegboard Panel

- Available with pegboard or louvered panel

Top Surface	Size D x W	Without Center Shelf		With Center Shelf	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB-2436-FL-PB	172	MB3-2436-FL-LP	213
	24x48	MB-2448-FL-PB	202	MB3-2448-FL-LP	243
1-3/4" Butcher Block	24x36	MJ-2436-FL-PB	215	MJ3-2436-FL-LP	256
	24x48	MJ-2448-FL-PB	252	MJ3-2448-FL-LP	293
1/4" Hardboard	24x36	MH-2436-FL-PB	179	MH3-2436-FL-LP	220
	24x48	MH-2448-FL-PB	209	MH3-2448-FL-LP	250
Non-Slip Vinyl	24x36	MM-2436-FL-PB	176	MM3-2436-FL-LP	217
	24x48	MM-2448-FL-PB	206	MM3-2448-FL-LP	247



Model
MC1D2436-4DRFL

Mobile Bench Cabinet with Drawers and Door

- Available with one, two, or four locking storage drawers
- Drawers measure 13"W x 17"L x 4-1/2"H
- Locking door with 27"H storage area
- 12 gauge steel shelves
- 36"W x 24"D work surface
- Enclosed on three sides with 14 gauge steel

Top Surface	1 Drawer		2 Drawers		4 Drawers	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	MC1D2436-1DRTL	186	MC1D2436-2DRTL	198	MC1D2436-4DRTL	221
1-3/4" Butcher Block	MCJ1D2436-1DRTL	224	MCJ1D2436-2DRTL	236	MCJ1D2436-4DRTL	259



Mobile Tool Cabinet

- All-welded construction
- Hinged padlock plate locks all drawers simultaneously
- Available in four standard work top surfaces
- Two rigid and two swivel casters
- 6" non-marking polyurethane wheels
- Deluxe powder coated black finish

8 Shallow Drawers

- Eight 3" deep tool drawers

Top Surface	Size D x W	Tool Drawer	
		Model No.	Wt.
Powder Coated Steel	24x36	MBT36-8SFL	328
1-3/4" Butcher Block	24x36	MJT36-8SFL	365
1/4" Hardboard	24x36	MHT36-8SFL	332
Non-Slip Vinyl	24x36	MMT36-8SFL	328



Model
MBT36-8SFL



4 Shallow & 2 Deep Drawers

- Four 3" deep tool drawers
- Two 6-1/2" deep tool drawers

Top Surface	Size D x W	Tool Drawer	
		Model No.	Wt.
Powder Coated Steel	24x36	MBT36-4S2DFL	328
1-3/4" Butcher Block	24x36	MJT36-4S2DFL	365
1/4" Hardboard	24x36	MHT36-4S2DFL	332
Non-Slip Vinyl	24x36	MMT36-4S2DFL	328



Model
MJT36-4S2DFL

2 Shallow & 3 Deep Drawers

- Two 3" deep tool drawers
- Three 6-1/2" deep tool drawers

Top Surface	Size D x W	Tool Drawer	
		Model No.	Wt.
Powder Coated Steel	24x36	MBT36-2S3DFL	328
1-3/4" Butcher Block	24x36	MJT36-2S3DFL	365
1/4" Hardboard	24x36	MHT36-2S3DFL	332
Non-Slip Vinyl	24x36	MMT36-2S3DFL	328



Model
MHT36-2S3DFL



4 Deep Drawers

- Four 6-1/2" deep tool drawers

Top Surface	Size D x W	Tool Drawer	
		Model No.	Wt.
Powder Coated Steel	24x36	MBT36-4DFL	328
1-3/4" Butcher Block	24x36	MJT36-4DFL	365
1/4" Hardboard	24x36	MHT36-4DFL	332
Non-Slip Vinyl	24x36	MMT36-4DFL	328



Model
MMT36-4DFL





Model
MB3-2D-2448-FLPB



Model
MJ-2D-2448-FL



Model
MH-2D-2448-HDFL

Mobile Bench Cabinets

- All-welded construction
- Work surface height: 41"
- Top work surface has retaining lip on three sides (except butcher block)
- Available in four standard work top surfaces
- 6" non-marking polyurethane wheels
- Two rigid and two swivel casters with floor locks

With Locking Doors

3600 lbs. Capacity

- Three-point latching system and keyed locking handle
- Available with and without center shelf

Top Surface	Size D x W	Without Center Shelf		With Center Shelf	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB-2D-2436-FL	190	MB3-2D-2436-FL	220
	24x48	MB-2D-2448-FL	215	MB3-2D-2448-FL	245
1-3/4" Butcher Block	24x36	MJ-2D-2436-FL	228	MJ3-2D-2436-FL	257
	24x48	MJ-2D-2448-FL	265	MJ3-2D-2448-FL	315
1/4" Hardboard	24x36	MH-2D-2436-FL	197	MH3-2D-2436-FL	227
	24x48	MH-2D-2448-FL	222	MH3-2D-2448-FL	252
Non-Slip Vinyl	24x36	MM-2D-2436-FL	194	MM3-2D-2436-FL	224
	24x48	MM-2D-2448-FL	219	MM3-2D-2448-FL	249

For Pegboard Panel, add: **-PB** For Louvered Panel, add: **-LP**

With Heavy-Duty Drawer

3600 lbs. Capacity

- Drawer measures 26"W x 20"D x 6"H
- Full-width recessed handle
- Padlock hasp
- Available with and without locking doors

Top Surface	Size D x W	No Doors		Locking Solid Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MB-2436-HDFL	182	MB-2D-2436-HDFL	221
	24x48	MB-2448-HDFL	207	MB-2D-2448-HDFL	246
1-3/4" Butcher Block	24x36	MJ-2436-HDFL	220	MJ-2D-2436-HDFL	259
	24x48	MJ-2448-HDFL	257	MJ-2D-2448-HDFL	296
1/4" Hardboard	24x36	MH-2436-HDFL	189	MH-2D-2436-HDFL	228
	24x48	MH-2448-HDFL	214	MH-2D-2448-HDFL	253
Non-Slip Vinyl	24x36	MM-2436-HDFL	186	MM-2D-2436-HDFL	225
	24x48	MM-2448-HDFL	211	MM-2D-2448-HDFL	250

For Pegboard Panel, add: **-PB** For Louvered Panel, add: **-LP**



Mobile Bench Cabinets with Pegboard or Louvered Panel Doors

- 16 gauge steel pegboard welded to inside of doors
- Three-point latching system and keyed locking handle
- All-welded construction
- Available in four different work top surfaces
- Available with top mounted louvered or pegboard panel

Top Surface	Size D x W	Pegboard Doors		Louvered Doors	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24 x 36	MB-2436-PBD-FL	224	MB-2436-LPD-FL	224
	24 x 48	MB-2448-PBD-FL	249	MB-2448-LPD-FL	249
1-3/4" Butcher Block	24 x 36	MJ-2436-PBD-FL	263	MJ-2436-LPD-FL	263
	24 x 48	MJ-2448-PBD-FL	300	MJ-2448-LPD-FL	300
1/4" Hardboard	24 x 36	MH-2436-PBD-FL	231	MH-2436-LPD-FL	231
	24 x 48	MH-2448-PBD-FL	256	MH-2448-LPD-FL	256
Non-Slip Vinyl	24 x 36	MM-2436-PBD-FL	228	MM-2436-LPD-FL	228
	24 x 48	MM-2448-PBD-FL	253	MM-2448-LPD-FL	253



Model MB-2448-PBD-FL



Model MB-2448-LPD-FL



Model MB-LPD-FL-LP



Model MJ-PBD-FL-PB

With Pegboard or Louvered Top Panel

- Available with 16 gauge steel pegboard or louvered panel
- Panel height: 24"
- Powder coated gray finish

Top Surface	Size D x W	Pegboard Doors & Top Pegboard Panel		Louvered Doors & Top Louvered Panel	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24 x 36	MB-36-PBD-FL-PB	246	MB-36-LPD-FL-LP	246
	24 x 48	MB-PBD-FL-PB	271	MB-LPD-FL-LP	271
1-3/4" Butcher Block	24 x 36	MJ-36-PBD-FL-PB	284	MJ-36-LPD-FL-LP	284
	24 x 48	MJ-PBD-FL-PB	321	MJ-LPD-FL-LP	321
1/4" Hardboard	24 x 36	MH-36-PBD-FL-PB	253	MH-36-LPD-FL-LP	253
	24 x 48	MH-PBD-FL-PB	278	MH-LPD-FL-LP	278
Non-Slip Vinyl	24 x 36	MM-36-PBD-FL-PB	250	MM-36-LPD-FL-LP	250
	24 x 48	MM-PBD-FL-PB	275	MM-LPD-FL-LP	275



Model
MHP3-2D-FL-LP

Mobile Bench Cabinets

3600 lbs. Capacity

- All-welded construction
- Clearview doors
- Three-point latching system and keyed locking handle
- Work surface height: 41"
- Top work surface has retaining lip on three sides (except butcher block)
- Available in four different work top surfaces
- Two rigid and two swivel casters with floor locks
- 6" non-marking polyurethane wheels
- Available with optional 24"H pegboard or louvered panel
- Powder coated gray finish

Without Center Shelf

- Cabinet interior height clearance is 28"



Model
MBP2D-2448-FL

Top Surface	Size D x W	No Louvered Panel		With Louvered Panel	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MBP2D-2436-FL	185	MBP2D-FL-LP	210
	24x48	MBP2D-2448-FL	210	MBP2D-FL-LP	235
1-3/4" Butcher Block	24x36	MJP2D-2436-FL	223	MJP2D-FL-LP	248
	24x48	MJP2D-2448-FL	260	MJP2D-FL-LP	285
1/4" Hardboard	24x36	MHP2D-2436-FL	193	MHP2D-FL-LP	218
	24x48	MHP2D-2448-FL	218	MHP2D-FL-LP	243
Non-Slip Vinyl	24x36	MMP2D-2436-FL	189	MMP2D-FL-LP	214
	24x48	MMP2D-2448-FL	214	MMP2D-FL-LP	239

For Pegboard Panel, replace LP with PB

With Full Center Shelf

- Interior shelf clearance is 13"



Model
MJP2D-2448-FL

Top Surface	Size D x W	No Louvered Panel		With Louvered Panel	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MBP3-2D-2436-FL	226	MBP32D-FL-LP	251
	24x48	MBP3-2D-2448-FL	251	MBP32D-FL-LP	276
1-3/4" Butcher Block	24x36	MJP3-2D-2436-FL	264	MJP32D-FL-LP	289
	24x48	MJP3-2D-2448-FL	301	MJP32D-FL-LP	326
1/4" Hardboard	24x36	MHP3-2D-2436-FL	233	MHP32D-FL-LP	258
	24x48	MHP3-2D-2448-FL	258	MHP32D-FL-LP	283
Non-Slip Vinyl	24x36	MMP3-2D-2436-FL	230	MMP32D-FL-LP	255
	24x48	MMP3-2D-2448-FL	255	MMP32D-FL-LP	280

For Pegboard Panel, replace LP with PB



Model
MMP3-2D-2448-FL



Mobile Bench Cabinets

With Heavy-Duty Drawer

250 lbs. Capacity

- Drawer measures 26"W x 20"D x 6"H
- Full-width recessed handle
- Padlock hasp
- Cabinet interior clearance: 20" high

Top Surface	Size D x W	Model No.	Wt.
Powder Coated Steel	24x36	MBP2D-2436-HDFL	224
	24x48	MBP2D-2448-HDFL	249
1-3/4" Butcher Block	24x36	MJP2D-2436-HDFL	267
	24x48	MJP2D-2448-HDFL	304
1/4" Hardboard	24x36	MHP2D-2436-HDFL	232
	24x48	MHP2D-2448-HDFL	257
Non-Slip Vinyl	24x36	MMP2D-2436-HDFL	228
	24x48	MMP2D-2448-HDFL	253



Model
MJP2D-2448-HDFL

With Louvered or Pegboard Panel

Top Surface	Size D x W	With Louvered Panel		With Pegboard Panel	
		Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	24x36	MBP2D-36HDFL-LP	249	MBP2D-36HDFL-PB	249
	24x48	MBP2D-HDFL-LP	274	MBP2D-HDFL-PB	274
1-3/4" Butcher Block	24x36	MJP2D-36HDFL-LP	292	MJP2D-36HDFL-PB	292
	24x48	MJP2D-HDFL-LP	329	MJP2D-HDFL-PB	329
1/4" Hardboard	24x36	MHP2D-36HDFL-LP	257	MHP2D-36HDFL-PB	257
	24x48	MHP2D-HDFL-LP	282	MHP2D-HDFL-PB	282
Non-Slip Vinyl	24x36	MMP2D-36HDFL-LP	253	MMP2D-36HDFL-PB	253
	24x48	MMP2D-HDFL-LP	278	MMP2D-HDFL-PB	278



Model
MJP2D-HDFL-LP

Mobile Bench Cabinet with Heavy-Duty Drawer

1200 lbs. Capacity

- Drawer measures 26"W x 20"D x 6"H
- Full-width recessed handle
- Padlock hasp
- Three-point latching system and keyed locking handle
- 27" cabinet clearance
- 12 gauge steel surface
- Surface measures 24"D x 36"W
- Retaining lip on three sides
- 5" non-marking polyurethane wheels with total lock brakes
- Work surface height: 46-1/2"

Top Surface	Model No.	Wt.
Powder Coated Steel	MTC-2436-TL	254
1-3/4" Butcher Block	MTCJ-2436-TL	296



Model
MTC-2436-TL



Model
IP-2448RM-BRK



Available with
Total Lock Casters
replace -BRK with -TL

Mobile Tables

1000 lbs. Capacity

- 12 gauge work surface
- Open style base
- Overall height: 34"
- Four swivel casters
- 5" polyurethane wheels with wheel brakes

Size	Model No.	Wt.
18 x 32	IP-1832RM-BRK	59
24 x 36	IP-2436RM-BRK	65
24 x 48	IP-2448RM-BRK	77
24 x 60	IP-2460RM-BRK	94
30 x 48	IP-3048RM-BRK	92
30 x 60	IP-3060RM-BRK	104
30 x 72	IP-3072RM-BRK	118



Model
IP-2448-2-6PY



Model
IP2448-2R-6PYFL

Mobile Tables – 2 Shelf

up to 3600 lbs. Capacity

- 12 gauge steel construction
- Two shelves
- Overall height: 34"
- Available with either two rigid and two swivel or four swivel casters
- 1200 or 3600 lbs. capacities (wheel dependent)
 - 5" polyurethane - 1200 lbs. capacity (24-1/2" shelf clearance)
 - 6" polyurethane - 3600 lbs. capacity (23" shelf clearance)

Size	1200 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 2 Rigid 2 Swivel/w Floor Lock	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
18 x 32	IP-1832-2	67	-	-	-	-
24 x 36	IP-2436-2	87	IP-2436-2-6PY	113	IP2436-2R-6PYFL	118
24 x 48	IP-2448-2	107	IP-2448-2-6PY	133	IP2448-2R-6PYFL	138
24 x 60	IP-2460-2	127	IP-2460-2-6PY	144	IP2460-2R-6PYFL	164
30 x 48	IP-3048-2	125	IP-3048-2-6PY	154	IP3048-2R-6PYFL	159
30 x 60	IP-3060-2	151	IP-3060-2-6PY	179	IP3060-2R-6PYFL	184
30 x 72	IP-3072-2	177	IP-3072-2-6PY	193	IP3072-2R-6PYFL	223
36 x 72	-	-	IP-3672-2-6PY	233	IP3672-2R-6PYFL	238

Wheel Brakes: 5" add: -BRK; 6" add: -BK

Total Lock Casters: add: -TL (5" only)



Model
3IP-2448-6PY

Mobile Tables – 3 Shelf

up to 3600 lbs. Capacity

- 12 gauge steel construction
- Three shelves
- Overall height: 34"
- Available with either two rigid and two swivel or four swivel casters
- 1200 or 3600 lbs. capacities (wheel dependent)
 - 5" polyurethane - 1200 lbs. capacity (11" shelf clearance)
 - 6" polyurethane - 3600 lbs. capacity (10-1/2" shelf clearance)

Size	1200 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 4 Swivel Casters		3600 LBS. CAPACITY 2 Rigid 2 Swivel/w Floor Lock	
	Model No.	Wt.	Model No.	Wt.	Model No.	Wt.
24 x 36	3IP-2436-5PY	124	3IP-2436-6PY	150	3IP2436-2R6PYFL	155
24 x 48	3IP-2448-5PY	154	3IP-2448-6PY	180	3IP2448-2R6PYFL	185
24 x 60	3IP-2460-5PY	186	3IP-2460-6PY	203	3IP2460-2R6PYFL	208
30 x 48	3IP-3048-5PY	182	3IP-3048-6PY	210	3IP3048-2R6PYFL	215
30 x 60	-	-	3IP-3060-6PY	249	3IP3060-2R6PYFL	254

Wheel Brakes: 5" add: -BRK; 6" add: -BK



Extra-Heavy-Duty 7 gauge Mobile Table

5000 lbs. Capacity

- 7 gauge reinforced top
- 2" angle corner posts and additional side braces
- Four heavy-duty, 8" phenolic swivel casters
- Overall height: 34"

W x L	Model No.	Wt.
30 x 48	IPH-3048-8PHBK	211
30 x 60	IPH-3060-8PHBK	237
36 x 60	IPH-3660-8PHBK	261
36 x 72	IPH-3672-8PHBK	290



Model
IPH-3060-8PHBK

Heavy-Duty Mobile Table

5000 lbs. Capacity

- 12 gauge, reinforced steel shelves
- 2" x 2" corner angles
- Four swivel casters
- 8" phenolic wheels
- Two four-position swivel locks
- Floor lock to stop unwanted movement
- Overall height: 36"

Overall W x D	Model No.	Wt.
24 x 36	IPG2436-8PHFLPL	160
24 x 48	IPG2448-8PHFLPL	175
24 x 60	IPG2460-8PHFLPL	185
30 x 48	IPG3048-8PHFLPL	193
30 x 60	IPG3060-8PHFLPL	219
30 x 72	IPG3072-8PHFLPL	259
36 x 72	IPG3672-8PHFLPL	280



Model
IPG2448-8PHFLPL



4 Position
Swivel Lock



Floor
Lock

Mobile Instrument Table

1200 lbs. Capacity

- Four swivel casters
- 9" pneumatic wheels
- Available with non-slip vinyl shelf surface
- Overall height: 34"
- Shelf clearance: 19-1/2"

Shelf Size	Model No.	Wt.
Non-Slip Vinyl Shelf Surfaces		
24 x 36	IP-2436-9PM	96
24 x 48	IP-2448-9PM	112
30 x 48	IP-3048-9PM	131
Without Vinyl Shelf Surfaces		
24 x 36	IP-2436-9P	92
24 x 48	IP-2448-9P	107
30 x 48	IP-3048-9P	124

Wheel brakes on swivel casters option, add: **-BRK**



Model
IP-2448-9PM



Model
WTC-2D-2436-LL



Model
WTC2D2436-6PYBK

Work Center Cabinet with Butcher Block Top

up to 3000 lbs. Capacity

- 1-3/4" butcher block top
- All-welded construction, 14 gauge cabinet
- Keyed handle with three-point locking mechanism
- Interior cabinet clearance: 26"
- Available in stationary or mobile versions

Stationary Models

- 2,000 lbs. capacity
- Overall height: 37" - 40"

Overall W x D	Model No.	Wt.
24 x 36	WTC-2D-2436-LL	166
24 x 48	WTC-2D-2448-LL	218
30 x 48	WTC-2D-3048-LL	230
30 x 60	WTC-2D-3060-LL	265
30 x 72	WTC-2D-3072-LL	302

Mobile Models

- 3,000 lbs. capacity
- Overall height: 38-3/4"
- 6" polyurethane wheels

Overall W x D	4 Swivel with Wheel Brakes		2 Rigid, 2 Swivel with Floor Lock	
	Model No.	Wt.	Model No.	Wt.
24 x 36	WTC2D2436-6PYBK	202	WTC2D24362R6PFL	205
24 x 48	WTC2D2448-6PYBK	254	WTC2D24482R6PFL	257
30 x 48	WTC2D3048-6PYBK	270	WTC2D30482R6PFL	273
30 x 60	WTC2D3060-6PYBK	305	WTC2D30602R6PFL	308
30 x 72	WTC2D3072-6PYBK	342	WTC2D30722R6PFL	345



Model
WTC-1D-2424-LL

Compact Work Center Cabinet with Locking Door

- 1-3/4" butcher block top
- Top dimensions: 24"D x 24"W
- Keyed handle with three-point locking mechanism
- Overall height: 34"
- Leg levelers providing up to 3" additional height
- Ships fully assembled and ready for use

Overall W x D	Model No.	Wt.
24 x 24	WTC-1D-2424-LL	134



Model
WTC-2424-LL-DR

Compact Work Center Cabinet with Drawer

- 1-3/4" butcher block top
- Top dimensions: 24"D x 24"W
- Keyed handle with three-point locking mechanism
- Overall height: 34"
- Leg levelers providing up to 3" additional height
- Locking storage drawer
- Drawer measurements: 13"W x 17"D x 4-1/2"H
- Ships fully assembled and ready for use

Overall W x D	Model No.	Wt.
24 x 24	WTC-2424-LL-DR	134