

## 1000 Plywood

### Features

- 300 lb. weight capacity
- Manual seat height adjustment
- Fully adjustable back (except 1411)
- Standard black tubular steel base
- Seats and backs made from 3/8" formed 7-ply maple plywood
- Plastic guides

### Options

- CAR4-1I – single rubber wheel casters (4 leg models)
- CAR5-2I – single rubber wheel casters (5 leg models)
- CAR4-2I – single rubber wheel casters (models 1411 and 1260 only)

### Options for 1200, 1400, 1600 models:

- SI (Swivel I) – torsion swivel control
- SII (Swivel II) - 360° movement
- RCMG – rubber cushioned metal glides
- FR – painted footring (available on 1200 only)

### Colors – replaceable

- CUV – vinyl seat & back cushions - black, blue
- CUF – fabric seat & back cushions - blue only



Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	Swivel	Base Type
1200	15-1/2 w" x 13*7/8" d	14-1/8" w x 6" h	16" - 24"	No	4 leg
1260	15-1/2 w" x 13*7/8" d	14-1/8" w x 6" h	16" - 21"	Swivel II Standard	4 leg
1400	15-1/2 w" x 13*7/8" d	14-1/8" w x 6" h	20" - 28"	No	4 leg
1411	15-1/2 w" x 13*7/8" d	14-1/8" w x 6" h	20" - 28"	Swivel II Standard	4 leg
1600	15-1/2 w" x 13*7/8" d	14-1/8" w x 6" h	26" - 34"	No	4 leg
1300/5	15-1/2 w" x 13*7/8" d	14-1/8" w x 6" h	17" - 22"	Swivel II Standard	5 leg
1500/5	15-1/2 w" x 13*7/8" d	14-1/8" w x 6" h	22" - 27"	Swivel II Standard	5 leg

## 2000 Series

### Features

- 300 lb. weight capacity
- Fully adjustable backrest
- Seat foam density: 2½ lb., 55 IFD
- Threaded stem and handwheel height adjustment
- 360° swivel
- 4 & 5 leg welded chrome plated or painted 16 gauge steel base
- Welded footring with plastic glides

### Options

- LBS – additional lumbar support
- CB – all chrome base (available on 2200 & 2600 only)
- RCMG – rubber cushioned metal glides
- CAR4-2I – single rubber wheel casters (4 leg model)
- CAR5-2I – single rubber wheel casters (5 leg models)

### Colors

- Standard fabric with vinyl trim – blue/blue, black/black, gray/black
- Vinyl upholstery – black or royal blue only
- Fabric upholstery - black, blue



Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	Base Type	Footring
2000/4	16-1/2 w" x 15" d, 3-3/4" thick	16 w" x 10" d, 2" thick	19" - 24"	4 leg	No
2200/5	16-1/2 w" x 15" d, 3-3/4" thick	16 w" x 10" d, 2" thick	19" - 24"	5 leg	Yes
2300/5	16-1/2 w" x 15" d, 3-3/4" thick	16 w" x 10" d, 2" thick	19" - 26"	5 leg	Yes
2600/5	16-1/2 w" x 15" d, 3-3/4" thick	16 w" x 10" d, 2" thick	24" - 29"	5 leg	Yes
2700/5	16-1/2 w" x 15" d, 3-3/4" thick	16 w" x 10" d, 2" thick	24" - 31"	5 leg	Yes

## 3000 Backless Stools

### Standard Stools (includes mushroom glides)

Model	Seat Dimensions	Seat Height Adjustment	Seat Type	Base Type
3000-P	14 d", 2" thick	15" - 20"	Polyurethane	Plastic
3050-P	14 d", 2" thick	14-1/2" - 19-1/2"	Polyurethane	Polished aluminum
3300-P	14 d", 2" thick	18-1/2" - 26"	Polyurethane	Plastic
3350-P	14 d", 2" thick	17-1/2" - 25"	Polyurethane	Polished aluminum
3500-P	14 d", 2" thick	22" - 32"	Polyurethane	Plastic
3550-P	14 d", 2" thick	20-1/2" - 30-1/2"	Polyurethane	Polished aluminum
3200-P	14 d", 2" thick	18" - 23"	Polyurethane	Tubular steel
3210-P	14 d", 2" thick	18" - 23"	Polyurethane	Chrome tubular steel
3600-P	14 d", 2" thick	23" - 28"	Polyurethane	Tubular steel
3610-P	14 d", 2" thick	23" - 28"	Polyurethane	Chrome tubular steel
<hr/>				
3000-F	16 d", 2-3/4" thick	16" - 21"	Fabric	Plastic
3050-F	16 d", 2-3/4" thick	15-1/2" - 20-1/2"	Fabric	Polished aluminum
3300-F	16 d", 2-3/4" thick	19-1/2" - 27"	Fabric	Plastic
3350-F	16 d", 2-3/4" thick	18-1/2" - 26"	Fabric	Polished aluminum
3500-F	16 d", 2-3/4" thick	23" - 33"	Fabric	Plastic
3550-F	16 d", 2-3/4" thick	21-1/2" - 31-1/2"	Fabric	Polished aluminum
3200-F	16 d", 2-3/4" thick	19" - 24"	Fabric	Tubular steel
3210-F	16 d", 2-3/4" thick	19" - 24"	Fabric	Chrome tubular steel
3600-F	16 d", 2-3/4" thick	24" - 29"	Fabric	Tubular steel
3610-F	16 d", 2-3/4" thick	24" - 29"	Fabric	Chrome tubular steel
<hr/>				
3000-V	16 d", 2-3/4" thick	16" - 21"	Vinyl	Plastic
3050-V	16 d", 2-3/4" thick	15-1/2" - 20-1/2"	Vinyl	Polished aluminum
3300-V	16 d", 2-3/4" thick	19-1/2" - 27"	Vinyl	Plastic
3350-V	16 d", 2-3/4" thick	18-1/2" - 26"	Vinyl	Polished aluminum
3500-V	16 d", 2-3/4" thick	23" - 33"	Vinyl	Plastic
3550-V	16 d", 2-3/4" thick	21-1/2" - 31-1/2"	Vinyl	Polished aluminum
3200-V	16 d", 2-3/4" thick	19" - 24"	Vinyl	Tubular steel
3210-V	16 d", 2-3/4" thick	19" - 24"	Vinyl	Chrome tubular steel
3600-V	16 d", 2-3/4" thick	24" - 29"	Vinyl	Tubular steel
3610-V	16 d", 2-3/4" thick	24" - 29"	Vinyl	Chrome tubular steel



### Standard Stools, Sit/Stands Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- 360° swivel
- 5 leg base in polished aluminum, reinforced plastic or chrome tubular steel



### Sit/Stands (not intended as a place to sit. Includes mushroom glides. Casters are not available on these models)

Model	Seat Dimensions	Seat Height Adjustment	Seat Type	Base Type
3505	13 d", 2" thick	22" - 32"	Polyurethane	Plastic
3555	13 d", 2" thick	20" - 30"	Polyurethane	Aluminum

### Options for Standard Stools

- 3850S/5 – carpet casters (5 star base model) (set of 5)
- 3850S/5 – hard floor casters (5 star base model) (set of 5)
- CAR5S – single rubber wheel casters for 5 leg base (set of 5)
- CAD5/5 – hard floor casters (tubular steel base) (set of 5)
- CAR5-21 – single rubber wheel casters tubular base (set of 5)
- MG – mushroom glides
- ACF-18 – adjustable 18" chrome footring

## Maintenance Repair Stools

Model	Seat Dimensions	Seat Height Adjustment	Seat Type	Base Size	Storage Tray
3057	14" diameter, 2" thick	15-1/2" - 20-1/2"	Polyurethane		16" diameter
3357	14" diameter, 2" thick	20" - 27"	Polyurethane		16" diameter
V3081P	13-1/2" diameter	16" - 20-1/2"	Polyurethane	22"	15-5/8" diameter
V3081F	13-1/2" diameter	18" - 22-1/2"	Black Fabric	22"	15-5/8" diameter



### Maintenance Repair Stools Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- 360° swivel
- 16" diameter plastic storage tray
- 3" rubber wheel casters – 2 with locking brakes on models 3057 & 3357
- Dual wheel carpet casters on models V3081P & V3081F



### Colors

- Polyurethane (P) – black
- Vinyl (V) – black, blue
- Fabric (F) – blue, black, gray, burgundy

## 4000 Upholstered

### Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- Seat foam density: 2½ lb., 55 IFD
- 360° swivel
- Adjustable backrest with lumbar support
- 5 leg base in reinforced plastic or tubular steel

### Options

- 3850S/5 – dual wheel hard floor casters for plastic base (set of 5)
- CADS/5 – dual wheel hard floor casters for tubular steel base (set of 5)
- CAR5S – single rubber wheel casters for plastic base (set of 5)
- 3850/5 – dual wheel carpet casters for plastic base (set of 5)
- CAD/5 – dual wheel carpet casters for tubular steel base (set of 5)
- CARS-2I – single rubber wheel casters for tubular steel base (set of 5)
- MG – mushroom glides
- IBCS – dual wheel interval brake casters (auto brake when not seated)
- ACF-20 – adjustable 20" chrome footring (aluminum base only)
- LBS – lumbar back support



### Colors

- All Vinyl – AVU blue, AVU black
- Fabric – blue, black, royal blue, medium blue, navy blue, burgundy, gray, green

Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	Footring	Base Type
4000	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	16-1/2" - 21-1/2"	No	Plastic
4001	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	16-1/2" - 21-1/2"	No	Plastic
4200	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	20" - 25"	19" Welded Chrome	Tubular steel
4201	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	20" - 25"	19" Welded Chrome	Tubular steel
4300	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	19-1/2" - 27"	18" Adjustable chrome	Plastic
4301	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	19-1/2" - 27"	18" Adjustable chrome	Plastic
4500	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	22-1/2" - 32-1/2"	18" Adjustable chrome	Plastic
4501	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	22-1/2" - 32-1/2"	18" Adjustable chrome	Plastic
4600	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	25" - 30"	19" Welded Chrome	Tubular steel
4601	20 w" x 17" d, 2-1/2" thick	16 w" x 10" d, 2" thick	25" - 30"	19" Welded Chrome	Tubular steel


Tilt models ending in 1 feature seat tilt of 6° rearward and 5° forward and back tilt of 11° forward and 15° backward.

“Almost 50% of workers in the industrial world are thought to suffer from back problems. Many back problems originate from improper sitting positions.

Complications that may arise from poor seating conditions include:

- Lumbar damage from lack of support in the lumbar region.
- Damage to the erector spinae muscles due to sitting without back support.”

N.C. Department of Labor Occupational Safety and Health Program Report – A Guide to Ergonomics;  
Cherie Berry, Commissioner of Labor, OSHA State Plan Designee



## 5000 Upholstered

### Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- Seat foam density: 2½ lb., 55 IFD
- 360° swivel
- Adjustable backrest with lumbar support
- Waterfall seat
- 5 leg base in reinforced plastic or tubular steel

### Options

- 3850S/5 – dual wheel hard floor casters for plastic base (set of 5)
- CADS/5 – dual wheel hard floor casters for tubular steel base (set of 5)
- 3850/5 – dual wheel carpet casters for plastic base (set of 5)
- CAD/5 – dual wheel carpet casters for tubular steel base (set of 5)
- CAR5S – single rubber wheel casters for plastic base (set of 5)
- CAR5-21 – single rubber wheel casters for tubular steel base (set of 5)
- IBCS – dual wheel interval brake casters (auto brake when not seated)
- A5 – adjustable arms
- MB – medium back (plastic base only) 17-1/2”w x 16”h
- ACF-20 – adjustable 20” chrome footring (aluminum bases only)
- LBS – lumbar back support
- “02” Control – Separate seat & back tilt levers (available on tilt models only)



### Colors

- Vinyl – black, blue
- Fabric – black, gray, burgundy, royal blue, medium blue, navy

Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	Footring	Base Type
5000	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	17" - 22"	No	Plastic
5001	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	17" - 22"	No	Plastic
5200	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	20" - 25"	19" Welded chrome	Tubular steel
5201	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	20" - 25"	19" Welded chrome	Tubular steel
5300	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	20-1/2" - 28"	18" Adjustable chrome	Plastic
5301	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	20-1/2" - 28"	18" Adjustable chrome	Plastic
5500	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	23" - 33"	18" Adjustable chrome	Plastic
5501	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	23" - 33"	18" Adjustable chrome	Plastic
5600	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	25" - 30"	19" Welded chrome	Tubular steel
5601	18 w" x 17" d, 2-3/4" thick	16 w" x 10" d, 2" thick	25" - 30"	19" Welded chrome	Tubular steel

Tilt models ending in 1 feature seat tilt of 6° rearward and 5° forward and back tilt of 11° forward and 15° backward.

## 7000 Polyurethane

### Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- 360° swivel
- Polyurethane seat and back
- Adjustable backrest with lumbar support
- Waterfall seat
- 5 leg base in reinforced black plastic, chrome tubular steel or polished aluminum

### Options

- 3850S/5 – dual wheel hard floor casters for plastic or aluminum base (set of 5)
- CADS/5 – dual wheel hard floor casters for tubular steel base (set of 5)
- 3850/5 – dual wheel carpet casters for plastic or aluminum base (set of 5)
- CAD/5 – dual wheel carpet casters for tubular steel base (set of 5)
- IBCS – dual wheel interval brake casters (auto brake when not seated) (set of 5)
- MG – mushroom glides
- CAR5S – single rubber wheel casters for plastic or aluminum base (set of 5)
- CAR5-2I – single rubber wheel casters for tubular steel base (set of 5)
- A7 – adjustable arms (black only)
- ACF-20 – adjustable 20” chrome footring (Plastic or aluminum base only)
- “O2” Control – separate seat & back tilt levers (available on tilt models only)
- CAL133 – Fire Retardant Option (TB133) (black only)



### Colors

- Polyurethane – blue, black, gray

Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	Footring	Base Type
7000	18-1/2w"x17"d	16-1/2w"x12-1/2"h	15" - 20"	No	Plastic
7001	18-1/2w"x17"d	16-1/2w"x12-1/2"h	15" - 20"	No	Plastic
7050	18-1/2w"x17"d	16-1/2w"x12-1/2"h	14-1/2" - 19-1/2"	No	Polished aluminum
7051	18-1/2w"x17"d	16-1/2w"x12-1/2"h	14-1/2" - 19-1/2"	No	Polished aluminum
7200	18-1/2w"x17"d	16-1/2w"x12-1/2"h	19" - 24"	19" Welded chrome	Tubular steel
7201	18-1/2w"x17"d	16-1/2w"x12-1/2"h	19" - 24"	19" Welded chrome	Tubular steel
7300	18-1/2w"x17"d	16-1/2w"x12-1/2"h	19-1/2" - 26-1/2"	18" Adjustable chrome	Plastic
7301	18-1/2w"x17"d	16-1/2w"x12-1/2"h	19-1/2" - 26-1/2"	18" Adjustable chrome	Plastic
7350	18-1/2w"x17"d	16-1/2w"x12-1/2"h	17-1/2" - 25"	18" Adjustable chrome	Polished aluminum
7351	18-1/2w"x17"d	16-1/2w"x12-1/2"h	17-1/2" - 25"	18" Adjustable chrome	Polished aluminum
7500	18-1/2w"x17"d	16-1/2w"x12-1/2"h	21" - 31"	18" Adjustable chrome	Plastic
7501	18-1/2w"x17"d	16-1/2w"x12-1/2"h	21" - 31"	18" Adjustable chrome	Plastic
7550	18-1/2w"x17"d	16-1/2w"x12-1/2"h	20-1/2" - 30-1/2"	18" Adjustable chrome	Polished aluminum
7551	18-1/2w"x17"d	16-1/2w"x12-1/2"h	20-1/2" - 30-1/2"	18" Adjustable chrome	Polished aluminum
7600	18-1/2w"x17"d	16-1/2w"x12-1/2"h	24" - 29"	19" Welded chrome	Tubular steel
7601	18-1/2w"x17"d	16-1/2w"x12-1/2"h	24" - 29"	19" Welded chrome	Tubular steel

Tilt models ending in 1 feature seat tilt of 6° rearward and 5° forward and back tilt of 11° forward and 15° backward.

“ In 2003, research found a 17.7% productivity increase in participants that received a highly adjustable chair and ergonomic training. ”

DeRango, K.; Amich, B; Robertson, M; Rooney, T; Moore, A; & Bazani, L. (2003) The productivity consequences of two ergonomic interventions. Upjohn Institute Staff Working Paper No. WP03-95.



## 7000 D Polyurethane

### Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- 360° swivel
- Contoured polyurethane seat & back
- Waterfall seat
- 5 leg base in reinforced black plastic or tubular steel

### Options

- 3850S/5 – dual wheel hard floor casters for plastic base (set of 5)
- CADS/5 – dual wheel hard floor casters for tubular steel base (set of 5)
- CAR5S – single rubber wheel casters for plastic base (set of 5)
- 3850/5 – dual wheel carpet casters for plastic base (set of 5)
- CAD/5 – dual wheel carpet casters for tubular steel base (set of 5)
- CAR5-2I – single rubber wheel casters for tubular base (set of 5)
- IBCS – dual wheel interval brake casters (auto brake when not seated) (set of 5)
- MG – mushroom glides
- AA – adjustable arms (tilt models only; must be ordered with chair)
- CB – all chrome base
- ACF-20 – adjustable 20” chrome footring (Plastic base only)
- “02” Control – separate seat & back tilt levers (available on tilt models only)



### Colors

- Polyurethane – black only

Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	Footring	Base Type
7000D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	15" - 20"	No	Plastic
7001D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	15" - 20"	No	Plastic
7200D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	19" - 24"	19" Welded chrome	Tubular steel
7201D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	19" - 24"	19" Welded chrome	Tubular steel
7300D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	19" - 26-1/2"	18" Adjustable chrome	Plastic
7301D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	19" - 26-1/2"	18" Adjustable chrome	Plastic
7500D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	21" - 31"	18" Adjustable chrome	Plastic
7501D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	21" - 31"	18" Adjustable chrome	Plastic
7600D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	24" - 29"	19" Welded chrome	Tubular steel
7601D	19-1/4 w" x 17-1/4" d	15-1/2 w" x 14-1/2" h	24" - 29"	19" Welded chrome	Tubular steel

Tilt models ending in 1 feature seat tilt of 6° rearward and 5° forward and back tilt of 11° forward and 15° backward.

“Over 50% of Workers’ Compensation claims due to musculoskeletal disorders are lower back injuries. Poor chair design contributes to poor seating posture which plays a major role in these injuries.”

Bureau of Labor Statistics



## 7000 Vented Polyurethane

### Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- 360° swivel
- Polyurethane seat & back
- Adjustable backrest with lumbar support
- 5 leg base in reinforced black plastic, chrome tubular steel, or polished aluminum

### Options

- 3850S/5 – dual wheel hard floor casters for plastic or aluminum base (set of 5)
- CADS/5 – dual wheel hard floor casters for tubular steel base (set of 5)
- 3850/5 – dual wheel carpet casters for plastic or aluminum base (set of 5)
- CAD/5 – dual wheel carpet casters for tubular steel base (set of 5)
- IBCS – dual wheel interval brake casters (auto brake when not seated) (set of 5)
- CAR5S – single rubber wheel casters for plastic or aluminum base (set of 5)
- CAR5-2I – single rubber wheel casters for tubular steel base (set of 5)
- VA – adjustable arms
- “02” Control – separate seat & back tilt levers (available on tilt models only)



Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	Footring	Base Type
7000V	22 w" x 20" d	19-1/2 w" x 22-1/2" h	16" - 21"	No	Plastic
7001V	22 w" x 20" d	19-1/2 w" x 22-1/2" h	16" - 21"	No	Plastic
7050VS	22 w" x 20" d	19-1/2 w" x 22-1/2" h	15-1/2" - 20-1/2"	No	Polished aluminum
7051VS	22 w" x 20" d	19-1/2 w" x 22-1/2" h	15-1/2" - 20-1/2"	No	Polished aluminum
7200V	22 w" x 20" d	19-1/2 w" x 22-1/2" h	19" - 24"	19" Welded chrome	Tubular steel
7201V	22 w" x 20" d	19-1/2 w" x 22-1/2" h	19" - 24"	19" Welded chrome	Tubular steel
7210VS	22 w" x 20" d	19-1/2 w" x 22-1/2" h	18-1/2" - 23-1/2"	19" Welded chrome	Chrome tubular steel
7211VS	22 w" x 20" d	19-1/2 w" x 22-1/2" h	18-1/2" - 23-1/2"	19" Welded chrome	Chrome tubular steel
7300V	22 w" x 20" d	19-1/2 w" x 22-1/2" h	20" - 27-1/2"	18" Adjustable chrome	Plastic
7301V	22 w" x 20" d	19-1/2 w" x 22-1/2" h	20" - 27-1/2"	18" Adjustable chrome	Plastic
7350VS	22 w" x 20" d	19-1/2 w" x 22-1/2" h	19-1/2" - 27"	18" Adjustable chrome	Polished aluminum
7351VS	22 w" x 20" d	19-1/2 w" x 22-1/2" h	19-1/2" - 27"	18" Adjustable chrome	Polished aluminum
7500V	22 w" x 20" d	19-1/2 w" x 12-1/2" h	22" - 32"	18" Adjustable chrome	Plastic
7501V	22 w" x 20" d	19-1/2 w" x 12-1/2" h	22" - 32"	18" Adjustable chrome	Plastic
7550VS	22 w" x 20" d	19-1/2 w" x 12-1/2" h	21-1/2" - 31-1/2"	18" Adjustable chrome	Polished aluminum
7551VS	22 w" x 20" d	19-1/2 w" x 12-1/2" h	21-1/2" - 31-1/2"	18" Adjustable chrome	Polished aluminum
7600V	22 w" x 20" d	19-1/2 w" x 12-1/2" h	24" - 29"	19" Welded chrome	Tubular steel
7601V	22 w" x 20" d	19-1/2 w" x 12-1/2" h	24" - 29"	19" Welded chrome	Tubular steel
7610VS	22 w" x 20" d	19-1/2 w" x 12-1/2" h	23-1/2" - 28-1/2"	19" Welded chrome	Chrome tubular steel
7611VS	22 w" x 20" d	19-1/2 w" x 12-1/2" h	23-1/2" - 28-1/2"	19" Welded chrome	Chrome tubular steel

Tilt models ending in 1 feature seat tilt of 6° rearward and 5° forward and back tilt of 11° forward and 15° backward.

## 11000

### Features

- 300 lb. weight capacity
- Pneumatic seat height adjustment
- 360° swivel
- 5 leg plastic base
- Standard mushroom glides

### Options

- L1 – loop arm set
- 3850S/5 – dual wheel hard floor casters (set of 5)
- 3850/5 – dual wheel carpet casters (set of 5)
- IBCS – dual wheel interval brake casters (auto brake when not seated) (set of 5)
- S1 – upholstered seat cushion \*(2 year warranty)
- B1 – upholstered back cushion \*(2 year warranty)

### Colors

- black, navy blue, royal blue, gray, burgundy



Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	18" Adjustable Footring	Base Size
10000	18 w" x 16" d	18 w" x 11" h	15" - 22"	No	23"
11300	18 w" x 16" d	18 w" x 11" h	19" - 27"	Yes	27"
11500	18 w" x 16" d	18 w" x 11" h	22" - 32"	Yes	27"

## Value Line

### Features

- 300 lb. weight capacity
- Pneumatic height adjustment
- 360° swivel
- Polyurethane or Olefin fabric seat & back
- Tilt backrest with adjustable tension control
- 5 leg base in reinforced black plastic

### Options

- AV - arms for V4 models only

### Colors

- Polyurethane (V7) – black
- Fabric (V4) – black, blue, gray



Model	Seat Dimensions	Back Dimensions	Seat Height Adjustment	18" Footring	Casters or Glides	Base Size
V7007MG	18 w" x 17" d	17 w" x 12" h	15" - 20"	No	Mushroom glides	25"
V7007CC	18 w" x 17" d	17 w" x 12" h	16" - 21"	No	Carpet casters	25"
V7007HC	18 w" x 17" d	17 w" x 12" h	16" - 21"	No	Hard floor casters	25"
V7307MG	18 w" x 17" d	17 w" x 12" h	18" - 25-3/4"	Yes	Mushroom glides	27"
V7307CC	18 w" x 17" d	17 w" x 12" h	19" - 26-3/4"	Yes	Carpet casters	27"
V7307HC	18 w" x 17" d	17 w" x 12" h	19" - 26-3/4"	Yes	Hard floor casters	27"
V7507MG	18 w" x 17" d	17 w" x 12" h	21-1/4" - 31"	Yes	Mushroom glides	27"
V7507CC	18 w" x 17" d	17 w" x 12" h	21-1/4" - 32"	Yes	Carpet casters	27"
V7507HC	18 w" x 17" d	17 w" x 12" h	21-1/4" - 32"	Yes	Hard floor casters	27"
V4007MG	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	16" - 21"	No	Mushroom glides	25"
V4007CC	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	17" - 22"	No	Carpet casters	25"
V4007HC	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	17" - 22"	No	Hard floor casters	25"
V4307MG	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	20" - 27-1/2"	Yes	Mushroom glides	27"
V4307CC	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	21" - 28-1/2"	Yes	Carpet casters	27"
V4307HC	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	21" - 28-1/2"	Yes	Hard floor casters	27"
V4507MG	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	23" - 33"	Yes	Mushroom glides	27"
V4507CC	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	24" - 34"	Yes	Carpet casters	27"
V4507HC	18 w" x 18" d, 2-3/4" thick	16 w" x 15" h, 2" thick	24" - 34"	Yes	Hard floor casters	27"