



**Model**  
**BCT-2860**

## Bar Cradle Truck with Pushbar Handle

**5000 lbs. Capacity**

Heavy-duty all-welded 3" x 1-1/2" channel frame construction. 12" x 2-1/2" phenolic load wheels and 8" x 2" swivel casters with 1/2" tilt. The ergonomic pushbar T-handle is made of 1-1/2" square tubing and can be inserted into pockets in each corner for versatility. Cradle size 24"W x 14"H. Durable powder coated gray finish.

Overall W x L	Model No.	Wt.
28 x 60	BCT-2860	213



**Model**  
**ERBST-2424-6PH**



**Model**  
**ERBST-2448-6PH**

## ERGONOMIC Bar Cradle Truck

**3000 lbs. Capacity**

Ergonomic 20" Bed Height - Less bending means easier loading and unloading, and keeps material closer to most machine heights.

Highly Maneuverable - Four swivel casters with 6" hard tread phenolic wheels allow movement in any direction. Useful in tight work areas with long loads and when moving around corners.

3000 lbs. Capacity Each - Use for both transport and storage. Combine multiple units for greater capacity and to support longer loads. Loads on single units must be centered on truck

Overall W x L x H	Cradle ID W x H	Model No.	Wt.
24 x 24 x 34	21" x 14"	ERBST-2424-6PH	75
24 x 36 x 34	21" x 14"	ERBST-2436-6PH	83
24 x 48 x 34	21" x 14"	ERBST-2448-6PH	91



**Model**  
**ABR-3640-6PH**

## Adjustable Bar Rack Truck

Double sided A- Frame configuration creates a versatile workhorse for a variety of load requirements. The 9-1/4" high deck surface measures 9" deep x 42" across with 1" retaining lip. Includes 2 pair (4 total) of 1-1/4" OD tubular hooks that are 9" deep and adjustable on 3-1/2" increments. Perfect for carrying tube, bar stock, panels and anything you can think of in this versatile product. All-welded construction with 2 swivel and 2 rigid 6" phenolic wheels.

W x D x H	Model No.	Wt.
40 x 36 x 67	ABR-3640-6PH	119

## Additional 1-1/4 Round Tubing Arm

Model No.	Wt.
AF-ARM	3



## Portable Bar & Pipe Truck

Rugged, all-welded construction with 3 load levels. Structural channel uprights with 1-1/2" square tube arms have 4-1/2" high stops on ends for load retention. 12 gauge steel lower deck stores and transports smaller part, packages, etc. Platform height 11", overall height 58".

Four swivel casters for maneuverability with 8" x 2" phenolic wheels for ease of movement. Wheel brakes on all four wheels to help prevent unwanted movement.

Capacity 3600 lbs. overall, 2000 lbs. per level evenly distributed. Horizontal storage space (each side):  
Top = 7-1/2", Middle = 11", Bottom = 15"



**Model  
BRT-3660-8PHBK**

Model No.	Deck Size	Overall Length	Wt.
BRT-3648-8PHBK	36 x 48	48	195
BRT-3660-8PHBK	36 x 60	60	215
BRT-3672-8PHBK	36 x 72	72	236

## Vertical Bar Rack

Frees up floor space by storing odd shapes & lengths vertically. Bays are 10-1/2" wide with security chain and hooks. Capacity 1500 lbs. per bay.

Overall W x D x H	Model No.	Wt.
48 x 24 x 60	BR-2448-60	87

**Model  
BR-2448-60**



## Vertical Bar Rack

24" D x 36" W 12 gauge steel base. Includes 3 trays - 6", 9-1/2", and 13" deep to hold loose items. Uprights are 1-1/2" angle with an overall height of 84". The three bays are 10" wide and include security chains and hooks. Base has punched holes ready for mounting to the floor. All welded construction, ships fully assembled and ready for use. Durable powder coated gray finish.

Overall W x D x H	Model No.	Wt.
36 x 24 x 84	BR-2436-84	120

**Model  
BR-2436-84**





**Model**  
**NBP-2448-8PUBK**



**Model**  
**NBP6W-2448-6PY**



**Model**  
**DT-2448-DIA-4PS**



**Model**  
**OE-2448-6PY**

## Pipe Stake Trucks

Ideal for transporting roll goods and other long, bulky loads. Removable 1-5/16" diameter pipe stakes extend 30" above the reinforced 12 gauge deck. 2 rigid and 2 swivel casters with brakes.

	8" x 2" MOLD-ON RUBBER 2400 lbs. Capacity		8" x 2" POLYURETHANE 3600 lbs. Capacity	
Deck Size	Model No.	Wt.	Model No.	Wt.
24 x 36	NBP-2436-8MRBK	88	NBP-2436-8PUBK	79
24 x 48	NBP-2448-8MRBK	99	NBP-2448-8PUBK	90
30 x 48	NBP-3048-8MRBK	119	NBP-3048-8PUBK	110
30 X 60	NBP-3060-8MRBK	131	NBP-3060-8PUBK	125
36 X 72	NBP-3672-8MRBK	161	NBP-3672-8PUBK	152

## 6-Wheel Pipe Stake Trucks

Two center-mount rigid and four swivel casters for maneuverability and load stability. Deck is 9" high with 1/2" tilt.

	6" X 2" MOLD-ON RUBBER 2000 lbs. Capacity		6" x 2" POLYURETHANE 3600 lbs. Capacity	
Deck Size	Model No.	Wt.	Model No.	Wt.
24 x 48	NBP6W-2448-6MR	131	NBP6W-2448-6PY	117
30 x 48	NBP6W-3048-6MR	147	NBP6W-3048-6PY	132
30 X 60	NBP6W-3060-6MR	166	NBP6W-3060-6PY	151
36 X 72	NBP6W-3672-6MR	197	NBP6W-3672-6PY	182

## Heavy-Duty Pipe Stake Trucks

Center mounted 12" x 2-1/2" load wheels with two 8" x 2" swivel casters arranged in a diamond pattern. Deck is 14" high with 1/2" tilt.

	RUBBER TREAD ON STEEL WHEELS 3000 lbs. Capacity		POLYURETHANE TREAD ON STEEL WHEELS 4000 lbs. Capacity	
Deck Size	Model No.	Wt.	Model No.	Wt.
24 x 48	R-2448-DIA-4PS	173	DT-2448-DIA-4PS	190
30 x 48	R-3048-DIA-4PS	181	DT-3048-DIA-4PS	198
30 X 60	R-3060-DIA-4PS	192	DT-3060-DIA-4PS	209
30 X 72	R-3072-DIA-4PS	201	DT-3072-DIA-4PS	219
36 X 60	R-3660-DIA-4PS	202	DT-3660-DIA-4PS	219
36 X 72	R-3672-DIA-4PS	215	DT-3672-DIA-4PS	232

## Roll Goods Truck

**3600 lbs. Capacity**

Welded uprights on two sides of the 12 gauge steel deck are heavy 1-5/16" O.D. tubing. Uprights extend 48" above the deck, with a welded top cross brace for additional strength and rigidity. 2 swivel and 2 rigid casters with 6" x 2" non-marking polyurethane wheels. Durable powder coated finish.

Deck	Model No.	Wt.
24 x 48	OE-2448-6PY	136
24 x 60	OE-2460-6PY	148
30 x 48	OE-3048-6PY	145
30 x 60	OE-3060-6PY	161

For Floor Lock add: **-FL**