


Model
APT-2448-6PY



Shown with Optional
Pushbar Handle



Shown with Optional
Pushbar Handle
(and without
supplied Uprights)



Shown with Optional
Lip Attachment

Adjustable Sheet & Panel Truck

Ideal for large or small quantities of plywood, drywall, or other sheet material. Includes two heavy-duty uprights that extend 27" above the deck and can be placed in any of four positions. Also great for rolled goods, office partition panels, folding tables or use as a standard platform truck. Two rigid and two swivel casters with choice of wheels provide plenty of carrying capacity.

Wheel type	Deck Size	Model No.	Capacity	Wt.
6" x 2" Non-marking Polyurethane Wheels	24 x 36	APT-2436-6PY	3600 lbs.	99
	24 x 48	APT-2448-6PY	3600 lbs.	117
	24 x 60	APT-2460-6PY	3600 lbs.	134
	24 x 72	APT-2472-6PY	3600 lbs.	156
	30 x 48	APT-3048-6PY	3600 lbs.	132
	30 x 60	APT-3060-6PY	3600 lbs.	150
	30 x 72	APT-3072-6PY	3600 lbs.	170
	36 x 60	APT-3660-6PY	3600 lbs.	165
	36 x 72	APT-3672-6PY	3600 lbs.	187

For 6" Phenolic Wheels, use wheel code: **-6PH** (3600 lbs. Capacity)
For 6" Mold-On Rubber, use wheel code: **-6MR** (2000 lbs. Capacity)
For Wheel Brakes on Swivel Casters, add: **-BK**

Additional Uprights for added storage and Optional Pushbar Handle

	Model No.	Size W x L	Wt.
Additional Uprights	004-0011	for 36" long decks	15
	004-0024	for 48" long decks	18
	004-0023	for 60" long decks	21
	004-0223	for 72" long decks	24
Pushbar Handles	003-0129	for 24" wide decks	13
	003-0131	for 30" wide decks	14
	003-0132	for 36" wide decks	15

LIP ATTACHMENT— Optional 1-1/2" lip attachment inserts into deck and allows improved access from side of truck.

Model No.	Size	Wt.
APT-LIP-36	for 36" long decks	5
APT-LIP-48	for 48" long decks	6
APT-LIP-60	for 60" long decks	7
APT-LIP-72	for 72" long decks	9



Model
APTP-2448-6PY

Adjustable Sheet & Panel Truck with Perforated Deck

2000 lbs. Capacity

Versatile Panel truck is great for moving sheets of plywood, drywall, or any other sheet material. Heavy-duty 12 gauge deck with round perforations. Includes two upright dividers that extend 27" above the deck. Uprights can be placed in 4 positions. Two rigid and two swivel casters with 6" x 2" non-marking polyurethane wheels. Additional uprights, Pushbar Handle, or Lip Attachment are available.

Deck	Model No.	Wt.
24 x 36	APTP-2436-6PY	95
24 x 48	APTP-2448-6PY	111



6-Wheel Adjustable Sheet & Panel Truck

3600 lbs. Capacity

Perfect for moving plywood, drywall, or any sheet products in tight quarters. Six wheel design ensures high maneuverability and “zero turn” capability. Rolls smoothly on 6” non marking Polyurethane wheels. Includes two heavy-duty uprights that extend 27” above the deck and are adjustable in four positions. Additional uprights are also available.

Deck Size	Model No.	Wt.
24 x 48	APT6W-2448-6PY	131
24 x 60	APT6W-2460-6PY	148
30 x 48	APT6W-3048-6PY	146
30 x 60	APT6W-3060-6PY	164
30 x 72	APT6W-3072-6PY	184
36 x 60	APT6W-3660-6PY	179
36 x 72	APT6W-3672-6PY	201




**Model
APT6W-2460-6PY**

Panel Truck

1000 lbs. Capacity

For transporting panels, roll goods and other long items. Three removable uprights extend 27” above the deck. Load space between uprights is 9-1/2”. Swivel casters have 5” non-marking polyurethane wheels. Available with choice of wood or carpet covered wood rails to protect the load.

	Model No.	Size W x L	Wt.
Wood Ends	◆ PT-2436-5PY	24 x 36	78
Carpeted Ends	◆ PTC-2436-5PY	24 x 36	80



**Model
PTC-2436-5PY**

Lumber & Panel Cart

3600 lbs. Capacity

Versatile truck transports plywood panels and drywall, as well as lumber, pipe, and other long bulky products. Uprights are 27” and 36” high above the 12 gauge steel deck. Uprights are spaced 6” apart on 24”W deck, 6” and 12” on 30”W deck. Non-marking 6” x 2” polyurethane wheels with 2 rigid and 4 swivel casters. Overall height 45”.

Deck	Model No.	Wt.
24 x 48	LC-2448-6PY	99
30 x 48	LC-3048-6PY	109



**Model
LC-2448-6PY**

Perforated Deck Lumber Cart

2000 lbs. Capacity

Four swivel casters with 6” Polyurethane wheels for maneuverability in the tightest spaces. Perforated steel deck prevents accumulation of moisture and debris. Inside rail height 34”, outside rail height 24” above deck. Inside rail spacing 9”, outside rail spacing 5-1/2”. Powder coated gray finish.

Overall W x L	Model No.	Wt.
24 x 36	LCP-2436-S-6PY	96

**Model
LCP-2436-S-6PY**






“A” Frame Sheet & Panel Truck

2000 lbs. Capacity

Panels can be loaded on both sides, with room between the uprights to transport additional materials. 12 gauge deck has a 1-1/2” retaining lip on each side. Frame is 48” above deck with uprights 12” apart at base. 6” phenolic casters, 2 swivel and 2 rigid, or 4 swivel for maneuverability.



Model
AF2448



Floor Lock

Size	4 Swivel Casters		2 Swivel/2 Rigid Casters	
	Model No.	Wt.	Model No.	Wt.
24 x 36	AF2436	108	AF2436-2R	107
24 x 48	AF2448	122	AF2448-2R	121
24 x 60	AF2460	137	AF2460-2R	136
24 x 72	AF2472	151	AF2472-2R	150
30 x 48	AF3048	134	AF3048-2R	134
30 x 60	AF3060	150	AF3060-2R	149
30 x 72	AF3072	167	AF3072-2R	166
36 x 72	AF3672	184	AF3672-2R	183

Floor Lock: Available on models with 2 rigid casters, add: -FL
For 6” x 2” Polyurethane Casters, use wheel code: -6PY



Model
DC-2444-8PY



Model
DC-2444-8PY-KD

Drywall Cart

2000 lbs. Capacity

Steel deck is 12 gauge 14” x 44” and is sloped to help retain the load. Four swivel 8” x 2” casters. Overall 24”W x 44”L x 51”H

8” x 2” Polyurethane		8” x 2” Mold-On Rubber	
Model No.	Wt.	Model No.	Wt.
DC-2444-8PY	98	DC-2444-8MR	108

Knock-Down Drywall Cart

Quick and easy pocket mount set-up and knock-down design with angle iron top cross brace.

8” x 2” Polyurethane		8” x 2” Mold-On Rubber	
Model No.	Wt.	Model No.	Wt.
DC-2444-8PY-KD	89	DC-2444-8MR-KD	99



Model
SH-36-4S-5PYTL



Sheet Hand Truck

600 lbs. Capacity

Move full 4’ x 8’ sheets as a one-man job! Wheel locks prevent the front wheels from rolling or rotating during load/unload. 4” deep nose plate allows for several sheets to be moved at once. 4 swivel casters allow for sideways movement through 36” wide door openings. Waist-high handles allow for comfortable movement and positioning.

- All-welded frame
- 5” x 1-1/4” poly wheels with total locks on front set

Overall W x D x H	Model No.	Wt.
36 x 34 x 38	SH-36-4S-5PYTL	68



Adjustable Sheet & Panel Rack

For stationary storage of panels and sheet material. Smooth 12 gauge steel deck has 4" underclearance. Supplied with 3 upright dividers that extend 27" above the deck. Legs have foot pads with anchor holes.

Deck Size D x W	Model No.	Wt.
30 x 48	ASR-3048	137
30 x 60	ASR-3060	160
36 x 60	ASR-3660	176

Additional uprights may be ordered separately.

Model No.	Size W x L	Wt.
004-0024	for 48" long decks	18
004-0023	for 60" long decks	21



Model
ASR-3048

Vertical Sheet Rack

Welded construction with 1-5/16" OD tubular dividers on a base of square tubing and angle iron that includes lag down holes and keeps stored materials up off the floor. Storage bays (4 total) are 7" wide with 1500 lbs. capacity each. Upright dividers are 27", 36", and 42" high. Frame and uprights are all welded and coated in a durable gray powder coat for long lasting performance.

Overall W x D x H	Model No.	Wt.
48 x 36 x 43-1/2	SR-3648	95



Model
SR-3648

Knock-Down Adjustable Sheet Rack

Upright dividers adjust on 2" increments allowing the user to configure the rack to their individual specifications. Ships knocked down to save on freight.

Overall W x D x H	Model No.	Wt.
48 x 36 x 43-1/2	SR-3648-KD	94




Model
SR-3648-KD

Big Wheel Cradle Truck

Carries a variety of loads, including lumber, tool boxes, and pipe up to 20" diameter. Extra large 16" pneumatic wheels with roller bearings and 4 ply tires roll over the roughest surfaces. Carrier bed is constructed of 3/16" plate and measures 30" long x 12" x 12". Offset "T" handle allows for 2 hand grip and greater control of load.

Model No.	Capacity	Wt.
TB-1	1000 lbs.	90



Model
TB-1