









Welded Service Carts

1200 lbs. or 2000 lbs. Capacity

Little Giant durability in an economical shelf truck. These all-welded units ship fully assembled. Heavy 12 gauge shelves. Bottom shelf has retaining lip for small parts. Top shelf is available with lip up or down (flush top). Available in either 1200 lbs. or 2000 lbs. Capacity. Durable powder coated finish.

1200 lbs. Capacity

5" Non-marking polyurethane casters; OAH 35".

	Shelf Size	LIP SHELVES	FLUSH TOP (& MIDDLE)	Wt.
	18 x 24	LGL-1824-BRK	LG-1824-BRK	55
2 SHELF	18 x 32	LGL-1832-BRK	LG-1832-BRK	65
25" Shelf Clearance	24 x 36	LGL-2436-BRK	LG-2436-BRK	84
Clearance	24 x 48	LGL-2448-BRK	LG-2448-BRK	103
	30 x 48	LGL-3048-BRK	LG-3048-BRK	125
	30 x 60	LGL-3060-BRK	LG-3060-BRK	152
	18 x 24	3LGL-1824-BRK	3LG-1824-BRK	72
3 SHELF	18 x 32	3LGL-1832-BRK	3LG-1832-BRK	87
11-3/4" Clearance	24 x 36	3LGL-2436-BRK	3LG-2436-BRK	115
Clearance	24 x 48	3LGL-2448-BRK	3LG-2448-BRK	150
	30 x 48	3LGL-3048-BRK	3LG-3048-BRK	177

Standard with 2 swivel casters with brakes and 2 rigid casters. Also available with 4 swivel casters with brakes, add: -S-BRK.

With Storage Drawer 1200 lbs. Capacity

Accessory drawer with cylinder lock and 2 keys measures 13" wide x 17" deep x 4-1/2" high, offers secure storage.

	Shelf Size	LIP SHELVES	FLUSH TOP	Wt.
1 Drawer	24 x 36	LGL-2436-BK-DR	LG-2436-BK-DR	97
i Diawei	24 x 48	LGL-2448-BK-DR	LG-2448-BK-DR	116
2 Drawer	24 x 36	LGL-2436-BK-2DR	LG-2436-BK-2DR	84
2 Diawei	24 x 48	LGL-2448-BK-2DR	LG-2448-BK-2DR	103

2000 lbs. Capacity

6" Non-marking polyurethane casters; OAH 36-1/2".

	Shelf Size	LIP SHELVES	FLUSH TOP (& MIDDLE)	Wt.
	24 x 36	LGL-2436-6PY	LG-2436-6PY	97
2 SHELF	24 x 48	LGL-2448-6PY	LG-2448-6PY	116
25" Shelf Clearance	30 x 48	LGL-3048-6PY	LG-3048-6PY	138
elearanee	30 x 60	LGL-3060-6PY	LG-3060-6PY	165
	24 x 36	3LGL-2436-6PY	3LG-2436-6PY	128
3 SHELF	24 x 48	3LGL-2448-6PY	3LG-2448-6PY	163
11-3/4" Clearance	30 x 48	3LGL-3048-6PY	3LG-3048-6PY	190
2.02.0100	30 x 60	3LGL-3060-6PY	3LG-3060-6PY	230





Heavy-Duty Shelf Truck

3600 lbs. Capacity

12 gauge shelves handle the heaviest of loads. Shelves available with flush edges, or with 1-1/2" retaining lip. 2 swivel and 2 rigid casters with 6" x 2" hard tread phenolic wheels for added maneuverability under heavy loads. Swivel casters have wheel brakes to stop unwanted movement when loading and unloading. 36" overall height.

	WxLxH	LIP SHELVES 24" Clearance	FLUSH SHELVES 25-1/2" Clearance	Wt.
2 Shelf	24 x 36 x 36	2GL-2436-6PHBK	2G-2436-6PHBK	112
	24 x 48 x 36	2GL-2448-6PHBK	2G-2448-6PHBK	138
	30 x 48 x 36	2GL-3048-6PHBK	2G-3048-6PHBK	154
	30 x 60 x 36	2GL-3060-6PHBK	2G-3060-6PHBK	182
	WxLxH	LIP SHELVES 11" Clearance	FLUSH SHELVES 12" Clearance	Wt.
3 Shelf	24 x 36 x 36	3GL-2436-6PHBK	3G-2436-6PHBK	156
	24 x 48 x 36	3GL-2448-6PHBK	3G-2448-6PHBK	185
	30 x 48 x 36	3GL-3048-6PHBK	3G-3048-6PHBK	201
	30 x 60 x 36	3GL-3060-6PHBK	3G-3060-6PHBK	251

For 6" Mold-on Rubber with Brakes, add wheel code: -6MRBK (2000 lbs. Capacity) For 6" Polyurethane with Brakes, add wheel code: -6PYBK (3600 lbs. Capacity) Floor Lock Option, add: -FL





Extra-Heavy-Duty Shelf Truck

5000 lbs. Capacity

All-welded construction features flush 12 gauge steel shelves with extra reinforcement and 2" x 2" corner angles for increased capacity. Top shelf is 36" high. Clearance between shelves is 23" for 2-shelf models, and 10-1/2" for 3-shelf models. Easily maneuverable with heavy-duty 8" phenolic wheels. Durable powder coated finish.

	2 SHELVES		3 SHELVES	
Shelf Size	Model No.	Wt.	Model No.	Wt.
24 x 36	GH-8V2-1	160	3GH-8V2-1	192
24 x 48	GH-8V2-2	175	3GH-8V2-2	217
30 x 48	GH-8V2-5	193	3GH-8V2-5	245
30 x 60	GH-8V2-4	219	3GH-8V2-4	283
36 x 72	GH-8V2-6	280	3GH-8V2-6	370

4 swivel caster option, add: -BKPL (2 with wheel brakes,

and 2 with swivel locks that convert from swivel to rigid casters)

Floor Lock Option, add: -FL (Stops unwanted movement when loading or unloading)







Optional Floor Lock





with Floor Lock Option





Merchandise Collectors

2000 lbs. to 3600 lbs. Capacity

Shelves are formed from 12 gauge steel with structural angle corners and shelf reinforcements on shelves longer than 36". Shelves are available with 1-1/2" lip, or with flush edges. Raised offset handle includes cross brace hand guard for added safety. These welded units are shipped set up and ready for immediate use, with 2 swivel and 2 rigid casters. Shelf clearance 18" with lipped shelves, 19-1/2" with flush shelves.

Capacity & Wheels	Shelf Size WxL	Lip Edge Shelves Model No.	Flush Edge Shelves Model No.	Wt.
8" x 2"	24 x 36	GL-2436-8PYBK	G-2436-8PYBK	111
Polyurethane	24 x 48	GL-2448-8PYBK	G-2448-8PYBK	136
w/Brakes 3600 lbs.	30 x 48	GL-3048-8PYBK	G-3048-8PYBK	154
Top Shelf 32" H	30 x 60	GL-3060-8PYBK	G-3060-8PYBK	180
8" x 2" Mold-on	24 x 36	GL-2436-8MR	G-2436-8MR	128
Rubber Tired	24 x 48	GL-2448-8MR	G-2448-8MR	153
2400 lbs.	30 x 48	GL-3048-8MR	G-3048-8MR	171
Top Shelf 32" H	30 x 60	GL-3060-8MR	G-3060-8MR	197
6" x 2" Mold-on	24 x 36	GL-2436-6MR	G-2436-6MR	120
Rubber Tired	24 x 48	GL-2448-6MR	G-2448-6MR	145
2000 lbs.	30 x 48	GL-3048-6MR	G-3048-6MR	163
Top Shelf 30" H	30 x 60	GL-3060-6MR	G-3060-6MR	189



Flush Shelves "G-"

Models have flush shelves for easier loading and unloading of larger, more bulky items.

Floor Lock Option, add: **-FL** Stops unwanted movement when loading or unloading

Lip Shelves "GL-"

Models feature 1-1/2" lip to retain small parts.





1200 lbs. to 1500 lbs. Capacity

Cushion-load casters for use over rough or uneven surfaces. Raised offset handle with cross brace hand guard for added safety. Heavy gauge shelves with 1-1/2" lip or flush edges. Shelf clearance 18" with lipped shelves, 19-1/2" with flush shelves. All-welded construction (except casters) with durable powder coated gray finish.

Capacity & Wheels	Shelf Size WxL	Lip Edge Shelves Model No.	Flush Edge Shelves Model No.	Wt.
9" x 3" Pneumatic	24 x 36	GL-2436-9P	G-2436-9P	95
1200 lbs.	24 x 48	GL-2448-9P	G-2448-9P	109
Top Shelf 34" H	30 x 48	GL-3048-9P	G-3048-9P	127
10" x 2.75"	24 x 36	GL-2436-10SR	G-2436-10SR	104
Puncture-Proof	24 x 48	GL-2448-10SR	G-2448-10SR	118
Rubber 1500 lbs.	30 x 48	GL-3048-10SR	G-3048-10SR	136
Top Shelf 34-1/2"H	30 x 60	GL-3060-10SR	G-3060-10SR	152



9" x 3" Pneumatic Casters

Floor Lock Option, add: -FL





Ergonomic Shelf Trucks

1200 lbs. Capacity

Ergonomic handle provides a more natural, comfortable grip that reduces wrist strain. Unique design also functions as a hand guard for added protection. The 2 swivel and 2 rigid 5" x 1-1/4" casters with non-marking polyurethane wheels provide the best combination of reduced rolling resistance and quiet operation. Wheel brakes on swivel casters are standard. All-welded construction with heavy 12 gauge shelves, these units ship fully assembled and ready for use. Bottom shelf has a 1-1/2" retaining lip for small parts. Top shelf is 35" above ground, and is available with lip up or down (flush top).

	Shelf Size	Lip Edge Shelves	Flush Top (& Center)	Wt.
2 SHELF	24 x 36	ERLGL-2436-BRK	ERLG-2436-BRK	85
25" Shelf Clearance	24 x 48	ERLGL-2448-BRK	ERLG-2448-BRK	104
Clearance	30 x 48	ERLGL-3048-BRK	ERLG-3048-BRK	126
	30 x 60	ERLGL-3060-BRK	ERLG-3060-BRK	155
3 SHELF	24 x 36	3ERLGL-2436-BRK	3ERLG-2436-BRK	124
11-3/4" Clearance	24 x 48	3ERLGL-2448-BRK	3ERLG-2448-BRK	154
Clearance	30 x 48	3ERLGL-3048-BRK	3ERLG-3048-BRK	183





Heavy-Duty Ergonomic Shelf Trucks

3600 lbs. Capacity

Ergonomic handle provides a more natural, comfortable grip. Heavy-duty design also functions as a hand guard for added protection. The 2 swivel and 2 rigid casters with non-marking 8" x 2" polyurethane wheels provide the best combination of reduced rolling resistance and quiet operation. Wheel brakes on swivel casters are standard. All-welded construction with heavy 12 gauge shelves, available with 1-1/2" lip of with flush edges. Shelf clearance 21" with lipped shelves, 22-1/2" with flush shelves. Top shelf height 35".

Shelf Size	Lip Edge Shelves	Flush Edge Shelves	Wt.
24 x 36	ERGL-2436-8PYBK	ERG-2436-8PYBK	112
24 x 48	ERGL-2448-8PYBK	ERG-2448-8PYBK	137
30 x 48	ERGL-3048-8PYBK	ERG-3048-8PYBK	155
30 x 60	ERGL-3060-8PYBK	ERG-3060-8PYBK	181



Floor Lock Option, add: -FL





3-Inch Deep Shelf Trucks

These trucks combine the convenience of 3" deep trays for accumulating and transporting smaller parts with the rugged durability of an all-welded unit. Shelves are formed from 12 gauge steel, with 3" high sides. 2 swivel and 2 rigid non-marking polyurethane casters for easy maneuverability and quiet operation. Clearance between shelves is 22-1/2".

1200 Ibs. Capacity; 5" Polyurethane casters, 35" overall height

3600 lbs. Capacity; 6" Polyurethane casters, 36-1/2" overall height

	1200 LBS. CAPACITY		3600 LBS. CAPACITY	Y
Shelf Size	Model No.	Wt.	Model No.	Wt.
18 x 30	DS1830X3-5PY	71	DS1830X3-6PY	81
24 x 36	DS2436X3-5PY	95	DS2436X3-6PY	105
24 x 48	DS2448X3-5PY	122	DS2448X3-6PY	132
30 x 60	_	-	DS3060X3-6PY	181



6-Inch Deep Shelf Trucks

The extra carrying capacity of the 6" high shelf lips, combined with the heavy 12 gauge welded construction make these trucks ideal for heavier applications. Shelves are formed from a single sheet of steel and welded in place, resulting in an extremely rigid, durable unit. Polyurethane casters roll quietly and more easily under heavier load conditions. Clearance between shelves is 16-1/2".

1200 Ibs. Capacity; 5" Polyurethane casters, 35" overall height 3600 Ibs. Capacity; 6" Polyurethane casters, 36-1/2" overall height

	1200 LBS. CAPACITY		3600 LBS. CAPACITY	Y
Shelf Size	Model No.	Wt.	Model No.	Wt.
18 x 30	DS1830X6-5PY	87	DS1830X6-6PY	97
24 x 36	DS2436X6-5PY	116	DS2436X6-6PY	126
24 x 48	-	-	DS2448X6-6PY	157



12-Inch Deep Shelf Truck

Shelves are all-welded 12 gauge. Top shelf has 12" lip for maximum capacity, bottom shelf has 1-1/2" lip. Non-marking polyurethane casters are quiet rolling and move easier under heavier load conditions. Shelf clearance is 15".

1200 Ibs. Capacity; 5" Polyurethane casters, 35" overall height

3600 Ibs. Capacity; 6" Polyurethane casters, 36-1/2" overall height

	1200 LBS. CAPACITY		3600 LBS. CAPACITY	1
Shelf Size	Model No.	Wt.	Model No.	Wt.
18 x 30	DS1830X12-5PY	91	DS1830X12-6PY	101
24 x 36	DS2436X12-5PY	122	DS2436X12-6PY	132
24 x 48	-	-	DS2448X12-6PY	165





Cushion Load Deep Shelf Trucks

1200 lbs. Capacity

Large, cushion-load wheels roll over rough and uneven surfaces, and deep top trays help to retain the load. All-welded construction with 12 gauge shelves ships fully assembled and ready for immediate use. Durable powder coated finish. 9" Pneumatic casters, 36" overall height, 10" Puncture-proof solid rubber casters, 36-1/2" overall height.

3-Inch Deep Top Shelf

Bottom shelf 1-1/2" deep, 20" shelf clearance.

Shelf Size	9" x 3" Pneumatic Casters	neumatic Casters		10" x 2.75" Solid Rubber Puncture-Proof Casters		
W x L	Model No.	Wt.	Model No.	Wt.		
24 x 36	DS-2436X3-9P	101	DS-2436X3-10SR	106		
24 x 48	DS-2448X3-9P	127	DS-2448X3-10SR	132		
30 x 60	DS-3060X3-9P	171	DS-3060X3-10SR	176		

6-Inch Deep Top Shelf

Bottom shelf 1-1/2" deep, 17" shelf clearance.

Shelf Size	9" x 3" Pneumatic Casters		10" x 2.75" Solid Rubber Puncture-Proof Casters	
WxL	Model No.	Wt.	Model No.	Wt.
24 x 36	DS-2436X6-9P	122	DS-2436X6-10SR	127
24 x 48	DS-2448X6-9P	136	DS-2448X6-10SR	141

12-Inch Deep Top Shelf

Bottom shelf 1-1/2" deep, 11" shelf clearance.

Shelf Size	9" x 3" Pneumatic Casters	• * •		r
WxL	Model No.	Wt.	Model No.	Wt.
24 x 36	DS-2436X12-9P	135	DS-2436X12-10SR	140
24 x 48	DS-2448X12-9P	168	DS-2448X12-10SR	173

Deep Shelf Order Picking Truck

Sloped storage pocket under the 12" long Writing Shelf measures 14" wide x 12-1/2" long x 4-3/4" access height. Deep Tray Shelves help contain loads. Durable all-welded construction with 12 gauge shelves and a powder coated finish. Non-marking 6" x 2" polyurethane casters. 3600 lbs. capacity.

Shelf Size	3" Deep Shelves 22-1/2" Shelf Clearan	ce	6" Deep Shelves 16-1/2" Shelf Clearance		
WxL	Model No. Wt.		Model No.	Wt.	
18 x 30	DS1830X3-6PYWSP	101	DS1830X6-6PYWSP	117	
24 x 36	DS2436X3-6PYWSP	125	DS2436X6-6PYWSP	146	
24 x 48	DS2448X3-6PYWSP	152	DS2448X6-6PYWSP	177	

Shelf Size W x L	12" Deep Top Shelf 1-1/2" Deep Bottom S 15" Shelf Clearance Model No.	helf Wt.
18 x 30	DS1830X126PYWSP	121
24 x 36	DS2436X126PYWSP	152
24 x 48	DS2448X126PYWSP	185











Adjustable Height Multi-Shelf Truck

Shelves are uber-adjustable: height, slope, lip or flush edge. Available with either 2 or 3 adjustable 14 gauge shelves which can be bolted in place with their 1-1/2" lip edges facing either up or down. Shelves can be level, or positioned with a 7° or 15° slope. Bottom shelf is fixed with a 1-1/2" retaining lip. Shelf heights are adjustable in 2-1/4" increments on the 48" tall shelf supports. Two swivel and 2 rigid casters have 6" x 2" nonmarking polyurethane wheels.

Shelf	2 Adjustable Shelves and fixed base		3 Adjustable Shelves and fixed base	
Size	Model No.	Wt.	Model No.	Wt.
24 x 48	AM-2A-2448-6PY	167	AM-3A-2448-6PY	198
24 x 60	AM-2A-2460-6PY	191	AM-3A-2460-6PY	229









800 lbs. Capacity

All-welded Tray Trucks ship set up and ready for immediate use. Heavy 12 gauge formed shelves are welded to 14 gauge tubular steel uprights with integral handles on both ends. Non-marking 5" x 1-1/4" polyurethane casters, 2 swivel and 2 rigid. Overall height is 36".

Shelf 1-1/2" DEEP TRAYS 22" Shelf Clearance		3" DEEP TRAYS 19" Shelf Clearan				
Size	Model No.	Wt.	Model No. Wt.		Model No.	Wt.
18 x 24	TS-1824-5PY	54	-	-	-	-
18 x 30	-		TT-1830-5PY	69	TU-1830-5PY	97
18 x 32	TS-1832-5PY	66	-	-	-	-
24 x 36	TS-2436-5PY	85	TT-2436-5PY	92	TU-2436-5PY	126



Tray Trucks with Drawer

800 lbs. Capacity

Available with large locking storage drawer that conveniently opens below the handle. Drawer measures 13"W x 17"L x 4-1/2"H.

TS TRUCKS WITH 1-1/2" DEEP TRAYS			TT TRUCKS WITH 3" DEEP TRAYS	
Size	Model No.	Wt.	Model No.	Wt.
18 x 24	TS-1824-5PY-DR	72	_	-
18 x 30	-	-	TT-1830-5PY-DR	87
18 x 32	TS-1832-5PY-DR	84	_	-
24 x 36	TS-2436-5PY-DR	103	TT-2436-5PY-DR	110

OPTIONS: -S with 4 swivel casters



13

Multi-Shelf Trucks

Storage Rack on Wheels

Heavy-duty trucks with three, four, or five shelves. All-welded 12 gauge steel shelves provide plenty of space to transport your large loads. Also used as portable storage racks that can be moved for cleaning, or to different locations as your storage requirements change. Two rigid and two swivel casters with 6" x 2" phenolic wheels. Comfortable formed 1" tubular steel push handle. Shelves available flush or with 1-1/2" retaining lip. 3600 lbs. capacity.

	WxL	LIP SHELVES 46-1/2" Overall Height	FLUSH SHELVES 45" Overall Height	Shelf Clearance	Wt.
	24 x 36	3ML-2436-6PH	3M-2436-6PH	16-1/2"	142
3	24 x 48	3ML-2448-6PH	3M-2448-6PH	16-1/2"	173
Shelf	30 x 48	3ML-3048-6PH	3M-3048-6PH	16-1/2"	204
	30 x 60	3ML-3060-6PH	3M-3060-6PH	16-1/2"	244
		LIP SHELVES	FLUSH SHELVES	Shelf	
	WxL	65" Overall Height	63-1/2" Overall Height	Clearance	Wt.
	24 x 36	4ML-2436-6PH	4M-2436-6PH	16-1/2"	175
4	24 x 48	4ML-2448-6PH	4M-2448-6PH	16-1/2"	216
Shelf	30 x 48	4ML-3048-6PH	4M-3048-6PH	16-1/2"	256
	30 x 60	4ML-3060-6PH	4M-3060-6PH	16-1/2"	309
	WxL	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
	24 x 36	5ML-2436-6PH	5M-2436-6PH	12"	207
5	24 x 48	5ML-2448-6PH	5M-2448-6PH	12"	258
Shelf	30 x 48	5ML-3048-6PH	5M-3048-6PH	12"	307
	30 x 60	5ML-3060-6PH	5M-3060-6PH	12"	373



For 6" x 2" Polyurethane Casters, use wheel code **-6PY** (3600 lbs. Capacity) For 6" x 2" Mold-on Rubber Casters, use wheel code **-6MR** (2000 lbs. Capacity)

Multi-Shelf Order Picking Truck

3600 lbs. Capacity

Larger capacity to pick more orders means fewer trips. All-welded 12 gauge shelves available with retaining lip or flush edges. 12" long writing shelf is 21" wide on 24" wide trucks and 27" wide on 30" wide trucks. Sloped storage pocket measures 14" wide x 12-1/2" long with 4-3/4" access height. 6" x 2" phenolic casters.

	W x L	LIP SHELVES 46-1/2" Overall Height	FLUSH SHELVES 45" Overall Height	Shelf Clearance	Wt.
	24 x 36	3ML2436-6PH-WSP	3M-2436-6PH-WSP	16-1/2"	142
3	24 x 48	3ML2448-6PH-WSP	3M-2448-6PH-WSP	16-1/2"	173
Shelf	30 x 48	3ML3048-6PH-WSP	3M-3048-6PH-WSP	16-1/2"	204
	30 x 60	3ML3060-6PH-WSP	3M-3060-6PH-WSP	16-1/2"	244
	WxL	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
	24 x 36	4ML2436-6PH-WSP	4M-2436-6PH-WSP	16-1/2"	175
4	24 x 48	4ML2448-6PH-WSP	4M-2448-6PH-WSP	16-1/2"	216
Shelf	30 x 48	4ML3048-6PH-WSP	4M-3048-6PH-WSP	16-1/2"	256
	30 x 60	4ML3060-6PH-WSP	4M-3060-6PH-WSP	16-1/2"	309
	WxL	LIP SHELVES 65" Overall Height	FLUSH SHELVES 63-1/2" Overall Height	Shelf Clearance	Wt.
	24 x 36	5ML2436-6PH-WSP	5M-2436-6PH-WSP	12"	207
5	24 x 48	5ML2448-6PH-WSP	5M-2448-6PH-WSP	12"	258
Shelf	30 x 48	5ML3048-6PH-WSP	5M-3048-6PH-WSP	12"	307
	30 x 60	5ML3060-6PH-WSP	5M-3060-6PH-WSP	12"	373

 Model

 Mulcatels-6PH-WSP

For 6" x 2" Polyurethane Casters, use wheel code: **-6PY** (3600 lbs. Capacity) For 6" x 2" Mold-on Rubber Casters, use wheel code: **-6MR** (2000 lbs. Capacity)









Storage Pocket



Storage Drawer



Order Picking Truck

1200 lbs. Capacity

Convenient 12" long writing shelf for paperwork adds to the versatility of this truck. Bottom shelf has a 1-1/2" retaining lip, and the top shelf is available with a lip, or flush. The 2 swivel and 2 rigid casters feature non-marking 5" diameter polyurethane wheels with ball bearings. Swivel casters have wheel brakes. Top shelf height 35", writing shelf height 39".

Shelf Size	LIP EDGE SHELVES	FLUSH EDGE TOP	Wt.
18 x 32	LGL-1832-WSBRK	LG-1832-WSBRK	80
24 x 36	LGL-2436-WSBRK	LG-2436-WSBRK	101
24 x 48	LGL-2448-WSBRK	LG-2448-WSBRK	120

Order Picking Truck with Storage Pocket

Sloped storage pocket under writing shelf, measures 14" wide x 12-1/2" long x 4-3/4" access height.

Shelf Size	LIP EDGE SHELVES	FLUSH EDGE TOP	Wt.
18 x 32	LGL-1832-WS-P-BK	LG-1832-WS-P-BK	90
24 x 36	LGL-2436-WS-P-BK	LG-2436-WS-P-BK	111
24 x 48	LGL-2448-WS-P-BK	LG-2448-WS-P-BK	130

Order Picking Truck with Storage Drawer

Accessory drawer with cylinder lock and 2 keys measures 13" wide x 17" deep x 4-1/2" high, offers secure storage.

Shelf Size	LIP EDGE SHELVES	FLUSH EDGE TOP	Wt.
24 x 36	LGL-2436-WSBKDR	LG-2436-WSBKDR	116
24 x 48	LGL-2448-WSBKDR	LG-2448-WSBKDR	145

3-Shelf Order Picking Truck

1200 lbs. Capacity

Convenience and versatility of our standard order-picking truck, with the added storage of a 3rd shelf. Bottom shelf has a 1-1/2" retaining lip, and the top 2 shelves are available with a lip or flush. The 2 swivel and 2 rigid casters feature non-marking 5" diameter polyurethane wheels with ball-bearings. Swivel casters have wheel brakes. Top shelf height 35". Writing shelf height 39". Clearance between shelves is 12". Also available with storage pocket measuring 14" wide x 12-1/2" long.

Shelf Size	LIP EDGE SHELVES	FLUSH TOP (& CENTER)	Wt.		
18 x 32	3LGL-1832-WSBRK	3LG-1832-WSBRK	97		
24 x 36	3LGL-2436-WSBRK	3LG-2436-WSBRK	133		
24 x 48	3LGL-2448-WSBRK	3LG-2448-WSBRK	162		
WITH STORAGE POCKET					
18 x 32	3LGL1832-WSP-BK	3LG-1832-WSP-BK	106		
24 x 36	3LGL2436-WSP-BK	3LG-2436-WSP-BK	142		
24 x 48	3LGL2448-WSP-BK	3LG-2448-WSP-BK	171		



AL COM

Service Cart

800 lbs. Capacity

All-welded construction -14 gauge shelves with 1-1/2" corner angles create a solid and durable service cart. Tubular handle "bolts on". Available in a 2 or 3 shelf configuration. Top (and middle) shelf can be either flush or configured with a 1-1/2" retaining lip. Rides smoothly on 5" x 1-1/4" polyurethane wheels, with 2 rigid and 2 swivel bolted-on casters (hardware included). Uniquely sized to ship "small package" and save on freight cost. 29-1/4" top shelf height. 36" handle height.

	Shelf Size	FLUSH TOP (& CENTER)	LIP EDGE SHELVES	Wt.
2 SHELF	18 x 32	LG-1832-UPS	LGL-1832-UPS	51
20" Shelf Clearance	24 x 36	LG-2436-UPS	LGL-2436-UPS	65
3 SHELF	18 x 32	3LG-1832-UPS	3LGL-1832-UPS	67
9-1/4" Shelf Clearance	24 x 36	3LG-2436-UPS	3LGL-2436-UPS	88



Model LG-2436-UPS



Mobile Table

800 lbs. Capacity

All-welded construction in a mobile table that ships "small package" and saves on freight costs. 14 gauge shelves with 1-1/2" corner angles create a solid and durable mobile table. Flush top table measures 29-1/4" from the floor. 5" x 1-1/4" non-marking polyurethane wheels, with 4 swivel bolted-on casters (hardware included) provide smooth rolling performance.

Size	Model No.	Wt.
18 x 32	IP-1832-UPS	48
24 x 36	IP-2436-UPS	62



Model 3LGL-2436-UPS









Welded service cart design with no corner upright posts allows easier access to contents on lower shelf. Heavy 12 gauge shelves provide 600 lbs. overall capacity. Two swivel, two rigid casters have non-marking polyurethane wheels with ball bearings for quiet, easy movement over most surfaces, including carpet. Overall height 35" with 26" clearance between shelves.

Shelf Size	Model No.	Wt.
18 x 24	EA-1824-5PY	56
18 x 32	EA-1832-5PY	63
24 x 36	EA-2436-5PY	85







Welded Service Cart with Perforated Deck

1200 lbs. Capacity

The 12 gauge steel shelves have smooth perforations that allow unwanted debris & moisture to pass through. All-welded service carts feature 1-1/2" retaining lip. Non marking 5" polyurethane casters wheel brakes. Overall height 35", shelf clearance 25". Powder coated gray finish.

Shelf Size W x L	Model No.	Wt.
24 x 36	LGLP-2436-BK	80
24 x 48	LGLP-2448-BK	97

Low Deck Truck

1200 lbs. Capacity

Low top shelf minimizes bending. Available in either Fixed Height or Adjustable Height. Top shelf is available with a 1-1/2" lip or flush. Bottom shelf has 1-1/2" retaining lip. Rolls easily on 5" non-marking polyurethane casters, 2 swivel with wheel brakes and 2 rigid.

FIXED HEIGHT Top Deck 24" High, 14" Shelf Clearance				
Shelf Size	E Lip Shelves Flush Top		Wt.	
18 x 24	LKL-1824-5PYBK	LK-1824-5PYBK	53	
18 x 32	LKL-1832-5PYBK	LK-1832-5PYBK	62	
24 x 36	LKL-2436-5PYBK	LK-2436-5PYBK	82	
24 x 48	LKL-2448-5PYBK	LK-2448-5PYBK	101	
30 x 48	LKL-3048-5PYBK	LK-3048-5PYBK	132	
30 x 60	LKL-3060-5PYBK LK-3060-5PYBK		161	
	ADJUSTABL Top Deck 25"- 33" High, 1			
Shelf Size	Lip Shelves	Flush Top	Wt.	
18 x 32	LKL1832-5PYBKAH	LK1832-5PYBKAH	69	
24 x 36	LKL2436-5PYBKAH	LK2436-5PYBKAH	89	
24 x 48	LKL2448-5PYBKAH	LK2448-5PYBKAH	108	
30 x 48	LKL3048-5PYBKAH	LK3048-5PYBKAH	139	
30 x 60	LKL3060-5PYBKAH	LK3060-5PYBKAH	168	