



Heavy-Duty Workbenches

Up to 10,000 lbs. Capacity

Heavy-Duty Welded Workbenches have an extra strong 7 gauge (0.180 inch) reinforced steel top with rounded comfort edges that can support up to 10,000 lbs. UDL. Heavy 2" x 2" angle legs are 1/4"-thick with welded 7 gauge gussets. The stationary models have footpads with a 5/8"-diameter anchor hole. A sturdy 12 gauge lower shelf has a 500 lbs. capacity for added storage. All models are welded and ship set up, ready for immediate use.



**Model
WW-3672-HD**
Shown with heavy-duty drawer

FIXED HEIGHT BENCHES – 34" High

ADJUSTABLE HEIGHT - 28" to 37" high on 1" centers.

SIZE D x W	FIXED HEIGHT Model No.	Wt.	ADJUSTABLE HEIGHT Model No.	Wt.
30 x 36	WW-3036	151	WW-3036-ADJ	176
30 x 48	WW-3048	187	WW-3048-ADJ	212
30 x 60	WW-3060	220	WW-3060-ADJ	245
30 x 72	WW-3072	263	WW-3072-ADJ	288
36 x 60	WW-3660	250	WW-3660-ADJ	275
36 x 72	WW-3672	287	WW-3672-ADJ	312
42 x 84	WW-4284	421	WW-4284-ADJ	446



**Model
WW-3072-ADJ**

OPTIONS AVAILABLE

Heavy-Duty Drawer

26"W x 20"D x 6"H (Center Mount) with padlock hasp. **-HD**

Heavy-Duty Riser Shelf

12" high above bench top, 10" deep. **-HR**



Extra-Heavy-Duty Welded Steel Workbench

15,000 lbs. Capacity

These all welded extra heavy-duty workbenches are designed for heavy-duty uses. The workbench top is 7 gauge steel and is supported by a frame of 3" x 1-1/2" structural C channel. The legs are constructed from the 3" C channel and are welded to the top with 7 gauge gussets. 12 gauge lower shelf is 22" deep and holds 500 lbs. Foot pads with 5/8" diameter anchor holes. Clearance below the lower shelf is 4-1/2" to allow fork access. Top height is 34". Gray powder coat finish.



**Model
WX-4284-34**

Size D x W	Capacity	Model No.	Wt.
36 x 60 x 34	15,000	WX-3660-34	348
36 x 72 x 34	15,000	WX-3672-34	396
42 x 84 x 34	15,000	WX-4284-34	532



Underside supporting frame



Model
WST1-2448-36

Fixed Height Welded Steel Workbenches

Capacities to 5000 lbs. UDL

Smooth 12 gauge steel top is double-reinforced with angle iron on the underside and gussets in the corners for exceptional strength and rigidity. Legs and lower braces are 1-1/2" x 1-1/2" x 3/16" thick angle iron. Legs have footpads with 5/8" hole for mounting to the floor. These all-welded units ship fully assembled and ready for immediate use. 36" overall height.

WORKBENCH WITH HALF LOWER SHELF – Half depth 12 gauge lower shelf with lip at rear provides room for additional storage while leaving ample room for legs when seated. Capacity 500 lbs.

WORKBENCH WITH OPEN BASE – Angle iron cross braces are centered to allow leg room on both sides.

FACTORY INSTALLED PEGBOARD OR LOUVERED PANELS – Available with a bolt-on 16 gauge pegboard or louvered panel. Panels are 24" high. Must be ordered with bench. Will not attach to standard benches. Gray powder coated finish. (Pegs and bins are not included)

SIZE D x W x H	Cap.	With Lower Shelf Model No.	Wt.	With Open Base Model No.	Wt.
24 x 48 x 36	5000	WST2-2448-36	109	WST1-2448-36	87
24 x 60 x 36	4500	WST2-2460-36	136	WST1-2460-36	109
30 x 48 x 36	5000	WST2-3048-36	124	WST1-3048-36	98
30 x 60 x 36	4500	WST2-3060-36	153	WST1-3060-36	121
30 x 72 x 36	4000	WST2-3072-36	186	WST1-3072-36	142
36 x 60 x 36	4500	WST2-3660-36	174	WST1-3660-36	136
36 x 72 x 36	4000	WST2-3672-36	201	WST1-3672-36	157
36 x 84 x 36	3000	WST2-3684-36	224	WST1-3684-36	177

For Pegboard Panel, add: **-PB**

For Louvered Panel, add: **-LP**

HARDBOARD OVER STEEL TOP – 1/4" Hardboard surface attached directly over 12 gauge steel top. Hardboard will help to deaden the sound of heavy blows and metal to metal contact. Hardboard is a more "forgiving" surface than steel and will help protect parts.

SIZE D x W x H	Cap.	With Lower Shelf Model No.	Wt.	With Open Base Model No.	Wt.
24 x 48 x 36	5000	WSH2-2448-36	116	WSH1-2448-36	94
30 x 48 x 36	5000	WSH2-3048-36	132	WSH1-3048-36	106
36 x 60 x 36	4500	WSH2-3660-36	186	WSH1-3660-36	147
36 x 72 x 36	4000	WSH2-3672-36	216	WSH1-3672-36	172
36 x 84 x 36	3000	WSH2-3684-36	244	WSH1-3684-36	197



OPTIONS AVAILABLE

Riser Shelf
12" high x 10" deep. **-R**

Locking Drawer
13" W x 17" D x 4-1/2" H
(Mounted on right side). **-DR**



Lower Shelf Model
with optional pegboard
WST2-2448-36-LP



Lower Shelf Model
with optional pegboard
WST2-2448-36-PB



Model
WSH2-2448-36



Stainless Steel Top Welded Workbenches

Combine the strength of a welded steel table with corrosion resistance of Stainless Steel! 16 gauge Type 304 Stainless Steel with a #4 finish is applied securely to the 12 gauge steel top. The lower shelf and remaining components have a durable gray powder coat finish. The stainless steel surface provides superior chemical, corrosion, and rust resistance without sacrificing overall strength.

SIZE D x W x H	Cap.	Model No.	Wt.
Fixed Height Models - 36" Overall Height			
30 x 48	5000	WSS2-3048-36	153
30 x 60	4500	WSS2-3060-36	188
30 x 72	4000	WSS2-3072-36	229
Adjustable Height Models - 27" - 41" High in 2" Increments			
30 x 48	5000	WSS2-3048-AH	155
30 x 60	4500	WSS2-3060-AH	190
30 x 72	4000	WSS2-3072-AH	231



Model
WSS2-3048-AH



Model
WSS2-3048-36

Adjustable Height Welded Workbenches

Capacities to 5000 lbs. UDL

Legs are adjustable from 27" to 41" high on 2" centers. 12 gauge steel top is double-reinforced with angle iron on the underside and gussets in the corners for exceptional strength and rigidity. These all-welded units ship fully assembled and ready for immediate use.

Steel Top

SIZE D x W	Cap.	With Lower Shelf Model No.	Wt.	With Open Base Model No.	Wt.
24 x 48	5000	WST2-2448-AH	111	WST1-2448-AH	89
24 x 60	4500	WST2-2460-AH	138	WST1-2460-AH	111
30 x 48	5000	WST2-3048-AH	126	WST1-3048-AH	100
30 x 60	4500	WST2-3060-AH	155	WST1-3060-AH	123
30 x 72	4000	WST2-3072-AH	188	WST1-3072-AH	144
36 x 60	4500	WST2-3660-AH	176	WST1-3660-AH	138
36 x 72	4000	WST2-3672-AH	203	WST1-3672-AH	159
36 x 84	3000	WST2-3684-AH	225	WST1-3684-AH	179



Model
WST2-3060-AH



Model
WSH2-2448-AH

Hardboard over Steel Top

SIZE D x W	Cap.	With Lower Shelf Model No.	Wt.	With Open Base Model No.	Wt.
24 x 48	5000	WSH2-2448-AH	118	WSH1-2448-AH	96
30 x 48	5000	WSH2-3048-AH	134	WSH1-3048-AH	108
36 x 60	4500	WSH2-3660-AH	188	WSH1-3660-AH	149
36 x 72	4000	WSH2-3672-AH	218	WSH1-3672-AH	174
36 x 84	3000	WSH2-3684-AH	246	WSH1-3684-AH	199



Model
WSL2-2448-36

Welded Steel Workbenches with Back and End Stops

12 gauge steel top workbench with angle iron reinforcements give these workbenches capacity to 5000 lbs. 1-1/2" raised edge on back and each side to keep parts and components contained. Fully welded and shipped set up, ready for use. Footpads have mounting holes ready for anchoring to your floor. Durable gray powder coat finish.

SIZE D x W	Cap.	FIXED HEIGHT 36" Overall Height		ADJUSTABLE HEIGHT 27"-41" High in 2" Increments	
		Model No.	Wt.	Model No.	Wt.
24 x 48	5000	WSL2-2448-36	114	WSL2-2448-AH	116
24 x 60	4500	WSL2-2460-36	146	WSL2-2460-AH	148
30 x 48	5000	WSL2-3048-36	134	WSL2-3048-AH	136
30 x 60	4500	WSL2-3060-36	164	WSL2-3060-AH	166
30 x 72	4000	WSL2-3072-36	198	WSL2-3072-AH	200
36 x 60	4500	WSL2-3660-36	187	WSL2-3660-AH	189
36 x 72	4000	WSL2-3672-36	215	WSL2-3672-AH	217
36 x 84	3000	WSL2-3684-36	239	WSL2-3684-AH	240



Model
WA-2848-P
Shown with DR-KIT and
factory installed Power Strip

Welded Workbenches with Backstops

3000 lbs. Capacity UDL

Formed 12 gauge steel tops are double reinforced and have a 3" high backstop. Half-depth lower shelf is 12 gauge with a 3" lip at rear. Ship fully assembled. Durable powder coated finish.

STATIONARY MODELS - 3000 lbs. Capacity

Adjustable from 27" to 41" high in 2" increments. Fixed Heights are 36" high with angle iron legs and have footpads with 5/8" lag hole.

Size D x W	ADJUSTABLE HEIGHT		FIXED HEIGHT	
	Model No.	Wt.	Model No.	Wt.
28 x 48	WA-2848	119	WB-2848	106
28 x 60	WA-2860	138	WB-2860	126
28 x 72	WA-2872	158	WB-2872	155



Model
WM-2848-E-P-PB

MOBILE MODELS - 1200 lbs. Capacity

5" swivel polyurethane casters with total locks. 36" high with angle iron legs.

Size D x W	Model No.	Wt.
28 x 48	WM-2848	138
28 x 60	WM-2860	157
28 x 72	WM-2872	176

STACKABLE DRAWER (Order Separately)

Ships with mounting hardware for customer installation on series WA, WB, and WM Workbenches above. Includes cylinder lock and 2 keys.

Size D x W x H	Model No.	Wt.
13"W x 17"D x 4-1/2"H Inside	DR-KIT	21

Factory Installed Options (add code to Workbench Model)

- E End Stops: 1-1/2" high formed 12 gauge.
- P Power Strip: UL listed 15 amp Power Tap with 6 grounded outlets, circuit breaker, switch, 15 ft. power cord and built-in cord wrap.
- PB Pegboard: 24" high 16 gauge pegboard panel.
- LP Louvered Panel: 24" high 16 gauge panel.
- R Riser Shelf: 12" high x 10" deep.



Model
DR-KIT



Folding Leg Welded Workbenches

3000 lbs. Capacity

Folding legs are hinged and welded to the top, and can be folded down for transport or storage by removing wing nut that secures leg braces. Legs adjust in 2" increments

Steel Top – Welded 12 gauge steel tops are channel reinforced for added strength and durability. 28" to 42" high.

D x W	Model No.	Wt.
30 x 72	WF-3072-AH	139
36 x 72	WF-3672-AH	152
36 x 84	WF-3684-AH	171



**Model
WF-3672-AH**

Hardboard over Steel Top – 1/4" hardboard over 12 gauge steel. 28-1/4" to 42-1/4" high.

D x W	Model No.	Wt.
36 x 72	WFH-3672-AH	167
36 x 84	WFH-3684-AH	192



Legs Folded

Butcher Block Top

3000 lbs. Capacity

1-3/4" thick. 29-3/4" to 43-3/4" high.

D x W	Model No.	Wt.
30 x 72	WFJ-3072-AH	147

Continuous Width Production Tables

3000 lbs. Capacity

Ideal for assembly lines. No stringer means working from both sides!

Heavy-duty 12 gauge tops are available in either 30" or 36" depth with reinforced understructure and strengthening gussets. Tops come in 4, 5, and 6 ft. widths to allow for an infinitely continuous work surface in 1 ft. increments (excludes 7 ft.). Starter kit includes (1) table top, (2) leg sets, and (4) gussets. Each additional Add-on kit includes (1) table top, (1) leg set and (4) gussets. Legs and gussets bolt to table-tops with included hardware. Ships flat. Overall height is 36". Gray powder coated finish.



WSE-STARTER



WSE-ADD-ON

STARTER KIT <i>includes (1) table top, (2) leg sets, and (4) gussets</i>				ADD-ON KIT <i>includes (1) table top (1) leg set, and (4) gussets</i>			
Depth	Width	Model No.	Wt.	Depth	Width	Model No.	Wt.
30"	4 ft.	WSE3048-STARTER	126	30"	4 ft.	WSE3048-ADD-ON	126
	5 ft.	WSE3060-STARTER	138		5 ft.	WSE3060-ADD-ON	138
	6 ft.	WSE3072-STARTER	153		6 ft.	WSE3072-ADD-ON	153
36"	4 ft.	WSE3648-STARTER	140	36"	4 ft.	WSE3648-ADD-ON	140
	5 ft.	WSE3660-STARTER	154		5 ft.	WSE3660-ADD-ON	154
	6 ft.	WSE3672-STARTER	170		6 ft.	WSE3672-ADD-ON	170



Model
WT-2448-LL

Butcher Block Top Tables

These 1-3/4" thick butcher block tops have a two-coat catalyzed varnish finish, and are attached to an all-welded, angle steel frame for unmatched rigidity and strength. The impact resistant, hardwood tops are non-conductive, resist damage from heavy blows, and provide an extremely durable, yet "forgiving" work surface. All models are fully assembled and ready for immediate use.

SWIVEL CASTER MODELS – 3" x 1-1/4" hard rubber casters with wheel brakes 35" high. 1000 lbs. capacity.

LEG LEVELER MODELS – Adjustable from 32" to 35" high. 2000 lbs. capacity.



Model
WTS-2448-3R-2DR

SIZE D x W	OPEN ANGLE FRAME BASE				12 GAUGE STEEL LOWER SHELF			
	CASTERS Model No.	Wt.	LEG LEVELERS Model No.	Size Wt.	CASTERS Model No.	Wt.	LEG LEVELERS Model No.	Wt.
24 x 24	WT-2424-3R	65	WT-2424-LL	60	WTS-2424-3R	76	WTS-2424-LL	71
24 x 36	WT-2436-3R	85	WT-2436-LL	80	WTS-2436-3R	102	WTS-2436-LL	97
24 x 48	WT-2448-3R	105	WT-2448-LL	100	WTS-2448-3R	128	WTS-2448-LL	123
30 x 48	WT-3048-3R	121	WT-3048-LL	116	WTS-3048-3R	153	WTS-3048-LL	148
30 x 60	WT-3060-3R	151	WT-3060-LL	144	WTS-3060-3R	162	WTS-3060-LL	169
30 x 72	WT-3072-3R	174	WT-3072-LL	169	WTS-3072-3R	197	WTS-3072-LL	192
36 x 72	WT-3672-3R	174	WT-3672-LL	169	WTS-3672-3R	197	WTS-3672-LL	192



Model
WSJ2-3060-AH-DR

Welded Steel Workbenches with Butcher Block Tops

3000 lbs. Capacity

Units ship fully assembled - ready for immediate use

Butcher Block top is 1-3/4" thick, helps deaden sound, absorbs impact. Replaceable top is attached to an all-welded steel frame. Half lower shelf constructed of 12 gauge steel with 3" high lip at rear. All-welded units ship fully assembled and ready for immediate use. Available in Fixed and Adjustable heights, and with optional factory installed Locking Drawer that measures 13"W x 17"D x 4-1/2"H (Right Side Mount).

SIZE D x W	Fixed Height Models 37-3/4" Overall Height				Adjustable Height Models 28-3/4" to 42-3/4" High in 2" increments			
	Without Drawer Model No.	Wt.	With Drawer Model No.	Wt.	Without Drawer Model No.	Wt.	With Drawer Model No.	Wt.
24 x 48	WSJ2-2448-36	105	WSJ2-2448-36-DR	100	WSJ2-2448-AH	128	WSJ2-2448-AH-DR	123
30 x 48	WSJ2-3048-36	121	WSJ2-3048-36-DR	116	WSJ2-3048-AH	153	WSJ2-3048-AH-DR	148
30 x 60	WSJ2-3060-36	151	WSJ2-3060-36-DR	144	WSJ2-3060-AH	162	WSJ2-3060-AH-DR	169
30 x 72	WSJ2-3072-36	174	WSJ2-3072-36-DR	169	WSJ2-3072-AH	197	WSJ2-3072-AH-DR	192
36 x 72	WSJ2-3672-36	174	WSJ2-3672-36-DR	169	WSJ2-3672-AH	197	WSJ2-3672-AH-DR	192



Model
CRT-3672-LL

Conference Room Table with Butcher Block Top

This attractive table is suitable for both industrial and in-office applications and features inset legs for easy and comfortable seating. The 1-3/4" thick butcher block top is impact resistant, non-conductive, and extremely durable. The welded steel frame is constructed of 1-1/2" square tubing with a 1/8" thick wall and a durable powder coated finish. The unit ships fully assembled and ready for immediate use. Heavy-duty leg levelers adjust for 31-34" Overall Height.

Overall W x D	Model No.	Wt.
36 x 72	CRT-3672-LL	170



Enclosed Table with Drawer and Butcher Block Top

1-3/4" thick butcher block top table enclosed on three sides with heavy-duty 14 gauge steel sides. The top measures 24" x 24" and stands 34" tall. Leg levelers allow adjustment on uneven floors, as well as 3" overall height adjustment. Locking storage drawer is 13"W x 17"D x 4-1/2"H and comes with two keys. Durable powder coated finish. Ships fully assembled and ready for immediate use.

Overall W x D	Model No.	Wt.
24 x 24	WTC-2424-LL-DR	134



Model
WTC-2424-LL-DR

Work Center Cabinet with Butcher Block Top

1-3/4" butcher block top provides a durable, yet forgiving work surface. The non-conductive butcher block top is securely attached to the all-welded, heavy-duty, 14 gauge steel cabinet. Features a keyed handle with a 3-point locking mechanism. 37" Overall height. 26" high interior cabinet clearance. Fully assembled and ready for immediate use. Durable powder coated finish.

Overall W x D	Model No.	Wt.
24 x 36	WTC-2D-2436-LL	166
24 x 48	WTC-2D-2448-LL	218
30 x 48	WTC-2D-3048-LL	230
30 x 60	WTC-2D-3060-LL	265
30 x 72	WTC-2D-3072-LL	302



Model
WTC-2D-2436-LL

Counter Height Work Table with Butcher Block Top

The 1-3/4" thick butcher block top work surface is 42" high. Heavy-duty leg levelers provide up to an additional 3" of height. Butcher block tops are impact resistant, non-conductive, resist damage from heavy blows, and provide an extremely durable, yet forgiving work surface. These tops are attached to an all-welded, powder coated steel frame and ship fully assembled.

Overall W x D x H	Model No.	Wt.
24 x 48	WT1-2448-LL-42	105
30 x 48	WT1-3048-LL-42	121
30 x 60	WT1-3060-LL-42	137
30 x 72	WT1-3072-LL-42	160
36 x 72	WT1-3672-LL-42	184



Model
WT1-2448-LL-42



Counter Height Bench Cabinets

The top work surface measures 24" x 48", is 41" high and is surrounded by retaining lip on three sides (except Butcher Block Top models). Available in 3 standard work top surfaces. Keyed handle and 3 point latching mechanism. Fixed center shelf. Clearview doors provide ventilation and visibility. Heavy-duty leg levelers adjust for up to 3" of additional height. All-welded 12 gauge construction. Durable powder coated gray finish. Also available with a factory intalled louvered or pegboard panel.

Top Surface	Solid Doors		Clearview Doors	
	Model No.	Wt.	Model No.	Wt.
Powder Coated Steel	MB3-LL-2D-2448	305	MBP3-LL-2D-2448	294
1-3/4" Butcher Block	MJ3-LL-2D-2448	355	MJP3-LL-2D-2448	344
1/4" Hardboard	MH3-LL-2D-2448	313	MHP3-LL-2D-2448	302

For Pegboard Panel, add: **-PB**

For Louvered Panel, add: **-LP**



STATIONARY Shop Cabinets

Top, center and bottom shelves are 12 gauge steel, with 14 gauge sides and back. Top shelf has a 2" retaining lip around 3 sides. Locking handle with 2 keys. Leg levelers allow 3" of overall height adjustment. Height to top shelf is adjustable from 31"-34". 12-1/2" shelf clearance. Ships fully assembled.

Size D x W	Model No.	Doors	Wt.
18 x 18	MC3-1D-1818-LL	1	98
24 x 24	MC3-2D-2424-LL	2	141
24 x 36	MC3-2D-2436-LL	2	187




Heavy-Duty Cabinet Workbench

10,000 lbs. Capacity

Top is reinforced 7 gauge steel with edges formed to a comfortable radius. Legs are 2" x 2" x 1/4" angle with footpads & lag holes. Doors and enclosure are 12 gauge, keyed locking handle and 3 point locking mechanism for security. Each 250 lb. capacity Drawer measures 26"W x 20"D x 6"H., has heavy-duty rollers, a padlock hasp and full-width recessed handle. Clearance under drawers is 16"H. Durable gray powder coat finish.



Top D x W	Cabinet Inside W x D	Cabinet Only	Wt.	Cabinet with 1 Drawer, Centered	Wt.
30 x 48	43 x 25	WWC-3048	318	WWC-3048-HD	357
30 x 60	55 x 25	WWC-3060	371	WWC-3060-HD	410
30 x 72	67 x 25	WWC-3072	430	WWC-3072-HD	469
36 x 72	67 x 31	WWC-3672	476	WWC-3672-HD	515
				with 2 Drawers	
30 x 72	67 x 25	-	-	WWC-3072-2HD	508
36 x 72	67 x 31	-	-	WWC-3672-2HD	554



Shop Desk

All-welded construction with comfortable height as a standing desk/workstation. Riser shelf is 10" deep and 10" above desk surface. Locking storage drawer is 13"W x 17"D x 4-1/2"H and comes with two keys. Lower shelves have 1-1/2" retaining lips and 11-3/4" shelf clearance. Durable powder coated finish.

Stationary Models: Leg levelers allow height adjustment of desk surface from 39" - 42" high. 2000 lbs. capacity.

Mobile Models: 3" swivel brake casters with rubber wheels, 42" high desk surface. 1000 lbs. capacity.

Overall D x W	Stationary Model No.	Wt.	Mobile Model No.	Wt.
22 x 24	PSR-2224-LLDR	99	PSR-2224-3RBKDR	104
24 x 36	PSR-2436-LLDR	134	PSR-2436-3RBKDR	139



Model PSR-2224-LLDR



Model PSR-2224-3RBKDR

Enclosed Shop Desk

Enclosed cabinet with 13 gauge expanded metal provides visibility of the contents. All welded construction ensures items stay secure. All models include locking storage drawer. Riser shelf is 10" deep and 10" above writing surface.

Stationary Models: Leg levelers allow height adjustment of desk surface from 39" to 42" high.

Mobile Models: 3" swivel brake casters with rubber wheels, 42" high desk surface.

Overall D x W	Stationary Model No.	Wt.	Mobile Model No.	Wt.
22 x 24	PSX-2224-LLDR	136	PSX-2224-3RBKDR	141
24 x 36	PSX-2436-LLDR	171	PSX-2436-3RBKDR	176



Model PSX-2224-3RBKDR



Model PSX-2224-LLDR

Receiving Station

2000 lbs. Capacity

All-welded 12 gauge construction. Top surface measuring 24" deep x 36" wide, is enclosed on three sides with flush front edge to provide an open writing surface. The height can be set from 39-1/2" - 42-1/2" above the floor. The 3 shelf version has 13" of clearance between the three shelves and the 2 shelf station has 27" of clearance. Riser measures 10" deep and is 12" above the writing surface allowing storage of most 3 ring binders. Floor glides adjust to almost any uneven floor surface.

Overall D x W		Model No.	Wt.
24 x 36	Without Center Shelf	RS-2436-LL	159
24 x 36	With Center Shelf	RS3-2436-LL	192



Model RS3-2436-LL

Receiving Station - with Locking Doors

2 locking doors feature a 3 point latching system and keyed locking handle to keep your items secure.

Overall D x W		Model No.	Wt.
24 x 36	Without Center Shelf	RS-2D-2436-LL	182
24 x 36	With Center Shelf	RS3-2D-2436-LL	215



Model RS-2D-2436-LL



**Model
MT1-2436-30**

Steel-Top Machine Tables

2000 lbs. Capacity

12 gauge smooth steel top won't warp or splinter. Legs and braces are 1-1/2" x 1-1/2" angle iron. All-welded units ship set up and ready for immediate use. Available in a variety of sizes and heights.

Top D x W	Height	Model	Wt.
18 x 24	18	MT1-1824-18	31
	24	MT1-1824-24	33
	30	MT1-1824-30	35
	36	MT1-1824-36	37
	42	MT1-1824-42	44
24 x 36	18	MT1-2436-18	48
	24	MT1-2436-24	50
	30	MT1-2436-30	52
	36	MT1-2436-36	55
24 x 48	42	MT1-2436-42	58
	18	MT1-2448-18	75
	24	MT1-2448-24	78
	30	MT1-2448-30	82
	36	MT1-2448-36	86
	42	MT1-2448-42	89

OPTIONS AVAILABLE

Swivel casters with wheel brakes, 3" rubber wheels (9 lbs.), add: -3R to Model No.

Note: Models with casters are same overall height as those without casters on Single Shelf Models. Capacity 500 lbs.

Accessory Drawer - 13"W x 15"D x 5"H (10 lbs.), add: -ED to Model No.



Multi-Shelf Machine Tables

2000 lbs. Capacity

All-welded units have 12 gauge shelves. Top shelf has flush edges, and reinforcement on larger sizes. Lower shelves have 1-1/2" retaining lip to contain small parts. Angle iron legs are 3/16" thick with 2-1/2" footpads.



**Model
MT2436-2**

Size D x W x H	2 Shelves 22" clearance	Wt.	3 Shelves 10-1/4" clearance	Wt.
18 x 24 x 32-1/2	MT1824-2	53	MT1824-3	70
18 x 32 x 32-1/2	MT1832-2	60	MT1832-3	81
24 x 36 x 32-1/2	MT2436-2	80	MT2436-3	111
24 x 48 x 32-1/2	MT2448-2	100	MT2448-3	140
24 x 60 x 32-1/2	MT2460-2	131	MT2460-3	183
30 x 48 x 32-1/2	MT3048-2	130	MT3048-3	180

Accessory Drawer - 13"W x 15"D x 5"H, add -ED to Model No.

OPTIONS AVAILABLE

Swivel casters with wheel brakes, 3" rubber wheels (9 lbs.), add: -3R to Model No. (Add 4" to overall height on Multi-Shelf models.) 500 lbs. Capacity



**Model
MT1824-2-3R**

Adjustable Height Leg Levelers - Adjusts standard table height from +1" to +4", add -LL to Model No. 2000 lbs. Capacity



**Model
MT2436-3-LL**



Heavy-Duty Machine Tables

10,000 lbs. Capacity

Top is formed from 3/16" thick steel for the heaviest applications, and reinforced with 2" x 2" x 3/16" angle iron. Legs are 2" x 2" x 1/4" angle and have 2-1/2" foot-pads with 5/8" diameter lag holes. All-welded construction, gray powder coated finish.

Top D x W	Height	Model No.	Wt.
16 x 30	24	MTH1-1630-24	96
	30	MTH1-1630-30	103
	36	MTH1-1630-36	109
22 x 30	24	MTH1-2230-24	102
	30	MTH1-2230-30	108
	36	MTH1-2230-36	114
28 x 30	24	MTH1-2830-24	116
	30	MTH1-2830-30	122
	36	MTH1-2830-36	128
30 x 36	24	MTH1-3036-24	134
	30	MTH1-3036-30	140
	36	MTH1-3036-36	147
30 x 48	24	MTH1-3048-24	164
	30	MTH1-3048-30	170
	36	MTH1-3048-36	179
30 x 60	24	MTH1-3060-24	191
	30	MTH1-3060-30	197
	36	MTH1-3060-36	203



Model
MTH1-2830-30

Adjustable Height Heavy-Duty Machine Table

10,000 lbs. Capacity

7 gauge steel top and heavy 2" x 2" leg construction are used to make a Heavy-Duty Machine Table that will meet the most demanding application. Adjustable legs allow table height positioning from 30" to 37" high with 1" increments. Durable gray powder coated finish.

Size	Model No.	Wt.
16 x 30	MTH1-1630-AH	115
22 x 30	MTH1-2230-AH	124
28 x 30	MTH1-2830-AH	141
30 x 36	MTH1-3036-AH	159
30 x 48	MTH1-3048-AH	188
30 x 60	MTH1-3060-AH	212



Model
MTH1-2830-AH